
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



ESTABLISHED 1802

THORBURN'S



HIGH CLASS

SEEDS

1910

COMPLETE ASSORTMENTS OF KITCHEN-GARDEN SEEDS FOR PRIVATE FAMILIES

These assortments contain only the choicest sorts, and are sure to give satisfaction. The proportions are arranged to suit large and small gardens.

proportions are arranged to suit large and sman gardens.	No. 1	No. 2	No. 3	No. 4
NAME VARIETIES	\$2.50	\$5 By Mall	\$10 By Mail	\$18
	By Mail \$3	\$5.75	\$11.50	By Mail \$21
Bean Refugee Green Pod	I pt	. I pt	. I qt	
" Longfellow Golden Wax	T nt	. I pt	. I pt	
" Stringless Green Pod	I pt	% pt	. I pt	
" Pole Cranberry			. I Dt	. I at.
" Challenger Lima		. 1 pt	. 1 pt	. 1 qt.
Beet Egyptian, Globe and Half-Long of ea	ich I pa	, I UZ	. 2 OZ	. 4 OZ.
Broccoli Purple Cape			. 14 OZ	1/2 OZ.
Brussels Sprouts Best Half-Dwarf Cabbage Early Wakefield and Early Spring of early Wakefield and Early Spring From Early Wakefield and Early Spring of early Cabbage Thorburn Private Stock Flat Dutch Red for Pickling	ch I pa.	1/4 OZ.	½ oz.	. ½ OZ.
" Drumhead Savoy		¼ oz	. ½ oz	. ½ OZ.
" Thorburn Private Stock Flat Dutch			1/2 OZ	. I OZ.
Carrot Early French Forcing	I pa	4 OZ	. ½ OZ	. ½ OZ.
" Half-Long Stump-Rooted	Tha	TOZ	I 02	4 02.
Cauliflower Thorburn Gilt-Edge	I pa	I pa.	. 1/ OZ	. 1/ 07.
" Thorburn Snowball		. гра	. I pa	. I pa.
Celery Fin de Siecle and White Plume of ea	ich i pa	. ¼ oz	. ½ oz	. I oz.
" Golden Self-Blanching	ch I/nt	. I pa	. I gt	. I oz.
" Country Gentleman	сп /2рг	I pt.	. I qt	
" Stowell's Evergreen	I pt	. I pt	. I at	
Corn-Salad Large-Seeded			. I OZ	. 4 Oz.
Cress, or Pepper Grass		. I OZ	. 2 OZ	
Cucumber Improved White Spine	I pa	/2 OZ	. I OZ	. 2 OZ.
Endive Green Curled and Broad-Leaved of ea	ch . I pa.	. 1 pa	1/4 OZ	. /2 OZ.
Kale Dwarf Green Curled Scotch		. I pa	. I OZ	. I OZ.
Kohlrabi Early White Vienna	I pa	. ¼ OZ	. 1/2 OZ	. I OZ.
Leek Best Flag	I pa	. 1 pa	. I pa	. I oz.
Lettuce Big Boston and May King of ea	ich i pa	. ¼ OZ	. ½ OZ	. I OZ.
" Giant Crystal Head	1 pa	. ¼ OZ	. ½ OZ	. I OZ.
" Giant Crystal Head	ach	I pa	. ½ oz	. 2 OZ.
" Sugar-Stick and Black Spanish, Water of ea	ich	1/2 OZ	. ½ oz	. 2 OZ.
Okra Perkin's Improved		. I OZ	. 2 OZ	. 4 OZ.
Onion Yellow Danvers		V 07	. 2 OZ	
" Large Red Globe	I pa	1/2 OZ.	. I OZ	-
Parsley Extra Curled	I pa	I pa	. I OZ	. 2 OZ.
Parsnip Hollow Crown		I OZ	. 2 OZ	
Pea Thorburn Extra-Early Market	I pt	. I pt	. 1 qt	
"Gradus	• • • • • • • • • • • • • • • • • • • •	. i pt	. I qt	
" Gradus	. 1 pt	ı pt.	ı qt	
" Duke of Albany			. I pt	. 2 at.
Pepper Chinese Giant		. I pa	. ¼ oz	. ½ OZ.
Radish White-Tipped and Scarlet Turnip of ea	ch Toz		2.07	. ¼ OZ.
" Early White Turnip		. 1 02	. I OZ	. 4 OZ.
" Scarlet Globe		I OZ.	. 2 OZ	. 4 OZ.
" Chinese Winter			. I oz	
Salsify Thorburn Improved Thick-Rooted		. ½ OZ	. 2 OZ	. 4 OZ.
Spinach Viroflay	1 UZ	· 1/4 1D	· /2 10	. I DZ.
" Hubbard		. I pa	. I pa	. ½ oz.
" Boston Marrow		. 1/2 OZ	. 1/2 OZ	. I OZ.
Tomato Early June Pink and Stone of ea	ach I pa	. ¼ oz	. ¼ oz	. ½ oz.
" Beauty and Royal Red of ear Turnip Milan and Yellow Stone of ea				
" Thorburn Family Rutabaga	1 OZ	. 1 02	. I OZ	. 2 OZ.
Herbs Five varieties of ea	ach		. гра	. гра.
COPYRIGHT 1909 BY J. M. THORBURN & CO.				

COPYRIGHT 1909 BY J. M. THORBURN & CO.

J. M. THORBURN & CO. ONE-HUNDRED-AND-NINTH ANNUAL CATALOGUE OF HIGH-CLASS SEEDS



HIS is our One Hundred-and-Ninth successive Annual Catalogue. We are growers and importers of High-Class Seeds, Bulbs and Roots only.

It is important that orders be sent on receipt of this Catalogue, instead of waiting till the spring, when we are so busy that there is sometimes unavoidable delay in filling them, even by night work.

Cultural Directions.—These apply to the climate of New York and vicinity. For more northern and southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners.

When desired, we will select suitable seeds if the size of garden or the sum proposed to be expended is stated.

Orders should be written on our order sheet or on a blank sheet separate from letter, preferably in ink, and to receive prompt attention should be directed to the firm, and not to individuals. Orders from new customers should be accompanied by a remittance in the form of a Post Office or Express Money Order, Bank Check or Bank Bills.

PRICES.—The prices quoted are net, and do NOT include free transit, EXCEPT FOR SEEDS IN PACKETS, OUNCES or QUARTER-POUNDS, on which WE pay postage or expressage.

Seeds by Mail or Express.—8 cents per pound should be added if wanted by mail or prepaid express, except for seeds ordered by the packet, ounce or ¼lb., which we mail free. By special arrangement with the express companies we can ship seeds and bulbs at a reduction of 20 per cent from the regular rates. Unless otherwise instructed, we send orders from parties unknown to us, C. O. D.

It sometimes happens that certain articles are not ready when the bulk of the goods ordered are shipped. In such cases, rather than hold back the whole order, we send what is ready and keep a memorandum of what is to follow when available. Customers would, therefore, in such cases, do well to await our advices or invoices before writing in regard to items not sent them.

Name, Address, etc.—We beg our correspondents to give us on each order the correct name and address; also to indicate very precisely the means of carriage which they prefer, mail, express or freight, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we shall ourselves choose the most advantageous and convenient means, but entirely at the risk of the customer.

Warranties.—Seeds of best quality will often fail through improper treatment. Thus, a small seed may be sown so deeply that the young plant cannot reach the surface. More failures result from disregard of the conditions necessary to germination than from inferiority of the seeds used.

These conditions are: a proper temperature, sufficient moisture, and free access of air. Besides these, the soil must be in proper condition, and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45°; but if Melons and other seeds of that family, bush or pole Beans, and other plants of subtropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too small a portion. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it forms roots below ground and leaves above, and is able to sustain itself. Besides these conditions affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind, may check their growth, or destroy them altogether. In addition, there are numerous insects, both below and above ground, that may attack the plants, some of them being so small that they often destr

J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

F. W. BRUGGERHOF, President E. E. BRUGGERHOF, Vice-President and Treasurer A. PROTIN, Asst. Treasurer J. J. WILSON, Secretary

J. M. Thorburn & Co.

Directions for the Cultivation of Vegetables

To secure a good crop of vegetables, three things at least are necessary; viz., a suitable soil, pure seed and clean culture. The exposure for a vegetable-garden should be perfectly south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being about the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile; but, if possible, a location should be selected naturally dry and free from surface water.

A dark-colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsoiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best results, the vegetable garden should have at least one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, onions, and a few other things, may form an exception to this rule, but it is, nevertheless, better to keep up rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills, or straight lines. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills, and other special information, is given in the body of the Catalogue; the least distance is named, in order to economize space; it might be increased in some cases to advantage. The ground should be frequently hoed, to kill the weeds, and keep the soil mellow; and the proper time to hoe is just when the weeds appear above the ground. Briefly, the proper way to kill weeds is never to let them grow; but, whether weeds appear or not, the ground should be frequently stirred.

Much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a very convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Eggplants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be



Shipping and Receiving Department, Park Place Entrance

bought cheaply of the seedsmen at the proper time, the expense and labor of a hotbed may be dispensed with, especially on small places.

To prepare a coldframe.—The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower, and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 to 30 days. During the cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes they are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Directions for Making a Hotbed

In the vicinity of New York, from the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days, fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit 21/2 feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3 x 6 feet, and one or two sashes will give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When every thing is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes, and keep the pit closed until the heat arises. At first it will probably be 100° or more, which is too hot to sow the seed in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer into the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow-storms keep covered with mats or board shutters. Tomatoes, Peppers and Eggplants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

HOTBED MATS

For covering sashes. Made of jute, stitched through; hemmed with canvas and thic	kly padd	ed; size,
76x76 in. One mat covers two sashes.	Each	Per doz.
No. 1. Both sides jute	\$1 50	\$16 00
No. 2. One side jute, the other waterproof duck	1 80	21 00

HOTBED SASH

Best quality. Packing extra, at cost.	
Unglazed. 3x6 feet	I 10 I2 00
	3 00 35 90

Descriptive of a Few Novelties and Specialties in Vegetable Seeds



BUTTERFLY RUNNER BEANS

Thorburn Long-Pod Forcer Bean

A very early, dark green, long-podded sort; extremely productive and of fine flavor. The finest forcing variety yet introduced. Pt. 30 cts., qt. 50 cts., ½pk, \$1.50, pk. \$2.50.

Refugee Late, or 1,000-to-1 Stringless

An entirely new form of the well-known Late Refugee Bean, having all the characteristics of the old variety except that it is absolutely stringless at all stages of development. It is quite as hardy and productive as the old Refugee, but, owing to its absence of string and its more tender pods, far surpasses it. Pkt. 15 cts., ½pt. 25 cts., pt. 40 cts., qt. 75 cts.


Mohawk Wax Bean

Long, flat, straight pods on same style as the well-known green-podded sort of the same name, but with wax pods. Early and

productive. A splendid sort. Pkt. 15 cts., pt. 35 cts., qt. 60 cts.

Fordhook Bush Lima Bean

Stiffly erect Bush form of the popular "Potato" Lima. Both pods and Beans are twice the size of Dreer's Bush Lima. Of strong, erect, true bush-like growth (never prostrate or running), the bushes average 20 to 30 inches in height by 20 to 24 inches across the top. The foliage is of heavy texture and very dark green in color. The stems that produce the blossoms are thrown out from the lateral and main stalks. The pods are borne in clusters of from four to eight, and resemble those of Dreer's Bush Lima Pt. 25 cts., qt. 45 cts., ½pk. \$1.50, pk. \$2.50, bus. \$9.



Butterfly Runner Beans

Phaseolus multiflorus Papilio

A variety of the Scarlet Runner Bean not only valuable as yielding a useful dish for the table, but important and desirable for brightening the garden by its gaily hued flowers far into the autumn. This sort is equal to the old kinds in productiveness and quality of fruit, but it is quite distinct and far surpasses the FORCER BEAN others in the beauty of its flowers. It is chiefly distin-

guished by the large size of the prettily waved and many white wings and its salmon and rose standards. These two colors make a beautiful and striking contrast. Pkt. 10 cts., 1/2 lb. 30 cts., lb. 50 cts.

Thorburn's New Model Beet

The finest table variety of all; tender, solid and crisp flesh; of fine flavor. The color is a dark blood-red; almost globular in shape. Pkt. 5 cts., oz. 20 THORBURN'S NEW MODEL BEET cts., 1/4lb. 60 cts., lb. \$1.50.

Thorburn's Gilt Edge Cauliflower

Best and surest of all. Produces large, heavy, solid white heads of finest quality. Undoubtedly the best variety in cultivation. Pkt. 25 cts., oz. \$2.25, 1/4lb. \$7.50, lb. \$28.

Extra-Early Nordheim Sweet Corn

The earliest Sweet Corn in cultivation. Produces stalks from 6 to 7 feet high each bearing three to four nearly perfect ears of finest quality. On style of Minnesota but far exceeding that variety in earliness and productiveness. Pt. 25 cts., qt. 40 cts., ½pk. \$1.25, pk. \$1.75, bus. \$6.

Thorburn's Early White Perfection Sweet Corn

A comparatively new second-early sort, producing good-sized ears 6 to 7 inches in length, of beautiful shape and almost pure white. Very small cob. It is a remarkable yielder, very sweet and a fine pure type without flint or glaze. It is undoubtedly the best second-early white Sweet Corn yet introduced. Pt. 20 cts., qt. 35 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.

Enkhuizen Glory Cabbage

Large early sort, white and very solid. Produces fine ball-shaped heads and combines large size with earliness as no other early cabbage does. A fine market sort. Best of all. Pkt. 10c., oz. 35c., 1/4lb. 11., lb. 13.

Thorburn's Noroton Selected White-Spine Cucumber

A selection of the Improved White Spine, but earlier, more perfect in shape and more prolific. The best slicing variety we have seen, being solid in flesh, fine-grained, tender and of delicious flavor. Vigorous,

healthy grower. A splendid sort for the home garden and absolutely without an equal for market. Pkt. 5 cts., oz. 20 cts., 1/4lb. 50 cts., lb. \$1.50.

"Rheingold" Lettuce

Produces very large solid heads of pure golden yellow, a most desirable color. Stands the heat well and can be sown all through the summer. It comes next to May King, which it resembles, in earliness, and is equally valuable. One of the most tender and crisp varieties. Pkt. 25 cts.

Cranston's Excelsior Yellow Onion

A very large English exhibition variety of mild flavor; oval globe shape; fine skin, light yellow in color. A good keeper. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.



ENKHUIZEN GLORY CABBAGE

Thorburn's "Germania" Pea

Dwarf. Very prolific. Immense pods. Finest quality Peas


Undoubtedly the finest dwarf wrinkled Pea yet introduced. It is about as early as Nott's Excelsior, grows 16 to 20 inches high and bears in the greatest profusion immense pods nearly as big as Gradus, well filled with large peas of the best quality and of the finest flavor. Pkt. 15 cts., pt. 30 cts., qt. 50 cts.

"The Lincoln" Pea

A recent English introduction. Long curved deep green pods, well filled with Peas of finest flavor. Very productive, and one of the best second-early sorts yet introduced, grows 1½ feet high. Pt. 25 cts., qt. 45 cts., ½pk. \$1.50, pk. \$2.50, bus. \$9.

Thorburn's Upright Sweet Salad Pepper

Of recent introduction. Handsome, productive, and of finest quality. The color is bright scarlet and the flesh thick, mild and very sweet. The Peppers are as large as Ruby King and are all borne upright, clear



of the ground. The flesh is so thick and the skin so tender that it may be fried like a beef-steak, and so sweet that it may be eaten like an apple. Pkt. 15 cts., oz. 45 cts., ¼lb., \$1.50, lb. \$5.

Scarlet Turnip Forcing, "Giant Butter" Radish

This new sort has many points of excellence. It produces large radishes uniformly round and of a vivid scarlet color. It keeps crisp and tender for weeks and in spite of its large size does not become hollow and pithy. It has a very small tap-root and short leaves, which makes it a valuable forcer. On account of its size (five or seven radishes to a pound, generally) the seed should be sown deeper, and the plants thinned to stand further apart in the rows, than ordinary sorts. Pkt. 25 cts.

Earlibell Tomato

One of the earliest and most prolific red sorts in cultivation, not excelled by any variety for smoothness or delicacy of flavor. Size from 3 to 4 inches in diameter and of very uniform shape. The vines are extremely vigorous with

medium heavy foliage, setting fruits close to the stem and bearing continuously until frost. Pkt. 15 cts., oz. 50 cts.

Magnitude Tomato

One of the largest sorts in existence and said to be the most prolific. The color is a deep red with no tinge of purple and the flesh is solid and of fine flavor. Said to be free from rot and to be nearly all solid meat; very few seeds. Holds up well when fully ripe and bears continuously until frost. Pkt. 10 cts., oz. 30 cts.

French Half-Long White Turnip

One of the best table Turnips in cultivation. A small quick-growing, early variety; pure white skin and flesh, very tender and sweet. Can be sown for succession like radish. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 35c., lb. \$1.

All of these novelties and specialties have been carefully tested and their superior qualities amply demonstrated.

We have no hesitancy in recommending them. The flower seeds described in the next few pages are equally valuable.

Flower Seed Novelties and Specialties of Merit

ESCHSCHOLTZIA THORBURNI (hA)

(See colored illustration on back cover of Catalogue)

The grandest of all Eschscholtzias and the most valuable novelty of the season. In habit it is the same as the California Eschscholtzia, commonly called California Poppy, but it is decidedly distinct in its coloring, which might almost be described as being barbaric in splendor. The unopened buds on outer side of petals are of the richest deepest possible crimson, toning down in the inner side to bright flame-color and molten-gold. The flowers are larger than those of other Eschscholtzias and are borne with equal profusion. Pkt. 25 cts.

Dimorphotheca aurantiaca

(hA)

A rare and extremely showy annual from Namaqualand, South Africa, of very easy culture. The plants, of neat branchy habit, grow about 12 to 15 inches high and are exceedingly profuse in flowering. Its Marguerite-like blossoms, 21/2 to 23/4 inches in diameter, show a unique glossy rich orange-gold, with dark-colored disc surrounded by a black zone. Well adapted for groups or borders; produces its pretty flowers very early after being planted out in the open ground in sunny situations and will continue to flower during the summer. This novelty gained an award of merit at the Temple Show, London, in 1907. Pkt. 25 cts.



Incarvillea grandiflora (hP)

A beautiful new sort, much larger and deeper in color than the well-known *I. Delavayi*. Very dwarf and compact grower. Continues blooming long after other varieties have ceased flowering. Pkt. 25 cts.

Myosotis, Ruth Fischer (hP)

This novelty appears likely to supersede those popular Forget-me-nots, "Love Star" and "Blue Perfection," since it happily unites the good qualities of both sorts. It is of particularly neat and compact habit and the very lovely flowers shoot up strongly over the glossy dark green foliage. Displayed in large corymbs,



MYOSOTIS, RUTH FISCHER

they measure about half an inch arcoss and are therefore larger than those of any Myosotis hitherto known. The color is a pure Forget-me-not blue. It can easily be forced and is excellent for cutting and for hanging baskets. Owing to its extreme hardiness it is valuable for spring bedding in the open ground. This splendid Forget-me-not took first prizes at the shows at Mannheim, Dresden, Ghent, and Berlin. Pkt. 30 cts.

$\begin{array}{ccc} {\bf Asparagus} & {\bf plumosus} \\ {\bf intermediate} & ({\bf \it gP}) \end{array}$

A cross between A. plumosus nanus and A. plumosus robustus. A new form with exceedingly graceful foliage; a rapid and vigorous grower. The best of all for home use or for florists. Pkt. of 25 seeds, 25 cts.

Verbena hybrida compacta erecta, "Brilliant" (hhA)

Forms a compact, upright bush of about 9 inches in height and 1 foot in diameter, and is very free and long-flowering. The flowers are a brilliant coppery scarlet color with delightfully contrasting large white eye, surprisingly beautiful and of long duration; fine for bedding or edging. Pkt. 25 cts.

Mammoth Verbena, "Rose Queen" (hhA)

Each individual flower of this remarkable novelty measures I to I¼ inches across, in well-grown plants, and the petals lie so close together that the corolla hardly shows any indentations. The flowers, which are of a most brilliant rose color are produced in magnificent large umbels. Pkt. 30 cts.

Primula obconica gigantea, Kermesina (gP)


Giant-flowering, brilliant carmine-red. Flowers form immense umbels in great profusion. Pkt. 25 cts.

Mignonette, "White Pearl" (hA)

A white-flowered variety on the style of the well-known Machet, of robust stocky habit. The flower heads are large, broad, conical in shape and are delightfully fragrant. Pkt. 10 cts.

Zinnia, Double Dark Maroon, "General Jacqueminot" (hA)

Half-dwarf, foliage dark green; flowers dark maroon, changing during the heat of summer to brown. A. splendid novelty. Pkt. 25c.



COSMOS, LADY LENOX

Cosmos, Lady Lenox

(hA)

An orchid-flowering Cosmos of recent introduction, having gigantic blooms of a delightful shell-pink color. Strong and vigorous grower, attaining a height of 6 to 7 feet; flowers may be cut with any length of stem up to 5 feet, and will last an unusual length of time in water. Pkt. 10 cts., oz. 60 cts.

Nasturtium Lobbianum, "Queen Wilhelmina"

(hA) (Introduced last season)

Rich rosy scarlet flowers extremely effective against its beautifully speckled, veined and marbled white, on green, foliage. A remarkable acquirement of the Lobbianum type. A vigorous grower. Pkt. 10 cts., oz. 40 cts.

Campanula glomerata acaulis (hP)

Especially adapted for rockwork as well as for pots. The flowers appear in bunches immediately above the light green foliage and are of a beautiful dark blue color. They are produced in abundance during July and August. Pkt. 20 cts.

Nemesia hybrida, "Blue Gem" (hA)

This fine selection of the dwarf and compact form of Nemesia is a real gem both in color and habit of plant. The plant being of fine compact habit and free-flowering is well adapted for beds or borders. The flowers are a beautiful Myosotis-blue, and most effective. Pkt. 25 cts.

GERBERA JAMESONII HYBRIDA

New hybrid of the halfhardy perennial called "Scarlet Daisy or Marguerite of the Cape." By artificial hybridizing a great number of varieties, varying in color from pure-white through shades of yellow, pale red and salmon to orangerose, cherry-red, scarlet and rich crimson or violet-red, have been secured. Sometimes the disk is of the same color as the ray florets, other times it is a different shade. The large, wellformed, Marguerite-like flowers, borne on very long and strong peduncles, last a long time in a cut state and furnish unsurpassed material for bouquets or for any other decorative purpose. Pkt. 50 cts.



GERBERA JAMESONII HYBRIDA

Gypsophila elegans carminea (hA)

Splendid carmine-rose flowering strain, much brighter than the old annual *G. elegans rosea*. The plants grow about 10 to 12 inches in height, and the same in diameter. The bushes are immensely free-flowering, set with small, bright carmine-rose blooms. Fine for bouquets and for bees. Pkt. 15 cts.

Giant Stock, Nice "Abundance" (hhA)

This new variety is of dwarf branching habit and produces, as its name implies, an abundance of beautiful carmine-rose flowers. The central stem instead of pushing upward divides into 12 to 15 sturdy branches, each in turn producing 15 to 20 side shoots forming spikes of magnificent large blossoms. Excellent for bedding or for pots. Produces 50 to 60 per cent of double flowers. Pkt. 25 cts.

Gladiolus primulinus

Seed of this beautiful yellow sort, introduced by us recently. Bulbs will be found quoted below. Pkt. 25c

Gladioli (Bulbs)

PRIMULINUS. Very rare species from Victoria Falls, South Africa; grows 3 to 4 feet tall and is very vigorous. The flowers are of good size and are a clear primrose-yellow. Blooms late in July. Genuine stock; most valuable. 50 cts. each, \$5 per doz., \$32 per 100.

PRIMULINUS HYBRIDS. Hybrids of the above, with many related species and choice garden varieties. Extremely vigorous and healthy growers, blooming in July and August. Grow 3 to 5 feet high, with long spikes of richly colored blooms, varying in color from clear yellow to crimson, the latter with large, soft orange or golden throats; exceedingly desirable. 20 cts. each, \$2 per doz., \$12 per 100.

Begonia crispa (Single-Fringed Begonias)

These Begonias have beautifully shaped, gracefully frilled and crested flowers borne above the foliage on long and erect stems. A fine strain with a great future. Red, Rose, White, Yellow and Salmon. 15 cts. each, \$1.50 per doz.

Vegetable Seeds

Please notice that we pay postage or express charges on all seeds ordered by the packet, ounce and 41b. If larger quantities are ordered, add postage or expressage at the rate of 8c. per lb.

See inside front cover of this catalogue for COMPLETE ASSORTMENTS OF VEGETABLE SEEDS of approved and choice sorts for from \$2.50 to \$18.

ARTICHOKE

ARTICHAUT Alcachofa Artichoce

Culture.—Deep, rich, sandy loam, with plenty of well-rotted manure. Sow seeds in April or May, and when large enough transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in, bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in the spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbeds during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

Per pkt. Oz. 141b. Lb.


reads are diffit for cumary purposes after the nowers expand.	Per pkt.	Oz.	1/41b.	Lb.
2 French Globe. The standard sort	\$0 10	\$0 35	\$1 00	\$3 00
3 Early Purple	10	35	1 00	3 00
4 Flat Brittany	10	40	I 25	4 00
7 Inmingalom Anticholica Poots	oto			

7 Jerusalem Artichoke. Rootsqt. 25 cts...

ASPARAGUS

Asperge Esparrago Spargel

CULTURE.—Sow the seeds thinly in rows 1 foot apart in April or May (4 or 5 lbs. to the acre), and keep down all weeds. To secure strong, healthy plants, thin the seedlings to 3 or 4 inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring in rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had,



and the common annual			
10 Colossal. The approved standard			
	Oz,		Lb.
the French is identical with it \$0 05	\$0 IO	\$0 20	\$0 50
12 Palmetto. Of southern origin; a very			
desirable bright green Asparagus 05	10	20	50
15 Bonvalette's Giant. An improved			
Palmetto; produces larger stalks			
and is a stronger grower 05	10	20	65
18 Columbian Mammoth White. Very			
large white shoots 05	10	20	60

ASPARAGUS ROOTS

Plant either in fall or spring

	Per 50	100	1,000
Colossal. 2-year-old roots	.\$0 50	\$ 0 80	\$6 00
Palmetto. 2-year-old roots	50	80	6 00
Columbian Mammoth White. A fine se			
with large white shoots. 2-year-old roots		I 00	7 00

In France a business is now made of growing small green delicate shoots of Asparagus during the winter. Strong roots may be forced in hotbeds out-of-doors. They should be packed closely into the frames, and by making a new bed every five or six weeks these tiny shoots may be had all winter and are valuable served with omelets, green peas, etc.

BORAGE

The young leaves of this annual, which smell somewhat like a cucumber, are used as a salad, or boiled like spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, a foot apart, when of six weeks' growth Pkt. 5 cts., oz. 10 cts., 14 lb. 30 cts., lb. 90 cts.



ASPARAGUS

BEANS

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in importance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in superior sorts, greatly extending the season of use, as well as varying the flavor.

CULTURE.—About the first of May, if the ground is perfectly warm, select a warm, dry, sheltered spot, dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession.

DWARF GREEN-PODDED SNAP-BEANS

We supply packets of all Beans at 10 cts. each, postpaid; except where otherwise noted, other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart

29 Bountiful. Extra early, very prolific and long-bearing; flat, Per pt.	Qt.	½pk.	Pk.	Bus.
green pods, tender and stringless\$0 15	\$0 30	\$1 00	\$ 1 75	\$6 co
32 Dwarf Horticultural. Late and productive; flat, stringless pods 15	30	1 00	1 75	6 50
35 Dwarf Horticultural, Carmine Pods. Same as above, but				
with carmine pods	35	I 25	2 00	
36 Full Measure. Large round pods, firm, tender and sweet and en-				
tirely stringless. Fine shipper and keeper 30	50			

- 37 Fulmer's Forcing. A fine dwarf forcing variety. Pt. 30 cts., qt. 50 cts.
- 38 Goddard Improved. Long, flat pods, stringless; very prolific. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75.
- 39 Green-seeded Flageolet. Used as a shell-bean when green for many exquisite French dishes. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.
- 41 Hodson Green-Pod. A green-podded form of Hodson Wax. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.50.
- 42 Longfellow. Long, straight, round, solid green pods; very early. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 43 Low's Champion. Large, long pods, stringless; fine flavor. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- **44 Marvel of Paris.** Long, slender, flat pods, very early. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 45 Mohawk. Long, flat straight pods; early; very productive. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 47 Osborn's Forcing. A most superior English dwarf Bean for forcing. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.
- 48 Refugee, Late, or 1,000-to-1. Medium to late; very productive and tender; largely grown for main crop; round pod. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 49 Refugee, Thorburn Extra-Early. Has all the superior qualities of the famous Refugee, and is fully two weeks earlier in podding. Pt. 15 cts., qt. 30 cts., ½pk. \$1. pk. \$1.75, bus. \$6.
- 50 Refugee, Golden. Pods of light green color; late; very productive. Pt. 15 cts., qt. 30 cts., ½pk. \$1.,pk. \$1.75, bus \$6.
- 51 REFUGEE, KEENEY'S STRING-LESS. Stringless at all stages of development. See Novelties. Pkt. 15 cts., ½pt. 25 cts., pt. 40 cts., qt. 75 cts.
- 52 Six Weeks, Long Yellow. Early market sort; full, flat, green pods. Pt. 15 cts., qt. 30 cts., ½pk. 85 cts., pk. \$1.50, bus. \$5.50.



EXTRA-EARLY REFUGEE BEANS

12 J. M. THORBURN & CO., 33 BARCLAY ST.	, NEW	YOR	K	
Dwarf Green-Podded Snap Beans, cont	inued			
54 Stringless Green-Pod. Extra early; stringless, prolific; round Per pt		½pk,	Pk.	Bus.
pod	\$0 35	\$1 25	\$2 00	\$7 00
above	35	I 25	2 00	7 00
long-podded sort; finest of all forcing beans. See Novelties 30	50	1 50	2 50	
60 Valentine, Extra Early. Round, thick, solid pods; tender, fine flavor	30	I 00	I 75	6 00
63 Valentine, Giant Stringless. About seven days later than Extra Early Valentine. Slightly curved pods, brittle and stringless;				
a strong grower and good yielder	40	1 25	2 00	7 50
long, round, solid pods; very early	35	I 25	2 00	7 50
ENLISH DWARF BEANS				
Feve de Marais Haba Große Bohn Culture.—Sow in drills 2 feet apart, as early in the spring as the ground of	can be wor	rked (the	ese are a	s hardy
as peas), in order to get them into pod before the heat of summer. When in p to check the growth. Plant and hoe the same as for Dwarf Beans. A strong so	il suits the	em best.	_	_
Properly cooked, these Beans form one of the most delicious vegetables. one heaped tablespoonful of salt. The beans should be young and freshly gathe				
boiling water, salted as above. Boil rapidly for 15 or 20 minutes, then serve w Boiled bacon is often served with the beans. Per pt.	rith a sauc Qt.	e of pars ½pk.	sley and Pk.	butter Bus,
80 Broad Windsor. The largest and best of the class\$0 15	\$0 30	\$0 85	\$1 50	\$5 00
81 Early Mazagan. Earliest of the class		- 85 - 75	I 50 I 25	5 00
85 Small Horse Bean. Small size		85	1 50	5 00
DWARF WAX BEANS				
We supply packets of all Beans at 10 cts. each, postpaid; except where other prepaid; add transportation charges at the rate of 5 cts. per pin				s NOT
92 Black Wax, Improved Prolific. Very early and prolific. The Per pro-	. Qt.	½pk.	Pk.	Bus,
pods are round, full, stringless and of fine quality\$0 20 93 Black Wax, Challenge. Round pod; extra early20		\$1 25 1 25	\$2 00 2 00	\$7 00 7 00
94 Black Wax, Currie's Rust-Proof. Flat pods; early; productive . 20	35	I 25	2 00	7 00
95 Black Wax, Pencil-Pod. Slender, long, round pods		I 25 I 25	2 00	7 00
101 Golden Wax Improved. Very early; flat pods, long and stringless. 20 102 Golden Wax, Keeney's Rustless. Semi-round pods	35	I 25	2 00	7 00
103 Golden-Eyed Wax. Very hardy and prolific, with flat, yellow		I 25		
pods; early and free from rust		I 00	1 75	6 00
Enormously productive	30	I 00	1 75	6 00
pods. See Novelties	60			
long, round, wax pods; for early or late sowing; immense	- 0.0	Y 07	2.00	7 0/
yielder		I 25	2 00	7 00
Kidney, but with round pods		1 25	2 00	7 00
golden yellow; stringless; very prolific		I 25	2 00	7 00
111 Wardell's Kidney Wax. Early; long flat, purely wax pods 20 112 White Wax, Improved Stringless. Round pods; beans pure	35	I 25	2 00	7 00
white and of finest quality; strong grower; stringless	50			
ity Pkt. 15c 35	60			
WHITE BEANS				
We supply packets of Beans at 10 cts. each, postpaid; other quantities NOT pr at the rate of 5 cts. per pint, 10 cts. per quart	epaid; ada	l transpo	ortation	charges
116 Thorburn Dwarf Lima (The True Kumerle Strain). The dwarf				
form of our famous Challenger Lima—the finest of all Limas. Per pt It possesses the flavor of the genuine Challenger Lima \$0 20	. Qt. \$0 35	½pk. \$1 25	Pk. \$2 00	Bus. \$7 50
118 Burpee Bush Lima. A bush form of the large flat Pole Lima, growing only 18 to 20 inches high. It is an immense yielder 20	35	I 25	2 00	7 50
119 Burpee's Improved Bush Lima. An improved strain of the Bur-	33	1 23	2 00	, 30
pee Bush Lima having much larger pods and beans. Enormously productive and extremely early	45	1 50	2 50	9 00
120 FOORDHOOK BUSH LIMA. See Novelties	45	1 50	2 50	9 00

White Beans, continued Per pt.	Ot.	⅓nk.	Pk.	Bus.
122 Henderson Bush Lima, or Dwarf Sieva. Productive\$0 20	\$0~35	\$1 25	\$2 00	
124 New Wonder Bush Lima. Very dwarf; flat Bean	45	1 50	2 50	8 50
125 Wood's Prolific Bush Lima. Very productive. The Early Sieva,				
or Butter Bean of the South	35	I 25	2 00	7 50
126 White Kidney. Excellent, either green or ripe, as a shell Bean 15	25	75	I 25	4 50
128 White Marrow. Good, either as a string or shell Bean	25	75	I 25	4 50
130 White Flageolet, Small, white Bean, used shelled	40			

POLE, or RUNNING BEANS

We supply packets of Beans at 10 cts. each, postpaid; other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart

CULTURE .- Sow as the soil becomes warm and dry, for the first part of May (for all except Limas) to the latter part of May, in hills 4 feet each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will plant about 100 hills, allowing four or five beans to a hill, and of the smaller sorts about 200 hills. Poles 8 or 10 feet long should be firmly set in the hills before planting seed.

Per	pt.	Qt.	½pk.	Pk.	Bus.
140 Lima, Challenger. Thick and productive; best of all\$0				\$2 00	\$7 00
141 Lima, Ideal Pole. Large pod and Bean; tender and of fine flavor;					
very productive. On style of Large White Lima	20	35	I 25	2 00	7 00
142 Lima, Large White. Highly esteemed	20	35	I 25	2 00	6 50
143 Lima, King of the Garden. Large in pod and bean		35	I 25	2 00	6 50
145 Lima, Siebert's Early. Very early; immense yielder; large size		00			
beans of the finest quailty	20	35	I 25	2 00	7 00
146 Lima, Small Sieva, or Carolina. Early and productive	20	35	I 25	2 00	7 00
147 Black German Wax. Yellow pods		35	I 25	2 00	7 00
148 Dutch Case-Knife. Pods long, green and flat; can be either					·
snapped or shelled	1.5	30	I 00	I 75	6 00
149 Horticultural Pole. Good as a snap or as a shell Bean	15	30		I 75	6 00
150 Burger's Green-Pod Stringless Pole. Stringless, tender and					
sweet. Earlier than old Homestead and more productive.					
Pods average 6 inches in length and are borne in clusters	20	35	I 25	2 00	
152 Golden Cluster Improved. Long golden yellow pods in clusters.		35	1 25	2 00	7 50
154 Kentucky Wonder (Old Homestead). Pods green; very long;					
and flat	20	35	I 25	2 00	6 50
155 Vantuales Wander Calden War					

155 Kentucky Wonder, Golden Wax Pods. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8. 156 Lazy Wife. Long green pods of good quality; white beans. Pt. 20 cts., qt.

35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.50.

159 Scarlet Runner. A popular English Pole Bean; very ornamental. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$6.50.

160 Southern Creaseback. Long, round, stringless pods; fleshy, tender. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$6.50.

161 Southern Prolific. A continuous bearer Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$6.50.


162 White Dutch Runner. Same habit as the Scarlet Runner. Pt. 25 cts., qt. 40 cts.

163 BUTTERFLY RUNNER. See Novelties. Pkt. 10 cts., ½lb. 30 cts., lb. 50 cts.

164 Yard-Long French. Pods sometimes grow from 2 to 3 feet long and are very slender; curious; should be grown on pea brush. Pkt. 20 cts.

BETTERAVE Remolacha Salatrübe

CULTURE.—Sow as early in the spring as the ground can be worked (5 to 6 lbs. to the acre), and every two weeks after for a succession up to the first week of July. For general crop, sow about the middle of May. The soil should be light, sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills I foot to 15 inches apart, and when well up, thin to from 4 to 6 inches. The



BEETS

Beets, continued

Decis, continued	
young Beets, with their tops, pulled out of the row, are excellent used as a spinach. For this purpose, s frequently and use when size of a hickory nut.	
requently and use when size of a nickory nut. Pkt. Oz. ¼lb. Ll	b.
175 Bassano. Early; light color; good sort	60
186 Columbia. Round, smooth-skin; with deep blood-red flesh	75
187 Crimson Globe. Fine globular shape; flesh rich, deep crimson; tender and	, 0
sweet; very early	7.5
sweet; very early	75
192 Detroit Dark Red Turnip. Round; skin dark blood-red; flesh bright red 05 10 25	75
194 Dewing Early. Of fine form and flavor, and good for market	
198 Early Blood Turnip. Dark red; fine flavor; good for winter. 05 10 20	75 60
200 Early Blood Further Dark led, the havol, good for whitel	
200 Eclipse. Early; round, bright red	75
202 Edmand Blood Turnip. A market-gardener's strain of great regularity in	
shape and of best quality	70
204 Egyptian. Early, and of dark blood-color; rather flat in shape 05 10 25	75
206 Egyptian, Crosby's. Extra early, round, dark blood-color	80
210 Half-Long Blood. Fine dark strain for winter	80
222 Long Smooth Blood. A good late variety for winter	60
223 THORBURN'S NEW MODEL RED. Dark blood-red; splendid sort. See	
No. 11.1	50
	00
227 Witham Fireball. Brilliant red flesh, solid, sweet and crisp; fine quality;	00
globe-shaped; very early	00
	60
250 Swiss Chard, of Silver Beet. To be used same as spinach	00
FOLIAGE BEET	
These varieties are grown only for their handsome foliage, which is very ornamental and decorative.	
Pkt Oz ¼lh Ll	b.
243 Scarlet-ribbed Chilian \$0.05 \$0.20 \$0.40 \$1	25
	25
	25
	25
	25
	50
21) Diucuotta toaroo,	-,0

MANGEL-WURZEL, SUGAR BEET, ETC.

Runkelrüben

Culture.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June, in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow, in addition, when the plants are 3 or 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone flour, and 400 lbs. salt per acre. As soon as frost occurs, dig the crop. In order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases this should be replaced by about 6 inches of either salt-hay, straw, sea-weed or corn-stalks, with a light layer of earth on top. As soon as this surface soil becomes frozen, about 6 or 8 inches more of earth should be placed over it. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from 5 to 8 pounds to the acre.

MANGEL-WURZEL

255 Giant Half-Sugar Red-Skinned. Longish ovoid; red skin; white flesh. Ex- Oz.	¼lb.	Lb.
cellent quality. 10 lbs. and over @ 35 cts. per lb		\$0 40
260 Giant Yellow Intermediate. Very large. 10 lbs. and over @ 35 cts. per lb.; 25 lbs.	# 0	" - "
and over @ 30 cts. per lb.	15	40
261 Golden Tankard Mangel-Wurzel. Bright yellow; handsome and sweet, and very	- 0	•
productive. 10 lbs. and over @ 35 cts. per lb.; 25 lbs. and over @ 30 cts. per lb 10	15	40
262 Red Globe Mangel-Wurzel. Similar to Golden Globe; productive. 10 lbs. and		
over @ 35 cts. per lb.	15	40
265 Golden Globe. Very handsome strain. 10 lbs. and over @ 35 cts. per lb		40
267 Long Yellow. A good main-crop sort. 10 lbs. and over @ 35 cts. per lb		40
269 Mammoth Long Red Mangel-Wurzel. Very large; enormously productive under		
careful culture. 10 lbs. and over @ 35 cts. per lb.; 25 lbs. and over @ 30 cts. per lb. 10	15	40
271 Yellow Ovoid Mangel-Wurzel. Of distinct shape; one of the most productive sorts.		
10 lbs. and over @ 35 cts. per lb	15	40
273 Yellow Globe. Productive and of good size. 10 lbs. and over @ 35 cts. per lb 10	15	40
274 Yellow Globe Giant. Larger than above. 10 lbs and over @ 35 cts. per lb 10		40
SUGAR BEET		
	1/16	Lb.

We recommend 5 to 10 lbs. to the acre. Per oz. 34lb. Lb. 276 Klein Wanzleben. 10 lbs. and over @ 25 cts. per lb. \$0 10 \$0 15 \$0 30 278 Vilmorin Improved. 10 lbs. and over @ 25 cts. per lb. 10 15 30 280 White Rose-Top. 10 lbs. and over @ 25 cts. per lb. 10 15 30 282 White Green-Top. Very large; for feeding stock. 10 lbs. and over @ 25c. per lb. 10 15 30



THORBURN'S GILT-EDGE CAULIFLOWER (see page 16)

BROCCOLI

Broccoli Broculi Spargelfohl

CULTURE.—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as cabbage, in rich soil, and use the same remedies for insect attacks.

The following are sorts best adapted to this climate; they are excellent and deserve much wider culture han is usual in this country.

than is usual in this country.	Per pkt	. Oz.	¼lb.	Lb.
285 Early White.	\$o o	\$0 20	\$0 60	\$2 00
286 Mammoth White				
287 Purple Cape, Early	I (35		3 50
288 Veitch's Self-protecting.	I (40	I 25	4 00
290 White Cape	10	45	1 50	5 00

BRUSSELS SPROUTS

CHOU DE BRUXELLES Berza de Brusels Rosenfohl

CULTURE.—Sow in May, in the same manner as cauliflower, and transplant in July, I foot apart in the rows, which should be I½ feet apart. The Brussels sprouts is, without exception, the very best winter vegetable that can be grown. Not the least valuable point connected with it is that it is as hardy as the common Curled Greens. The real sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. Strip off the outer covering, cook them whole, and serve them in that fashion. When cooked through and no more, such sprouts melt in the mouth, like the tenderest cauliflower, and are equally good.

			Per pkt.	Oz.	¼lb.	Lb.	
295 Improved Half Dwarf.	The very best and purest str	ain	.\$0 05	50 20	\$0 50	\$1 50)
298 Improved Dwarf Germ	an, or Long Island. Compact	heads; productive.	05	20	60	2 00)
300 Dalkeith. Of dwarf gro	vth, producing large, solid spro	uts	05	20	60	2 00)

BURNET

PIMPERNELLE PETITE Pimpinela Pimpernell

The leaves have a warm, piquant taste, and are useful for salads and soups. Sow early in the spring, half an inch deep, thinly in rows. GARDEN, pkt. 5 cts., oz. 10 cts., 1/4lb. 30 cts., lb. 90 cts.

CAULIFLOWER

Coliflor

Culture.—The same as for cabbage, except that extra manure and plenty of water will pay upon Cauli-flower. If the soil be dry, water frequently, and, if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and they would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as cabbage.

	, , , , , , , , , , , , , , , , , , ,	kt.	C)z.	1/41	b.	Lì).
315	Thorburn Extra-Early Dwarf Erfurt. The very best and earliest for forcing under glass; very dwarf and compact, with short stem and small leaves. It should not be confounded with entirely different sorts							
	advertised\$0	50	\$5	00				
317	Large Early Erfurt (Thorburn's Selection). Justly popular with market-							
	gardeners for late crop	25	2	25	\$8	00	\$30	00
319	THORBURN'S GILT-EDGE. Large, heavy sort, maturing immediately							
	after our Large Snowball. It is, without an exception, the best and surest							
	of all. See Novelties	25	2	25	7	50	28	00
321	Thorburn Extra-Early Snowball. Our strain of this popular variety is							
	unequaled. It is one of the best for forcing under glass or for open ground	25		25	7	50	28	00
	Thorburn Large Early Snowball. A large strain of the above			25	7	50	28	00
323	Denmark. On the style of Large Erfurt; very fine	20	Ι	75	6	50	24	00
	Extra-Early Paris. Heads of medium size; first class			60	I		6	00
325	Lenormand Short-Stem. Has very large heads; white and firm	10		60	1	75	6	00
	Large Algiers. Market-gardener's popular late sort for the South			60	I	75	6	00
327	Thorburn Nonpareil. A first-class standard sort	10		60	1	75	6	00
	Early London. Large and hardy			30	I	00	3	50
330	Autumn Giant. Vigorous in growth, and very large; late	05		30	I	00	3	50

CABBAGE

Berza de repollo Robl CULTURE.—Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall not too early, or the plants are liable to bolt in the spring, instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care in planting to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, lettuce or radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crops, the seed is sown in May, and the plants set out in July. In this case, they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm, an experienced grower says: "Take one ounce of saltpeter and dissolve it in 12 quarts of water; then take a short-handled whisk-broom, dip it in the solution and sprinkle the plants well. One application is sufficient, unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear Per pkt. Oz. 1/1b.

 355
 Early Spring. Flat, extra early, medium size
 05

 356
 Early York. The standard English sort
 05

 357
 Large Early York. Larger than the above
 05

 25 75 2 50 15 40 I 25 15 40 I 25 20 50 I 50 359 Etampes. A fine, extra-early, small French sort, with pointed heads o5 50 1 50 361 Early Jersey Wakefield. The most popular early variety; heads very solid, pyramidal shape, with little outside foliage 10 1 00 3 00 35 366 ENKHUIZEN'S GLORY. Large, early, white, solid, ball-shaped heads. See 35 T 00 3 00 367 Early Dwarf Flat Dutch. Valuable for forcing or for general crop...... 05 20 60 2 00 369 Improved Early Summer. A superior second-early sort; produces large and solid heads of the finest quality; very popular in the South...... 05 20 60 2 00 372 Fottler's Brunswick. Of dwarf, compact growth; hard and solid heads.

We pay postage or express charges on all seeds bought by the packet, ounce or quarter pound

60 2 00

75 2 50

60 2 00

60

2 00

20

25

20

20

Good for both intermediate and winter use

379 Large Late Flat Dutch. A valuable sort for market

373 Succession Improved. Excellent second-early sort; large, solid heads o5

377 Large Late Drumhead. A standard winter Cabbage for main crop 05



EARLY JERSEY WAKEFIELD CABBAGE (see page 16)

Cabbage, continued

of the immense winter Cabbage grown on Long Island for market\$0 05 \$0 25 \$0 75 \$2 50 382 Thorburn Colossal. A strain of the Private Stock, obtained by careful selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality	
selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality	0
of enormous size and of the finest quality	
of enormous size and of the finest quality	
Denmark for the London market. A fine shipper	0
385 Green Glazed. Glossy green; suitable for hot climates	
385 Green Glazed. Glossy green; suitable for hot climates	0
	0
387 Red Drumhead. Very fine, dark red, of medium size	5
388 Red Giant Erfurt. Very dark red; late sort	0
389 Red Zenith. Very fine, dark red, solid head; medium early; finest of all of 25 75 2 50	0
390 Savoy, Early Vienna. Very small; of delicate flavor	0
392 Savoy, Early Ulm. Medium size, round, deep green head; very early 05 20 60 2 00	0
393 Savoy, Perfection Late. Very fine improved strain	0
396 Chinese Cabbage (Pe-Tsai). Grows like Cos Lettuce	0

CARDOON

CARDOON Cardo Cardon


CULTURE.—Sow early in spring, in rows where the plants are to stand, and thin them to 2 feet apart. When full size, bind them together with bast or raffia, and earth up like celery to blanch. The stems of the leaves are used for salads, soups and stews. The stems should be wintered in a cellar away from frost.

420		Smooth; grows						
421	Large Solid T	Tours (Prickly).	 	 	 	10 35	I 00	3 00

CARROT

CAROTTE Möhren Zanahoria

Culture.—Sow No. 450 as early as the ground can be worked; or, for late crop, until the latter part of July or early in August for a winter crop. This is the finest and most tender for table use. For main crop, sow from middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop, 6 to 7 inches; the rows 10 inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil light, and loamy, richly manured and deeply dug. Sow at the rate of 2 to 3 lbs, to the acre. Carrot tops cut from fairly young plants may be used for pretty indoor greenery. Put one cutting into each thumb-pot or 3 or 4 into a larger pot around the sides. Fairly good and sandy soil should be used, syringing frequently until growth is well forward. About 1 inch of Carrot should be left to put in soil, but this should be surrounded with soil or moss to hide it. When fully grown it is very pretty, the long fronds hanging over gracefully.



CARROTS

Carrots, continued

- 450 Early Round Parisian. Small and very tender; for frames or open ground. Pkt. 5 cts., oz. 15 cts., ¼lb. 40 cts., lb. \$1.25.
- 453 French Forcing, Early. Tender and sweet; fine for early and late crops and for frames. Pkt. 5 cts., oz. 15 cts., ¼lb. 40 cts., lb. \$1.25.
- 456 Oxheart Half-Short (Guerande). Very thick and short. Pkt. 5 cts., oz. 15 cts., ½lb. 35 cts., lb. \$1.
- 457 Scarlet Horn, Early. Very thick roots; fine for frames. Pkt. 5 cts., oz. 15 cts., ½ lb. 35 cts., lb. \$1.
- 458 Half-Long Pointed. A well-known strain; productive. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.
- 459 Half-Long Stump-rooted. An excellent sort, of good quality. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.
- 460 Half-Long Stump-rooted, Nantes Strain. Very popular. Pkt. 5 cts., oz. 15 cts., 1/4lb. 35 cts., lb. \$1.
- **461 Carentan Half-Long Stump-rooted.** Coreless; red flesh. Pkt. 5 cts., oz. 15 cts., ½lb. 35 cts., lb. \$1.
- 462 Chantenay Half-Long Stump-rooted. Style of Nantes, broader shoulder. Pkt. 5c., oz. 15c., 1/4lb. 35c., lb. \$1.
- 465 Luc Half-Long Stump-rooted. Is a useful main-crop sort. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.
- 466 Danvers Half-Long. Large; of good quality; productive. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.
- 468 St. Valery. A thick, intermediate long red. Pkt. 5 cts., oz. 10 cts., ¼lb. 25 cts., lb. 80 cts.
- 470 Long Orange. Best for stock feeding. Pkt. 5 cts., oz. 10 cts., ½\lb. 25 cts., lb. 80 cts.
- 471 White Vosges. Large, thick, short; fine for stock. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 25 cts., lb. 75 cts.
- 472 Long White Belgian. Very large; for stock. Pkt. 5 cts., oz. 10 cts., ½lb. 25 cts., lb. 75 cts.

CELERY

CELERI Apios Sellerie

Culture.—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills 8 or 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the North, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants out in beds or trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench; or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be I foot apart, and the plants about 8 inches apart in the rows. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times, and, in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture, the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken up and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground I foot wide, and at a depth of a few inches less than the h

520 Thorburn Fin de Siecle. We consider this the largest, hardiest, solidest, Perpkt. Oz. 1/4lb. Lb. crispest, best keeping and best shipping winter Celery we know of . . . \$0 05 \$0 20 \$0 60 \$2 00 524 Improved White Plume. Naturally white or light foliage; requires but little

528 Rose-ribbed Golden Self-blanching. Very handsome rose-striped ribs . . . 10 35 1 00 3 00 530 Perfection Heartwell. One of the finest and largest of winter varieties,

either for family or market-garden. The heart is golden yellow....... 05 20 55 I 75 531 Thorburn's Schumacher. Solid and crisp; firm golden yellow heart 05 20 60 2 00

Celery, continued

- 532 Perle le Grand. A highly recommended variety. Full golden heart, rich flavor, and an excellent keeper. Pkt. 5 cts., oz. 20 cts., ¼lb. 55 cts., lb. \$1.75.
- 533 Giant Pascal. An easily blanched and fine-keeping large late sort. Pkt. 5 cts., oz. 20 cts., ¼lb. 55 cts., lb. \$1.75.
- 535 Kalamazoo. A fine half-dwarf, solid white variety. Pkt. 5 cts., oz. 20 cts., 1/4 lb. 55 cts., lb. \$1.75.
- 537 Evans' Triumph. Fine, large, solid, green variety. Pkt. 5 cts., oz. 20 cts., ¼1b. 55 cts., lb. \$1.75.
- 539 Crawford Half-Dwarf, or Golden Heart. Of vigorous growth; fine flavor. Pkt. 5 cts., oz. 20 cts., ¼lb. 50 cts., lb. \$1.50.
- 542 New Rose. Fine flavor; handsome. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.
- 546 Pink Plume. Same as White Plume, except that the stalks are tinged with pink. Very attractive appearance, rich flavor and long keeping. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.
- 548 Red Giant, Solid. Broad, solid, tender, brittle stalks, purple, tinged green. Pkt. 5 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.
- 551 CELERIAC, or Turnip-rooted Celery, Erfurt. For soups and stews. Pkt. 5 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.
- 552 Celeriac, Giant Prague. Best of the class; very large roots, for soups and stews; when cooked and sliced, makes fine winter salad. Pkt. 5 cts., oz. 20c., 1/4 lb. 60 cts., lb. \$2.
- 553 Celeriac, Apple. Has small foliage and small, smooth roots; for soups. Pkt. 5 cts., oz. 20 cts., ¼lb. 60 cts., lb. \$2.



GOLDEN SELF-BLANCHING CELERY

Celeriac may be stored like beets and will keep all winter.


CORN, SWEET or SUGAR

We supply packets of Corn at 10 cts. each, postpaid; for other quantities, NOT PREPAID, add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart

CULTURE.—Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side shoots. Make the ground rich with well-rotted manure. If sown thinly in drills, a greater yield from a given surface will be obtained.

Most Corns can be furnished on ears, price 5 cts. each, transportation extra

EXTRA-EARLY	Per	pt.	Ot.	½pk.	Pk.	Bus.
575 NORDHEIM EXTRA-EARLY. Earliest of all. See Novelties						\$6 00
578 Early Cory. A very early variety, with good-sized ears		15	25	75	I 25	4 50
580 White Cory. Resembles the ordinary Cory, but with white cob		15	25	75	I 25	4 50
581 Sheffield, Early. Combines the hardiness of Early Adams with						
sugary quality of Cory, of which varieties it is a hybrid		15	25	75	I 25	4 00
582 Mammoth White Cory. Ears double the size of the old Cory		15	25	75	I 25	4 50
583 Metropolitan. Large, handsome ears of fine quality; very early		15	25	. 75	I 25	4 00
584 Golden Bantam. Extra early; yellow; very sweet and tender		20	35	90	1 50	5 50
585 Premo. Extra early; very large ears; fine quality		15	25	75	I 25	4 00
586 Peep-O'-Day. One of the earliest; very sweet and of delicate flavor	or	15	25	75	1 25	4 50
587 Minnesota. Nearly as early as Cory, but with larger ears		15	25	75	I 25	4 00
588 Perry Hybrid. Very early and of large size; valuable for market.		15	25	75	I 25	4 00
589 Melrose. As early as Perry Hybrid, and much larger; valuable		15	25	75	I 25	4 00



CORN

Extra-Early Corn, continued Per	nt Ot	½pk.	Pk.	Bus.
590 Kendel's Giant. Very early for so large-eared a sort; fine quality . \$0	15 \$0	25 \$0 75	\$I 25	\$4 00
591 Long Island Beauty. Very early; large size; a valuable market sort	15	25 75		4 00
592 Extra-Early Adams. Not a sugar Corn, but grown for early use	15	25 75	I 25	3 75
SECOND-EARLY, or INTERMEDIATE				
593 THORBURN'S EARLY WHITE PERFECTION. See Novelties	20	35 90	I 50	5 00
595 Early Champion. Very large ears, considering its earliness		25 75	I 25	4 50
596 Shaker. Very large, white grain; quite early	15	25 75	I 25	4 00
598 Early Mammoth. Very large ears, fine quality; not very late		25 75	I 25	4 00
599 Crosby. Matures after Minnesota; fair-sized ears of good quality		25 75	I 25	4 00
600 Potter Excelsior. Good size, and a week earlier than Large Excelsion	-	²⁵ 75	I 25	4 00
601 Moore Concord. Of strong growth; ears large and well filled		25 75	-	4 00
602 Early Evergreen. A week earlier than Stowell Evergreen		25 75	-	4 00
603 Early Adams. Not a sugar Corn, but grown extensively for market.	15	20 60	I 00	3 50
GENERAL CROP				
608 Hickox Improved. Handsome ears, very white and of rich flavor	-	25 75	I 25	4 00
610 Large Eight-rowed. Very productive and of superior richness	0	25 75	I 25	4 00
612 Stowell Evergreen. One of the most popular varieties	0	25 75	I 25	4 00
615 White Evergreen. A strain of Evergreen, with pure white grain		25 75 25 75	I 25 I 25	4 00
613 White Evergreen. A strain of Evergreen, with pure white grain	15	25 /5	1 25	4 00
LATE SWEET CORN				
			T 05	4
620 Black Mexican. Very sweet and of superior flavor; grains black623 Henderson's Sugar. Large, thick ears, well filled with deep kernels,		25 75	I 25	
tender and sweet.		25 75	1 25	4 00
624 Late Mammoth. Rank in growth; large ears, rich and sweet		25 75	I 25	4 00
625 Egyptian. Large and of superior quality; largely used for canning626 Country Gentleman. A large selection of the Ne Plus Ultra, intro-	Ü	25 75	I 25	4 00
duced by us in 1888		25 75	I 25	4 50
628 Sweet Fodder Corn	15	20 60	1 00	3 00
For Field Corn and Pop Corn, see page 55				

CHERVIL

CERFEUIL Perifollo Bensenlauch

CHICORY

634 Common, or Wild. Used in Barbe de Capucin, a salad much made in France. Sown in June, the roots are transplanted in autumn into sand in Pkt. Oz. 1418 a cellar. The young shoots form the Barbe de Capucin		Lь. \$1 00	
635 Witloof. Known in restaurants as French Endive. Sown in May and June			
in drills. Transplant or thin to 6 inches; treat as Endive, except that late in summer or fall it should be gradually banked up like celery.			
The stalks when blanched make a delicious salad. It is used by the			
French as a boiled vegetable	40	I 25	
636 Large-rooted Magdeburg. Roots are the Chicory of commerce 05 10	30	1 00	

See, also, Endive, the Chicory of the French, page 23

COLLARDS

CULTURE.—Sow seed as for cabbage, in June, July and August for succession. Transplant when a month old in rows a foot apart each way and hoe often.

Georgia. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 80 cts.

CORN SALAD, or FETTICUS

MACHE Macha o Valerianilla Stechsalat

CULTURE.—Sow during August or early in September in drills one-fourth of an inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it lightly, to insure germination. Keep weeds down with hoe. Just before the winter cover thinly with straw or leaves. Per pkt. Oz. ¼lb. Lb. 640 Large-seeded \$0.05 \$0.10 \$0.25 \$0.75 10 25 75 10 30 1.00 10 30 I 00

CRESS

CRESSON

Berra o Mastuerzo - Rreffe

CULTURE.—Sow Nos. 645 and 646 thickly in shallow drills, every two or three weeks. No. 645 should be cut often and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 648 and 649 should be sown in damp soil; or, if a stream of water can be utilized, they would be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad it is a good plan to sow with Water Cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.

			_			
the frame, where it is always cool.	Per	pkt.	Oz.	1/4lb.	⅓lb.	Lb.
the frame, where it is always cool. 645 Curled, or Pepper Grass	\$o	05	\$0 IO	\$0 20	\$0 30	\$0 50
646 Plain-leaved						
647 Broad-leaved Winter, or Upland. Gray seed		05	10	25	45	80
648 Erfurt True Sweet Water Cress. Very mild and tender		10	35	I 25	2 25	4 00
649 True Water Cress		10	35	I 25	2 25	4 00

DANDELION

Pissenlit Amargon Pardeblum

CULTURE.—Dandelion is a hardy perennial, and one of the most desirable early spring salads. Sow in early spring in drills one-half an inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender and destroys, to some extent, their bitter taste without impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus; A This excludes the light and improves the greens, rendering them far superior to those found growing wild.


This excludes the light and improves the greens, rendering them far superior to those for	una grown	ng wiid.	
Per	pkt. Oz.	1/4lb.	Lb.
651 French Garden	05 \$0 20	\$0 60	\$2 00
652 Improved Thick-leaved	10 35	I 00	3 50
654 Improved Thick-leaved Fullheart	10 35	I 00	3 50
656 Montmagny	10 35	I 00	3 50

We pay postage or express charges on all seeds bought by the packet, ounce or quarter-pound

J. M. THORBURN & Co.

Dear Sirs: Last spring I used your seeds for the first time, having previously used from various other houses for years. The results have been very satisfactory under conditions which could not be called favorable. Every variety turned out true to name, and they were surprisingly vigorous. Planted alongside of seeds bought in the stores here, they showed their superiority immediately.

(Signed) D. T. WINTON



NOROTON SELECTED WHITE SPINE CUCUMBER

CUCUMBER

Pepino CONCOMBRE Gurfe

CULTURE.—For very early, sow in hotbeds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or protect by hand glasses, or by paper held down at the corners with a handful of earth For general crops, sow in the open ground as soon as the weather is settled and warm, and every two weeks for a succession. For pickles, sow from middle of June to first week in July. Sod land, turned over in the fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

660 Cumberland. One of the best pickling sorts yet introduced, being very P				"I	
handsome and productive, with flesh firm, but very crisp and tender. \$0					
662 Cyclone. Extra-early; very productive, of excellent quality	05	20	60	2	00
664 Davis Perfect. Fine for forcing or for outdoors. The fruit is long and straight,					
and, being a comparatively shy seeder, is very valuable for slicing	05	20	50		50
665 Early Green Cluster. Fruit small and in clusters; very prolific		15	35		25
666 Early Russian. Very early; short; fine for pickles		10	30	1	00
667 Giant Pera. Very long; one of the best for table use		15	35	I	25
668 Fordhook Pickling. Very prolific; medium size; fine pickling strain	05	15	35	I	25
669 Thorburn Everbearing. Small-sized; very early and enormously produc-					
tive, and valuable as a green pickler	05	20	50	1	50
670 Cool and Crisp. Extra early and very prolific; long, straight, slender and			_		_
very dark green; good either for pickling or slicing	05	20	55	I	75
671 Early Short Green. Good for pickling; productive		10	30	1	00
671aFordhook Famous. Long, straight and well formed; vigorous grower, very					
productive. Does not turn yellow		15	35	1	25
673 New Orleans Market. For forcing or open ground; very productive	05	20	50		50
674 White Spine Improved. A very handsome and uniform early variety		15	35		25
675 " Arlington. Fine either for forcing or for outdoors	05	15	35		25
675a " THORBURN'S NOROTON SELECTED. See Novelties	05	20	50		50
676 " Extra Long. A beautiful, large and well-shaped Cucumber		15	35		25
677 Evergreen. Very early and prolific; deep green color		15	35		25
678 Improved Long Green. Long and crisp; a popular variety for pickles		20	50		50
679 Long Green Turkey. Fruit very long and rather slim		20	50	I	50
680 Green Prolific Pickling. One of the best for pickling; dark green		20	50	ī	50
681 Nichol Medium Green. Most symmetrical, and a very fine table sort		10	30	I	00
683 Tailby Hybrid. Very long, and superior for table use		15	35	-	25
684 Japan Climbing. Good for frames or open ground	05	15			25
604 Japan Chimbing. Good for frames of open ground	10		35 80		
685 Small Gherkin. Very small bur; used for pickles	10	30	80	2	50
685aLemon Cucumber, or Garden Lemon. Almost round; yellow and green	0.5	20	60	2	00
markings; tender and of sweet flavor. Resembles a lemon in appearance	05	20	00	2	00

ENGLISH CUCUMBERS FOR FRAMES

(Concombre espèces Anglaises pour Couches)

CULTURE .—The following are for growing in hotbeds, or forcing houses for winter use. Sow seeds in Oct., Nov., or Dec., according to the time they are wanted, in small pots, in fibrous loam, lightened and enriched with old manure; give plenty of air and water. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with brown paper until the seeds germinate. Afterwards uncover and ventilate, to insure sturdiness of habit. More seeds should be planted than plants required, as some may fail to grow, and others may be weaklings. Only strong plants should be employed. It is necessary to fertilize the pistillate flowers with the staminate, to render the vines productive, as, owing to the absence of insects, they will not produce a crop under glass as in open ground.

English Cucumbers for Frames, continued

686 Duke of Connaught. Fine form and color	per pkt.	of 20 see	eds\$0 25
688 Giant of Arnstadt. Good bearer		40 '	" 25
689 Lockie's Perfection. Fine color	. "	14	" 25
690 Noa's Forcing. Very productive	. "		
691 Prescott Wonder. Long, dark green fruit	. 66		" 25
692 Telegraph. Free-bearing; handsome		20 '	" 25
693 Tender and True. Fine form; good color	. 44	16	" 25

ENDIVE or CHICORY

Escarola o Endivia

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart, and water well afterward, if dry. When the leaves are 6 or 8 inches long, blanch by gathering in the hand and tying together near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry and have plenty of air.

Per pkt. Oz. 141b. Lb.

They must be kept any and have premy or any	Per	DKt.	Uz.	1/41D.	· LD.	
700 Green Curled Winter. Standard sort for fall and winter crop						
702 Large Green Curled (de Ruffec). Broad ribs; fine for fall and winter					I 2	5
704 Broad-leaved (Escarolle). A sweet variety; fall and winter					I 2	
712 White Curled. For early use		05	15	35	I 2	5

See also Witloof (French Endive) under Chicory, page 21

EGGPLANT

Gierpflanze AUBERGINE Berengena

CULTURE.—Sow in hotbeds very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until weather is perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting, in case of weather changing unexpectedly Set out plants 3 feet by 2.

740 Improved New York Spineless. The standard; largest and best; large, oval, deep purple; early and productive. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.

741 Black Beauty. As large as the New York Improved but about ten days earlier. Very rich purplish black. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.

742 Early Dwarf Purple. Dwarf, very early; small, ovoid fruit. Pkt. 5c., oz. 3oc., ¼lb. 85c., lb. \$3.
742aJersey Belle. Fruits dark purple, bell-shaped and of excellent quality. Pkt. 10 cts., oz. 35 cts., ¼lb. \$1, lb. \$3.50.

743 Long Purple. Of distinct shape and fine quality. Pkt. 5 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.

744 Round Purple. Of good quality; fine color and shape. Pkt. 5 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.

745 Black Pekin. Round, blackish purple fruit; has dark foliage. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.

746 Scarlet Chinese. Small and ornamental. Pkt. 5 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.

747 Round White. Small and ornamental. Pkt. 5 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.

748 Long White. Small and ornamental. Pkt. 5 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.



NEW YORK IMPROVED PURPLE EGGPLANT

FENNEL, FLORENCE or NAPLES

FENOUIL DE FLORECE Finocchio di Napoli

CULTURE.—Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles celery, but has a sweet taste and a more delicate odor. Pkt. 5 cts., oz. 15 cts., 1/4 lb. 35 cts., lb. \$1.

ICE-PLANT

CULTURE.—Sow in good garden soil as soon as the ground becomes warm in spring, in shallow drills I foot apart. Thrives well in hot, dry climates. Pkt. 5 cts., oz. 30 cts.

KALE or BORECOLE

CHOU VERT FRISE ColRraustobl

Culture.—Nos. 760 to 763 are cultivated and grown exactly like cabbage. No. 760 sown in August and September for early greens. Sow 778 early in the spring in a hotbed, and when from I to 2 inches high transplant into a bed or border that has been highly manured and deeply dug. Sea Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand.

760 Curled Dwarf Green Scotch. Very dwarf and spreading; best strain; largely grown in the South, being sown in August and September. Pkt. 5 cts.,

oz. 10 cts., ½lb. 30 cts., lb. \$1. 762 Curled Tall Green Scotch. A taller growth of No. 760. Pkt. 5 cts., oz. 10 cts., ¼lb. 30 cts., lb. \$1.

763 Curled Dwarf Brown. Very hardy. Pkt. 5 cts., oz. 10 cts., ½lb. 30 cts., lb. \$1.


766 Curled Siberian, Thorburn Improved. Green curled; hardy. Pkt. 5 cts., oz. 10 cts., ¼lb. 20 cts., lb. 60 cts.

768 Thousand-headed. Valuable for cattle. Pkt. 5 cts., oz. 10 cts., 4lb. 30 cts., lb. \$1

772 Jersey Winter Kale, or Cow Cabbage. For feeding cattle; very hardy. Pkt. 5 cts., oz. 10 cts., ¼lb. 30 cts., lb. \$1.

774 Pe-Tsai (The Chinese Cabbage). Grows like Cos Lettuce. Pkt. 5 cts., oz. 20c., 1/4lb. 60 cts.,

ĺb. \$2. 778 Sea Kale. Very fine; resembles celery. Pkt. 10 cts.,



KOHLRABI

oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.

KOHLRABI

Colinabo Roblrabi CHOU-RAVE

CULTURE.—Sow in spring, in rows 18 inches apart, afterward thinning the plants to 8 or 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. Cook same as turnips.

780	Early White Vienna. Handsome and delicate P	kt.	Oz.	1/4lb.	Lb.	
	white ball\$0	05	\$0 20	\$0 65	\$2 25	
782	Early White Vienna. For frames	10	30	85	3 00	
783	Early Purple Vienna. Purple ball, a very good sort.	05	20	65	2 25	
785	Early Purple Vienna. For frames	10	30	85	3 00	
786	Large White, or Green. Forms a large ball; not so					
	fine, but more productive	05	10	30	I 00	

LEEK

Poireau

CULTURE.—Sow very early in spring in drills 6 inches apart and I inch deep. Thin out to I inch. When about 7 inches high, transplant in rows I2 inches apart, as deep as possible, but do not cover the young center leaves. Water thoroughly if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September, and the young plants transplanted in spring to where they are to remain.

they are to remain.	kt.	Oz.	1/41b.	Lb.	
790 Best Large Flag Winter. Hardy and productive. \$6	05	\$0 20	\$0 50	\$1 50)
792 Large Rouen Winter. A standard sort; fine keeper	. 05	20	50	1 50)
795 London Summer	05	10	30	I 00)
794 Large Carentan, or Musselburgh. Distinct and					
dark-colored leaves; stout in habit and hardy	05	20	50	1 50)



LEEK



GIANT CRYSTAL HEAD LETTUCE

THORBURN'S MAXIMUM LETTUCE

LETTUCE

LAITUE Lechuga Salat

Culture.—Sow 808, 822, 825, 826, 833 and 838 in hotbeds in March, and in the open ground as soon as it can be worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again for a succession, also Cos sorts. In August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thinly and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 or 8 inches apart. To have Cos in good order they must be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. They require tying for a few days, when grown to blanch. Lettuce requires good ground, enriched with thoroughly rotted manure and well pulverized. The after-culture should be close and careful, to secure the best results.

**W. S. stands for white-seeded: b. s. stands for black-seeded

w. s. stands for white-seeded; o. s. stands for olack-seeded					
800 American Gathering. Twisted and curled leaves; fine for early or late F	kt.	Oz.	¼lb.	I	Lb.
sowing	05	\$0 15	\$0 35	\$1	00
808 Big Boston. Fine for forcing in coldframes or for open ground. w. s	05	20			75
809 Buttercup. Yellow, solid, small heads; for forcing or outdoors. w. s		20	50		75
810 California Cream Butter. Very large, solid heads; inside very white. b. s		15	35		25
812 Coldframe White Cabbage. For starting in coldframes and setting out		- 3	30		-3
		20	50	т	75
early. w. s. 815 Deacon. Large, solid, summer cabbage variety. w. s.	05	15	35		25
821 Denver Market. Very curly heads; good for forcing or outdoors. w. s	05	15	35		25
822 Emperor Forcing Improved. Yellow; earliest of all; only for frames. w. s		20	50		50
824 Giant Crystal Head. A splendid cabbage Lettuce; large, solid; outside leaves	03	20	30	•	30
bright green, inside crystal-white, yellow heart, crisp, tender. w. s	05	20	50	т	50
826 Golden Queen Forcer. Medium size, golden yellow, solid heads; early. w. s		20	50		75
827 Grand Rapids Forcing. Large, tender; one of the best for forcing. b. s		20	50		50
828 Gray-seeded Butter. One of the best; large head		20	50		50
829 Hanson Improved. Very large and solid; withstands the hot sun well. w. s		20	50		50
		20			
830 Hothouse. Fine forcing variety. w.s	05	20	50 50		50 50
832 Iceberg. Large, solid heads; yellow heart; crisp and tender. w.s		20			50
833 Large Boston Market Improved. Very large, solid heads; fine forcer. w. s		20	50		
		20	50		50
834 Large White-seeded Butter. Fine, large, solid heads; good summer sort. w. s.	05	20	50	1	50
835 Mammoth Black-seeded Butter, Thorburn. A selected strain; large, solid	~ =	20	=0		*
yellow heads. Favorite variety of New York market-gardeners	05	20	50	1	50
836 Market-Gardener's Private Stock, Thorburn. A selected strain; solid,	0=	20	=0		~~
large heads, resisting the sun for a long time before shooting. b. s		20	50		50
837 Maximum, Thorburn. The largest, solidest, crispest and best. b. s	05	20	50	1	50
838 May King. Extra-large, round, solid heads, light green outside, with clear	~ =	20	~ 0		
yellow heart; very tender and of fine flavor. Splendid forcer. w. s		20	50		50
840 Mignonette. Distinct russet-colored; very solid and compact. w. s		20	60	2	
841 New York Cabbage. Large, solid heads; inside very white. w. s		20	50		50
843 Oak Leaf. A curled leaf variety of bright green color. w. s.	05	20	50	1	50
844 Passion. A medium-sized cabbage variety popular among southern market-				_	
gardeners. b. s.		15	50	I	-
845 Reichner. Large, white, solid heads; fine for forcing or outdoors. w. s		15	50	Ι	50
845aRheingold. See Novelties	25				

Lettuce, continued	. 0	1711	т.ъ
846 Salamander Improved. Fine, compact heads; resists summer heat. b. s.\$0	st. Oz.	%1D.	Lb.
847 Shotwell Brownhead. Large, handsome, tender heads; very hardy. b. s			
			1 50
848 Simpson Early Curled. A leading early sort; very tender. w. s			1 50
849 Simpson Black Seed. A superior variety; large, and of light color. b. s	05 1		1 50
850 Tennisball White Seed. A well-known forcing variety. w. s	.05		I 25
852 Tennisball Black Seed. Forms close, hard heads; for forcing. b. s			I 25
853 Trocadero. Hardy; for spring or summer; green, tinged russet. w. s	05 2	0 50	I 50
854 White Summer Cabbage. Close heads of good size. w. s	05 1	5 35	I 25
855 Yellow Winter, Thorburn. The finest of all coldframe sorts. w. s	05 2	0 · 60	2 00
ROMAINE, or COS VARIETIES			
856 White Paris Cos. Of upright growth; fine. w.s.	05 2	0 50	I 50
857 Trianon Cos. Resists heat well. w. s	05 2	0 50	1 50
858 Express Cos. A fine, very dwarf, early sort, requiring no tying up. w. s	05 2	0 50	I 50
860 Balloon Cos. Fine sort. b. s	05 2		1 50
862 Golden Yellow Cos. Long standing; large, solid hearts, bright golden yellow		0 -	0 -
leaves; crisp and tender. w. s	05 2	0 60	2 00
864 New Red Cos. A splendid new French sort	10 3	5 1 00	3 50

JAPANESE SALAD PLANT "UDO" (Aralia cordata)

Culture.—Sow in seed-bed, prepared of rich garden earth, in March or April. When 6 inches high, transplant to rows 4 feet apart, placing the plants 18 inches apart in the rows. Allow them to grow all summer, they will attain a height of 4 or 5 feet, if in rich soil, and given plenty of water. In early September cut down the plants level with the ground and mound the earth up over the roots, making a mound 18 inches high by 2 to 3 feet broad at the base. The roots will force new shoots up through this mound, if of light, rich garden soil with no stones in it, and in forty to sixty days shoots 12 inches long should have been produced. These can be harvested by partially removing the earth and cutting with a sharp, long-bladed knife close to the root. Cover up the shoots which are too small to cut and they will grow longer and can be harvested as a second crop. After all forced shoots have been cut cover up the roots with a heavy, warm mulch of earth and straw, to protect them during the winter. In the spring remove the mulch and apply rich stable manure in trenches alongside the plants. Pkt. 10 cts., oz. 40 cts.

MUSTARD

Mostaza MOUTARDE Senf

CULTURE.—Sow thickly during early spring, in shallow drills, and press the earth well	down.	For fall	salad,
sow in September, iron frames or boxes during winter.	Oz.	1/4lb.	Lb.
870 Black. These seeds form the mustard of commerce	0 05	\$0 10	\$0 25
871 White London. Leaves used for salads while young; grows very rapidly.	05	10	25
873 Giant Southern Curled. Very large leaves	10	15	45
874 Chinese Broad-leaved. Leaves of agreeable flavor when cooked like spinach. 05	10	15	45
875 Fordhook Fancy. Very ornamental; plants of vigorous growth; leaves dark			
green, curved outwardly. If used as a vegetable, cook like spinach 05		15	45
876 Ostrich Plume. Leaves curled and frilled like an ostrich plume	10	15	45

MELON, MUSK (Cantaloup)

Culture.—Select a light, sandy, rich soil, and after all danger of frosts is over, and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, six to twelve seeds to a hill. When up and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road dust, is excellent to sift over young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out-of-doors under hand frames or glasses. It is quite important that proper soil be selected for growing Muskmelons.

RED-FLESHED VARIETIES	0-	1/11	TL
Pkt.	Oz.	1/4lb.	Lb.
879 Baltimore Market. Oblong; orange flesh, of fine quality; intermediate\$0 05	\$0 20	\$0 60	\$2 00
881 Banquet. Beautifully netted, medium size, rich salmon flesh, fine quality . 05	20	50	1 50
883 Burrell's Gem. Reddish orange flesh; fine-grained and spicy	20	50	I 50
885 Emerald Gem. Small, extra-early; dark green skin, orange flesh; very sweet. 10	25	75	2 50
887 Paul Rose. Handsome oval variety; rich orange flesh; very sweet 05	20	60	2 00
888 Surprise. Oblong; rich orange flesh of fine quality; early	20	60	2 00
GREEN-FLESHED AND YELLOW-FLESHED VARIETIES	S		
Pkt.	Oz.	¼lb.	Lb.
889 Casaba. Green-fleshed; large size; good quality	\$0 20		\$1 50
891 Champion Market. Large, slightly elongated, netted; flesh light green; early 05	20	50	I 50
891 Champion Market. Large, slightly elongated, netted; flesh light green; early 05 892 Hackensack. Large, round, and of good quality; a popular variety; early 05			I 50 2 00
	20	60	

quality, and the most beautiful of all Muskmelons 10 30 1.00 3 00

897 Long Island Beauty. On style of Hackensack. The earliest and finest in

Green-fleshed and Yellow-fleshed Muskmelons, continued 899 Melrose. Oval, dark green, densely netted; flesh thick, light green, shading to salmon. Pkt. 5 cts., oz. 20 cts., ¼lb. 50 cts., lb. \$1.50. 901 Montreal, Green. Large, round, netted; flesh thick and light green; late. Pkt. 5c., oz. 20c., 4lb. 60c., lb. \$2. 903 Netted Gem, Round. Very early; small and of fine flavor; green flesh. Pkt. 5 cts., oz. 20 cts., 1/4lb. 50 cts., lb. \$1.50. 904 Netted Gem, Oblong. Same as above, save in shape. Pkt. 5 cts., oz. 20 cts., ¼lb. 50 cts., lb. \$1.50. 906 Nutmeg. Sweet, green flesh; very early; named from its shape. Pkt. 5 cts., oz. 20 cts., 1/4lb. 50 cts., lb. \$1.50. 908 Rocky Ford. Improved Netted Gem; very sweet and fine-flavored; oblong. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25. 910 Skillman's Netted. Green flesh, sweet and highly perfumed; oval shape. Early. Pkt. 5 cts., oz. 20 cts., 1/4lb. MUSKMELON 60 cts., lb. \$2. Pkt. 1/4lb. Oz. 912 Texas Cannon Ball. Round; handsomely netted; green flesh; prolific....\$0 05 \$0 20 \$0 35 \$1 25 914 White Japan. Early, with light green flesh and white skin...... 05 20 60 2 00 20 60 2 00 2 00 20 60 **MISCELLANEOUS VARIETIES** 917 Banana Citron. Cucumber-shaped; highly perfumed; late.......... 10 918 Mango Melon, or Vine Orange. Size, shape and color of an orange; fine for 25 75 2 50 15 35 I 25 20 50 1 50 IMPORTED VARIETIES OF MUSKMELON **ENGLISH FRAME VARIETIES** 927 Lord Beaconsfield 25 25 930 Eclipse . . . 931 Blenheim Orange... FRENCH VARIETIES These sorts ripen outdoors here, and are well worthy of cultivation 942 Noir des Carmes 943 Tours Sugar..... These are four of the latest Paris market sorts. MELON, WATER MELON D'EAU Zandia Waffermelone -Treat the same as Muskmelon, except that they should be planted 8 or 10 feet apart, according to variety. Light soil is best. Pkt. Oz. ¼lb. Lb. 944 Arkansas Traveler. A superior strain on style of Florida Favorite.....\$0 05 \$0 15 \$0 35 \$1 00 945 Alabama Sweet. Dark green skin, flesh tender and sweet. Fine shipper ... 05 · IO 25 75 10 75 950 Black Diamond. Dark green, tough skin; large size, round 05 10 25 75 951 Black Spanish. Roundish, nearly black; dark red flesh; early 05 10 25 75 952 Boss. Oblong, dark green; flesh deep scarlet, and rind thin; intermediate... o5 10 25 75 955 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper 05 10 75

Molon Woton continued			
Melon, Water, continued	t. Oz.	1/4lb.	Lb.
957 Bradford. Long and of dark color. Flesh sweet and tender	05 \$0 1		\$0 75
961 Cole's Early. Medium size; red flesh; green skin.	05	25	75
962 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early	05 1		I 00
963 Dixie. Excellent quality; very large and solid; flesh red, intermediate	05		75
964 Duke Jones. Large, handsome, dark green; red flesh of fine flavor	05	0	75
964aEarly Fordhook. Extra-early; good size; green skin, red flesh	05 10	U	75
965 Florida Favorite. A superior strain; oblong; red flesh; intermediate	05 10	25	75
966 Halbert Honey. Dark, glossy, green skin; flesh beautiful crimson, luscious			
and sweet. Strong and vigorous grower and free fruiter. Fine for the Northern states	05 1	- 0"	T 00
967 Hungarian Honey. A very early sort, fine for northern latitudes; perfectly	05 1	5 35	1 00
round; brilliant red flesh	05 1	2 2 5	1 00
968 Ice Cream, White Seed. Very early; red flesh			
969 Icing, Dark. Solid, dark green skin; superior quality; white seed; early		0	75 1 00
970 Icing, Light. Round; pink flesh of fine quality			
971 Jordan Gray Monarch. Largest grown; crimson flesh; late	05 .10	· ·	75 75
972 Kleckley Sweets. Exceedingly sweet and fine-flavored; dark green skin;	05 .1	23	73
thin rind; flesh scarlet, solid and firm	05 1	5 35	I 00
972aKolb Gem. Large; good shipper; bright red flesh; intermediate			75
973 Mammoth Ironclad. Long; very large; late; red flesh; good shipper		- 0	75
974 Mammoth Santiago. Light green skin, striped dark green; deep blood-red	- 5	-3	73
flesh of sweet flavor; uniformly large and long; a good shipper	05 1	5 35	I 00
975 Mountain Sweet. Red flesh; late	05 1		I 00
976 Phinney. Early, and of fine quality; very large and solid; red flesh; inter-		, 55	
mediate	05 10	25	75
977 Pride of Georgia. Round; large; crisp; bright red flesh; intermediate	05 16	-	75
978 Rattlesnake, Southern. Oblong, dark and striped; bright red flesh; late	05 10		75
979 Seminole. Very large; quality first-rate; intermediate	05 10	-	75
981 Sugar Stick. Light green skin; oblong; luscious deep rich red flesh. Strong,			
vigorous grower	05	5 35	I 00
982 Sweet Nabob. Early; round; skin striped light and dark green. Fine		25	75
983 Sweetheart. Very large; bright skin; fine quality		25	75
984 Triumph. Bluish green skin, red flesh, large; good shipper		25	75
985 Wonderful Sugar. Very sweet; handsome, oblong shape		U	75
988 Citron, Green Seed. Used for preserves		0	75
990 Citron, Red Seed. Round and handsome; for preserving	05 10	25	75
NASTURTIUM			
CAPUCINE Maraneula Rasturtium			
	The to	II kinde i	consire
CULTURE.—Sow as soon as all danger of frost is past in drills about an inch deep fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitu	te for cap	ers.	equire
PI	ct. ()z.	1/4 l b	Lb.
1020 Tall Crimson\$0			
1021 Tall Yellow	05 15		#
1022 Tall Mixed	05 10		\$0 75
1023 Dwarf Mixed	05 10	35	1 00
OKRA or GUMBO			
Gombaud Quimbombo Safran			
CULTURE.—Sow late in the spring, after the ground has become warm, in drills 3 fee	t apart. w	here the	plants
are to remain. Thin out to from 9 to 12 inches. They should be well manured. They m	iay also b	e raised i	n pots
or a hotbed, and transplanted. For keeping, they should be pickled whilst small and ten	der.		_
1040 Long Green. Dwarf; very productive; long green pods	ct. Oz. O5 \$0 10	1/4lb.	Lb. \$0.50
1041 White Velvet. Tender white pods; smooth and velvety in appearance	05 #0 10		φ0 50 50
1042 Dwarf Green Prolific.			50
1044 Perkin's Improved. Fine strain			50
The state of the s		23	00
ODACII EDENCII CDINACII			
ORACH or FRENCH SPINACH			

Arroche	Armuella
---------	----------

Culture.—Sow early in spring; cultivate and use like spinach.			1/41b	
1050 Red. Distinct; dark red leaves	.\$0 05	\$0 15	\$0 35	\$1 25
1052 White. Pale green leaves, almost yellow	05	15	35	1 25

MUSHROOM SPAWN

BLANC DE CHAMPIGNON Seta Champignonbrut

Culture.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the

equal bulk of loam from an old pasture with it. Reep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed the required size. Three or 4 feet wide, 8 inches deep and any length desired are the proper proportions for a bed, but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the heat subsides to op degrees, make holes in the hed about a foot apart each way, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.



MUSHROOMS

From our experience with English, French and American Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the other two; but, if the bed is not in the right state, it will often rot. The American and English Spawn, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing its vitality. It is well to keep these points in mind in ordering spawn. The French Spawn should be slightly moistened by sprinkling with water for two or three days before planting.

1054 American Spawn. In	bricks. Per brick 18 cts., 10 bricks \$1.50. per 100 bricks, \$10. Per lb 10 lb	S.
	icksper 100 lbs., \$9\$0 15 \$1 0	
1056 French Spawn. In bul	lk 30 2 5	0

Transportation charges extra

MARTYNIA (For Pickles)

Gemsenhorn

CULTURE.—Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or the seed may be sown in a hotbed, and the seedlings afterward transplanted. These varieties are productive, and fine for pickles. Pick when small and tender, and preserve the same as cucumbers.

	Per p	kt. (Oz.	1/4lb.	Lb.	
1057 Craniolaria	. \$o	05 \$0	30 \$0	75	\$2 5	50
1058 Proboscidea		05	30	75	2 5	50


ONION

OIGNON Zwiebel

CULTURE.—Sow in rich, sandy soil, in drills I foot apart, as soon as the ground can be worked in spring—at the rate of 4 to 5 lbs. to the acre. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds. The finest Onions are produced by the new method of sowing the seed in hotbed in February and March and transplanting the seedlings to the open ground.

Pkt. Oz. ¼lb. Lb.

1060	White	e Early Barletta. A small white Italian sort; earliest\$0	05	\$0 20	\$0 60	\$2 0	00
1061	4.6	Queen. Pure white, small, flat, extra-early; fine for pickling	05	20	60	2 0	00
1062	4.6	Pearl. Extra-early, round; white; fine	05	20	60	2 0	00
1064	4.4	Victoria. Italian; white and globular	05	20	60	2 0	00
1065	4.4	Large Portugal. The standard large flat sort of the New York					
		markets	10	35	I 00	3 0	00
1066	4.6	Large Globe (Southport Strain). Very large and handsome	10	35	I 00	3 0	00
1068	4.6	Mammoth Garganus, or Silver King. Large, silvery white Italian.	05	20	60	2 0	00
1069	4.6	Paris Silverskin. Fine Italian sort	05	15	50	I 5	50
1070	4.4	Bermuda (Teneriffe-grown)	05	25	80	2 7	75
1071	4.6	" Crystal Wax (Teneriffe-grown)	10	35	1 00	3 2	5



Onions, continued Pkt. Oz. 1/1b. Lb.								
1072 White Tripoli (El Paso, or Mexican). Large white Italian variety								
1073 "Bunching, or Italian Silverskin	. 05	20	50	I 50				
1074 " Dutch Round Hard. Fine pickling sort	. 05	20	. 60	2 00				
1075 "Vaugirard Winter. Fine pickling sort. Sow in September for ear	y							
spring Onions	. 05	25	80	2 75				
1076 "Welsh. The leaves are used for salad early in spring. Sow in fall	. 05	15	50	I 50				
1078 Yellow Danvers. A standard sort; early and a good keeper		20	60	2 00				
1080 "Globe Danvers. Of more globular shape; keeps well	. 05	20	60	2 00				
1083 "Large Globe (Southport Strain). The finest large yellow		20	60	2 00				
1084 "Globe Spanish, or Prizetaker. Immense size; globe-shaped	. 05	20	65	2 25				
1085 "Strasburg, or Dutch. Fine keeper; flat; yellow skin, white flesh		20	60	2 00				
1086 "Globe, Australian. Globe-shaped, thin neck; flesh pure whit								
solid and crisp. Early and a good keeper		20	60	2 00				
1088 "Ailsa Craig. A splendid yellow globe variety, grown largely for	or							
exhibition purposes		40	I 25					
1090 " CRANSTON'S EXCELSIOR. See Novelties		40	I 25	4 00				
1092 Red Australian Brown. Medium size, hard, solid; very early		20	60	2 00				
1094 "Bermuda (Teneriffe-grown)		25	80	2 75				
1096 "Large Wethersfield. Half-early and a good keeper; large size		25	75	2 50				
1098 "Large Globe (Southport Strain). The finest large red sort		25	75	2 50				
1100 "Early Globe. Like above, but earlier and not so large		20	65	2 25				
1102 "Early Flat. Medium size, very early, deep red; mild flavor		20	65	2 25				
1117 Chives Seed.		50	1 50	5 00				
1122 Yellow Potato Onion (Seed)		35	I 00	3 00				
1124 Shallot Seed	. 10	35	I 00	3 50				

ONION SETSPlant in drills about 12 inches apart and 4 inches in the rows. They must have high culture.

These are the prices ruling in January; later on they may be higher

Qt. ½pk. Pk. Bus.

Yellow Onion Sets ... \$0 20 \$0 60 \$1 00 \$3 50

75 I 25 4 50

60 I 00 3 50

PEAS


Chicharos o Guisantes Pois Erbfen

Culture.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as the 20th of August. Medium and late Peas must be planted early; Extra-Earlies may be planted again in August. Sow in single or double rows, from 4 to 6 feet apart, according to the different heights, about an inch apart in the row (except such sorts as we note to sow thinly) and 4 inches deep. In this climate, the O'Rourke Pea, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like bush beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the Pea weevil (Bruchus pisi). The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods and into the nearest peas, If the new aphide attacks the Peas, spray the vines every day with clear water of the same temperature as the atmosphere. Culture.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the atmosphere.

Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas, and not until the ground has become warm, as they are more liable to rot. They are the finest-flavored of all Peas. Those marked thus (†) are large-podded sorts.

We supply packets of Peas at 10 cts. each, postpaid; other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart

EXTRA-EARLY	Height in feet	Per pt.	Per qt.	Per ½pk.	Per pk.	Per bus,		
1130 Thorburn Extra-Early Market. Our standard market- garden extra-early Pea; productive and profitable to								
grow		20 50	35	\$1 25	52 00	\$7 00		
1132 Daniel O'Rourke, Improved. Extra-early; favorite market garden sort		15	30	I 00	I 75	6 50		
1133 First-of-All. First-class selected strain of extra-earlies	2 1/2	15	30	I 00	I 75	6 50		
1135 Alaska. One of the very earliest blue Peas; quite productive.		15	-	I 00				
1136†*Thomas Laxton. A cross between Gradus and one of the		V	U		, , ,	- 0		
extra-early sorts. Ripens within a day or two of the earliest round varieties; very productive. The pods are large and contain 7 or 8 large, wrinkled peas of the finest flavor.		25	45	I 50	2 50	9 00		
1137†*Gradus, also called Prosperity. One of the finest extra-early Peas yet introduced; is in condition to pick about four days after Extra-Early Market. Pods very large, filled								
with large, wrinkled deep green peas of finest quality	3	25	45	I 50	2 50	9 00		
1139 *The Sherwood. Heavy yielder, pods of a deep rich color,								
filled with 8 to 10 peas of finest flavor	I	20	35	I 25	2 00	7 50		
1140 *American Wonder. Early and productive; fine quality	I	25	40	I 35	2 25	8 00		
1141 *Sutton's Excelsior. Dwarf wrinkled Pea, as early as American Wonder, with much broader pods, filled with large peas of the finest flavor, and produced in greater								
abundance		20	35	_	2 00	7 50		
1143 *Nott's Excelsior. Splendid early wrinkled sort; very prolific		20	35	I 25	2 00	7 50		
1145 *Premium Gem. Early; straight pods, well filled		15	30	I 00	I 75	6 50		
1146 *McLean Little Gem. Early; straight pods	I ½	15	30	I 00	I 75	6 50		
1148†*Duke of York. Large, long, full pods, and peas of the finest								
flavor; very early and productive; one of the finest sorts.	3	20	35	I 25	2.00	7 50		
1150 GERMANIA. See Noveltiespkt. 15c	I ½	30	50					
EARLY AND MEDIU								
1155 *THE LINCOLN. Long, curved, deep green pods, well filled	~7/							
with peas of finest flavor. See Novelties		25	45	I 50	2 50	9 00		
1160†*British Wonder. Large pods, filled with peas of finest flavor. Plant and pods dark green. Dwarf wrinkled sort		25	10	T 25	2 25	8 00		
• •		25	40	I 35	2 25	8 00		
1161 *Sutton's Dwarf Defiance. Straight long pods, dark green in color, closely packed with large peas of superior flavor. Very productive		25	40	1 35	2 25	8 00		
1162 *McLean Advancer. A fine standard sort of excellent quality.		20	35	1 25	2 00	7 00		
1162a*Majestic. A splendid mid-season sort, dark green pods; very	2/2	20	33	1 23	2 00	, 00		
prolific		25	40	I 35	2 25	8 00		
1163 *Abundance. Long, round, well-filled pods; sow thinly	I ½	15	30	I 00	1 75	6 50		
1164 *Horsford's Market-Garden. On the style of Advancer;	- /							
very prolific		20	35		2 00	7 00		
1165 *Everbearing. Long pods; large pea; sow thinly		15	0	I 00	, .	6 59		
We pay postage or express charges on all seeds bought by the packet, ounce or quarter pound								



GRADUS PEAS (See page 31)

Early and Medium Peas, continued Height in feet	Per pt.	Per qt.	Per ½pk.	Per	Per bus.
1166 †Pride of the Market. Very large pods, green pea; sow thinly 2		\$0 30	\$1 00		\$6 50
1168 *Champion of England. A well-known standard sort; sow thickly	20	25	T 25	2 00	7 00
1169 *Dwarf Champion. A dwarf form of the popular Champion of England, with large pods; very productive; finest	20	33	1 23	2 00	7 00
quality 2	20	35	I 25	2 00	7 00
1170†*Duke of Albany (American Champion). Immense pods on style of Telephone; very superior	20	35	I 25	2 00	7 50
1171 *Edward VII. Large, sweet peas of best quality; beautiful			Ŭ		
lustrous green pods	25	40	1 35	2 25	8 00
1172 Fillbasket. A standard productive sort of good quality	15	30	_	1 50	~
1173†*Heroine. Large, full pods; enormously productive 2½ 1174†*Daisy. Dwarf, wrinkled, with large pods and peas 1½	20 25		I 25 I 35		*.
1175†*Prince Edward. Very large pods, measuring about 7 inches,	25	40	1 33	2 25	0 00
filled with 11 to 13 large, dark green peas of best quality.					
Very prolific and of robust habit 5	25	40	1 35	2 25	8 00
1176†*Shropshire Hero. Very productive; long, handsome pods;				_	
fine flavor	15	30	1 00	I 75	6 50
1177 *Yorkshire Hero. A spreading variety; productive; sow					6
thinly	15	30	1 00	1 75	6 50
MAIN AND LATE CROI	P				
1178†*Admiral Dewey. Enormous pods; large, wrinkled peas of					•
fine flavor: very productive	20	35	I 25	2 00	7 00
1181 *Juno. Large, straight pods; fine quality; very productive. 11/2	20	35	I 25		7 00
1183†*Stratagem. Very large pods; peas of finest quality 1½ 1184†*Queen. Very large, handsome pods, filled with large, dark	25	40	1 35	2 25	8 00
green peas of finest flavor; first-class main-crop variety. 2½	20	35	I 25		•
1185 †Telegraph (L. I. Mammoth). Large pods and peas 4	20	35	1 25		
1186†*Telephone. Enormous pods and peas of best quality 4 1187 White Marrowfat. A favorite; heavy yielder	25 15	25	1 35 75	2 25 1 25	
1188 Black-eyed Marrowfat. Very hardy and prolific; for	13	23	13	1 23	4 00
market 3	15	25	75	I 25	4 00
We supply packets of Peas at 10 cts. each p	ostpaid				
SUGAR PEAS (EDIBLE PODS	S)				
Sugar Peas have edible pods which are eaten when young.					
1190 Mammoth Gray-seeded Sugar. Immense pods 5	30	50	I 75	3 00	10 00
1193 Dwarf Sugar. Very early	20				7 00
1195 Melting Sugar. One of the best edible-)	
pod sorts. Pt. 25 cts., qt. 40 cts., ½pk.			6	2	
\$1.35, pk. \$2.25, bus. \$8. 1196 Vilmorin Marrow. A fine sort. Pt. 25 cts.,		1) ===
qt. 40 cts., ½pk. \$1.35, pk. \$2.25, bus. \$8.				AF	
DADGI DIY ADADGIND C			all a	The state of the s	10.73

PARSLEY and PARSNIP. See page 34.

Pimiento PIMENT Pfeffer

CULTURE.—Sow in hotbeds in March, and, when the soil has become warm, set in rows 2 feet apart and 18 inches in the rows; hoe frequently. The plants may also be forwarded in small pots.

1198 Bell, Large. Large, bright red; largely used for pickling. It is of such mild flavor that it may be eaten as a vegetable. Pkt. 5 cts.,

oz. 25 cts., ¼lb. 65 cts., lb. \$2.25.

1199 Chinese Giant. Very large; flesh very mild and thick; bright scarlet color. Pkt. 10 cts.,

and thick; bright scarlet color. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.

1203 Cayenne, Long Red. Bright red, slende pods, 3 inches long; pungent. Pkt. 5 cts., oz. 25 cts., ¼lb. 65 cts., lb. \$2.25.

1204 Celestial. At first fruit is yellow, but, when fully matured, a deep scarlet. Pkt. 5 cts., oz. 25 cts., ¼lb. 65 cts., lb. \$2.25.

1207 Golden Dawn Sweet. Very handsome and distinct, and of mild flavor; small. Pkt. 5c., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50. oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.



Pepper, continued

1208 Golden Queen Mammoth. Very large fruits; rich golden yellow color; Pkt.	Oz.		Lb.
1210 Monstrous. Very large and of mild flavor; for use when green			2 00
1211 Neapolitan. Very early and productive. Large and sweet		65	2 25
1212 Red Cherry. Cherry-shaped; for pickles, for which they are largely used 05	25	65	2 25
1213 Red Chili. Very productive; very small, red and very pungent 05	25	65	2 25
1214 Red Cluster. A new type of Chili, with upright, bright red fruits	25	65	2 25
1216 Ruby King. Bright red, 4 to 6 inches long; mild; best for stuffing 05	25	. 65	2 25
1217 Squash, Large. Productive; for pickles	25	65	2 25
1220 Sweet Mountain. Large size; regular, handsome shape; mild flavor 05	25	65	2 25
1221 Sweet Spanish. Large, mild; used for salad	25	65	2 25
1225 Tabasco. True. Bush 3 feet high; small, long, bright red fruit in clusters;			
very hot and the best for pepper-sauce and pickling	40	I 25	4 00
1228 UPRIGHT SWEET SALAD. Finest of all. See Novelties 15	45	1 50	5 00

PARSLEY

PERSIL Perijil Beterfilie

CULTURE.—Soak the seeds a few hours in lukewarm water, and sow early in spring, and until the middle of July in drills 1 foot apart. Have the soil thoroughly pulverized, and, after sowing the seed, pat it down tightly with the spade. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 1241 should be thinned out while young, and managed in after-cultivation the same as carrots and parsnips. The roots are edible either raw or cooked.

The roots are edible either raw or cooked.	Pkt.	Oz.	1/4lb.	Lb.
1235 Thorburn's Extra Curled. Superior	.\$o o5	\$o 10	\$0 20	\$ 0 60
1236 Thorburn's Moss Curled. Very pretty	05	10	20	60
1237 Fern-leaved. Fine curled	05	10	25	75
1239 Plain. The ordinary form	05	10	20	50
1240 Beauty of the Parterre. For edging, and equally good as a condiment.	05	10	25	75
1241 Hamburg, or Rooted. Edible roots	05	10	20	60
1245 Glory of Erfurt, Rooted. Extra fine	05	10	25	75

PARSNIP

PANAIS Chirijia Bastinake

1252 Long White. A standard variety 05 10 20 50 1255 Early Round 05 10 20 60

PUMPKIN


Potiron Calabaza Große Kürbiß

CULTURE.—May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects are cultivated in same manner as melons and cucum-								
bers. Avoid planting them near other vines. 1270 Large Cheese. Flat; one of the best varieties for family use	\$0 05	\$o 10	\$0 20	\$ 0 60				
1271 " Kentucky. Flat; fine for pies, etc	05	10	20	50				
1272 Early Sugar. Fine-grained, sweet and prolific; small yellow	05	10	20	50				
1273 Black Negro. New Hampshire Pumpkin	05	10	25	75				
1277 Golden Oblong. Orange skin, light yellow flesh; fine quality; good keep		10	25	75				
1278 Cushaw, Golden. A fine yellow crookneck sort	05	10	25	80				
1278a "Striped. A splendid striped crookneck variety	05	10	25	80				
1279 Tennessee Sweet Potato. Bell-shaped; thick, white flesh; fine for pies		10	25	80				
1280 Calhoun. Very superior quality; yellow flesh; fine for pies	05	10	25	75				
1282 Red Etampes. Medium size, flat; very productive	05	15	40	I 25				
1283 Mammoth King. Grows to an enormous size	05	15	35	1 00				
1284 Mammoth Tours. A very large, French variety		10	25	75				
1285 Quaker Pie. Very prolific and a good keeper; fine for pies	05	10	25	75				
1286 Winter Luxury. A fine keeper and one of the best for pies		10	25					
1287 Connecticut Field. Grown in corn-fields for stock		10	15	25				

SEED POTATOES GROWN EXPRESSLY FOR SEED

POMME DE TERRE Patatas Rartoffeln

CULTURE.—Three to four barrels to the acre. In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets I foot in the rows. If wood-ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado Potato-beetle makes its appearance, the vines must be dusted with Paris green mixed with about 80 parts of plaster; or what is better, mix the Paris green in water, one small tablespoon to a pail, and apply with a small brush or broom. Take care to stir the mixture often, or else the Paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.



NOROTON BEAUTY POTATO

EARLY VARIETIES

1301 NOROTON BEAUTY. The finest and most productive extra-early Potato grown. Handsomer in appearance and more uniform in shape than any yother sort. Its table quality is superb. Original stock, ½bus. \$1.50\$0	½pk. 65	Pk. \$1 00		вы. \$5 50
1302 The Thorburn. We recommend it as one of the best for first crop. It is				
very early and of the finest quality; also very productive and of good				
size and form	40	65	2 00	4 50
1304 Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure				
white flesh. Very productive and of the finest quality; a first-class				
early variety	40	65	2 00	4 50
1307 Irish Cobbler. Fine white; vigorous grower	40	65	2 00	4 50
1309 Bovee. Extra early; very productive; of fine quality; flesh white	40	65	2 00	4 50
1310 Early Rose. Popular market sort; very early; fine quality; very productive	40	65	2 00	4 50
1311 Early Norther. Extra early; prolific; shape of Early Rose; fine quality	40	65	2 00	4 50
1312 Queen. Early, productive, and of fine quality	40	65	2 00	4 50
1313 Bliss' Triumph. Very early and very productive: handsome color: resists				1 0
disease well. Good sort for the South	40	65	2 00	4 50

INTERMEDIATE AND LATE POTATOES

1314 Gold Coin. A splendid main-crop variety of remarkable productiveness 1/2pk. Pk. Bus. Bbl. and finest table quality; slightly oblong form, light golden skin; flesh pure white, fine-grained; cooks very dry..... ...\$0 40 \$0 65 \$2 00 \$4 50 1315 Carman No. 1. This most valuable Potato was introduced by us in 1894, and it is a recognized high-class standard sort the world over. The 65 2 00 4 25 65 2 00 4 50 finest second-early Potato ever offered...... 40

1318 Uncle Sam. Handsome shape, good size, fine quality...... 40



SCARLET GLOBE RADISHES

- 1319 Sir Walter Raleigh. Very productive; white flesh of best quality. ½pk. 40 cts., pk. 65 cts., bus. \$2, bbl. \$4.50.
- 1320 Rural New Yorker. Very few and shallow eyes; pure white skin and flesh; immense yielder; fine table quality. ½pk. 40 cts., pk. 65 cts., bus. \$2, bbl. \$4.25.
- 1321 Green Mountain. Oval shape, white skin and flesh; excellent; heavy yielder. ½pk. 40 cts., pk. 65 cts., bus. \$2, bbl. \$4.25.

RADISH

RADIS ET RAVE Rabanos y Rabanitos Radies und Rettig

CULTURE.—Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, used, unless a cool northern spot can be had, where the ground is shaded during part of the day. They should be sown in light, rich soil, as a crisp Radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast and small turnip-shaped sorts.

Those marked with an asterisk (*) are best suited for market gordoner.

suited for market-gardeners.

1330*Turnip, Early Scarlet. Very early.
The French favorite. Pkt. 5 cts.,
oz. 10 cts., 1/4lb. 20 cts., lb. 50 cts.

						1/41b.	Lb.
1331*	Turnip,	Early	Scarlet Forcing. Crisp; very early\$0	05 \$0	10	\$0 20	\$0 50
1332	"	"	" GIANT BUTTER. See Novelties	25			
1334*	4.4	6.6	" White-tipped. Very early; for frames or outdoors	05	10	20	60
1336	4.4	44 -	" Forcing		10	25	75
1337	4.6	4.6	Deep Scarlet. Very early; crisp	05	10	20	50
1338	6.6	4.4	"Forcing	05	10	25	80
1339*	6.6	"	Scarlet Gem White-tipped Forcing	05	10	20	60
1340*	6.6	6.6	Cooper's Sparkler. Carmine-scarlet, white-tipped. Fine				
			for forcing or for open ground	05	10	25	80
1340a	6.6	44	Triumph (Speckled Beauty). Very prettily striped or	Ü			
			mottled scarlet and white; fine forcer	05	15	35	I 00
1341*	6.6	6.6	Scarlet Globe-shaped. Fine for forcing or open ground	05.	10	20	60
1342	4.6	6.6	Crimson Giant. Double the size of the above, yet never				
			pithy. For forcing or outdoors; tender and crisp	05	10	20	60
1343*	44		Non Plus Ultra. Extra-early scarlet forcing		10	20	60
1344	4.6	44	Deep Blood-Red. Extra early; for forcing or outdoors		10	25	75
1345	4.6	6.6	White, or Box. For forcing; flesh pure white and sweet		10	20	60
1347	66	Large	White Summer. Of large size; roundish		10	20	50
1348*	"		en Summer. Smooth and bright skin		10	20	60
1349	66	"	Globe	-	10	20	60
1350	66	Valle	w Ball. Small; very early		10	20	60
					10	20	60
	rrencn	break	fast. Pink and white; early	05	10	20	00
1352*		•	Forcing (White-tip Rocket). Very rapid-growing, ten-	0 =	**	25	/
40704			der and crisp		10	25	75
1353*	Olive-sh	aped	Golden Yellow. A good sort of very fine quality	05	10	20	60
M	To have t	ostana	or express charges on all seeds hought by the backet ounce or	auarter	bo	und	

We pay postage or express charges on all seeds bought by the packet, ounce or quarter pound

Radish, continued Per p	l-+	Óz	⅓lb.	Lb.	
1354*Olive-shaped White. Mild and fine for summer					
1355* "White Forcing (White Rocket). A forcing strain of above.	05	15	35	I (
1356* " Deep Scarlet. Crisp; very early	05	10	20	6	60
1358* " Deep Scarlet Forcing (Red Rocket). A forcing strain of					
the above	05	10	20	6	60
1359 " Deep Scarlet White-tipped	05	10	25	7	75
1360 Half-long Deep Scarlet (Paris Beauty). Flesh bright and crisp	05	10	20	(60
1362 " Delicacy. Half-long, smooth, snow-white; fine forcer	05	10	25	. 7	75
1364*Long Scarlet Short Top. Very long, crisp; for frames or outdoors	05	10	20		50
1365 "Brightest Scarlet White-tipped		. 10	20	9	50
1367* "Scarlet Chartier, White-tipped		10	20		60
1369 "White Naples. Slender; for summer use		10	20		60
1370 "White Vienna, or Lady Finger. Crisp and tender in summer		10	20		60
1371. " Icicle. Pure white, of fine flavor; suitable for forcing		10	20		60
1372 "Cincinnati Market. An improved strain of Long Scarlet	05	10	20		60
1373 Round Scarlet China. Fine for winter or summer. Matures in 6 or 8 weeks.		10	25		75
1375*White Strasburg Summer. Very large; the German's favorite		10	20		60
1377* "Stuttgart Summer. Very early and very large		10	20	7	60
1380*Winter Scarlet Chinese. Very handsome and distinct and keeps well		10	20		60
1381* " Long Black Spanish. The popular winter sort	05	10	20		60
1382* " Half-long Black Spanish. Very fine strain		10	20		60
1383 "Oval Black Spanish. Shorter and more oval than the above		10	20		60
1384 "Round Black Spanish. Fine for winter		10	20		60
1385 "Large White Spanish. Fine for winter		10	25		75
1386 "Celestial. Very large; white; solid and crisp. Fine winter sort	05	10	25	7	75
1387 " California, or Russian Mammoth. A very large white winter					
variety	05	10	25	7	75
variety					
early in rich soil. In Japan it grows as much as 21 inches long and 43					
inches in circumference. Thin well to allow of proper development	05	25	75	2 5	50
1390 Raphanus caudatus (Edible-Pod Radish; Rat-tailed Radish). Has edible					
seed-pods; used raw or pickled	10	50			

RAMPION

RAIPONCE Reponche Rapunzel=Rübe

ROQUETTE

CULTURE.—Sow early in spring, in rows, and thin out to 8 or 10 inches. If kept well scuffled and watered the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange blossoms. Pkt. 5 cts., oz. 15 cts., ½ lb. 35 cts., lb. \$1.

RHUBARB

CULTURE.—Sow seed in a coldframe, in a fine, rich sandy loam, about the first of March, in drills 4 inches apart. Keep the frames covered during nights and cold days, so that the soil will not freeze, and in six or eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the row. The following spring transplant again to a permanent location, setting 4 or 5 feet apart each way. In good soil Rhubarb is ready to use the second year from seed. When roots are set out, plant them 4 or 5 feet apart each way, and keep weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seed where only a few plants for family use are needed. In the fall the bed should have a thick dressing of coarse manure, to be spaded under in spring.

	Per pk	. (Oz.	1/41b.	Lb.
1420 Linnæus. The earliest	\$o o	5 \$o	15 \$	\$0 40	\$1 25
1422 Victoria	0	<u> </u>	15	.40	I 25
1423 Crimson Winter	I	í.	75		v
1425 ROOTS, strong. 15 cts, each, \$1.50 per doz. Transportation charges ex	tra.	,	7.0		


SCOLYMUS

The roots resemble a small parsnip, and will keep through the winter like a turnip. It is cultivated exactly like the carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled, like salsify. Pkt. 10 cts., oz. 30 cts., 41b. 85 cts., lb. \$3.

SCORZONERA

Corzonere Escorzonera Scorzionwurzel

CULTURE.—Cultivate the same as salsify. It is cooked in the same manner, but, on account of being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to salsify. It is also called Black Salsify. Pkt. 10 cts., oz. 25 cts., 141b. 75 cts., lb. \$2.50.



SALSIFY, THORBURN IMPROVED THICK-ROOTED

SALSIFY, or VEGETABLE OYSTER

Salsifis Ostion Vegetal Haferwurzel

CULTURE.—Sow as early as the ground can be worked in the spring, in drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as for carrots and parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces ½ inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like parsnips, and have a sweet and agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow 8 to 10 pounds to the acre.

1435 Mammoth Sandwich Island. Large. Pkt. 5 cts., oz. 15 cts., 1/4 lb. 40 cts., lb. \$1.25.

1436 Thorburn's Improved Thick-rooted. Thick and smooth. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

SKIRRET (see page 41)

SORREL

Oseille Acedera Sauerampfer

CULTURE.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flower-stems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds spinach. It is also used for soups. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

preferable. Per pkt. Oz. ¼1b. Lb.

1455 Garden, Large French. \$0 05 \$0 15 \$0 35 \$1 00

1456 "Mammoth Lyons. Extra-large improved strain. 05 20 50 1 50

SPINACH

EPINARD Espinaca Spinat

CULTURE.—Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks for a succession, and, as it grows, thin out for use. For fall use, sow in August and for winter crop in September. Cover that which is left out over winter with straw or leaves after the weather becomes quite cold. Keep clear of weeds Sow the seeds of New Zealand in hills 2 feet apart each way, three or four seeds in a hill.

1460 Round Viroflay (Thick-leaved). Has very large, thick, dark green leaves;	Pkt.	Oz.	1/41b.	Lb.
the favorite market-gardener's sort for fall or spring sowing	0 05	\$0 10	\$0 15	\$o 35
1461 Long Season, Thorburn's. Stands longer before running to seed tha	n			
any other sort except New Zealand	. 05	10	15	35
1462 Round-leaved Flanders. A standard sort	. 05	10	15	
1464 Lettuce-leaved. Popular French sort	. 05	10	15	
1466 Curled-leaved Savoy, or Bloomsdale. Large, curled and wrinkled leaves	;		v	00
tender and of finest flavor	. 05	10	15	35
1467 Long-standing (Round Thick-leaved). Dark green; leaves large an	d			
thick; very long-standing. Best for spring growing		10	15	35
1468 Victoria. Extra-dark black-green color. Two or three weeks later tha	n			
the ordinary "Long-standing." A fine variety for spring sowing	. 05	10	15	35
1469 Prickly, or Winter. Vigorous and hardy; recommended for fall sowing		10	15	35
1472 Triumph. An improved long-standing sort	. 05	10	15	35
1475 New Zealand Summer. Not a spinach, but used as such. Grows 1½ fee				00
high and is very prolific; does well in hot summer weather when the				
ordinary spinach cannot be had; valuable for hot climates. Soak th				
seed in hot water before using		10	30	80
0				

SWISS CHARD, or SILVER BEET

This is a Beet producing leaves only, of a quality superior to those of the ordinary Beet, and excellent as greens. Cultivate about the same as spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will greatly increase the delicacy and tenderness of the leaves. Pkt. 5 cts., oz. 10 cts., 1/4lb. 20 cts., lb. 60 cts.

We pay postage or express charges on all seeds bought by the packet, ounce or quarter pound



VARIOUS TYPES OF SQUASH

SQUASH Calabaza Spei

Courge Speife Rurbiß

CULTURE.—Sow in hills the same in manner and at the same time as cucumbers and melons, the bush varieties 3 to 4 feet apart, and the running kinds from 6 to 9 feet apart.


BUSH VARIETIES					
		Oz.		Lb.	
1500 Early Golden Bush. Fine for summer; not so early as the White Bush. \$0		\$0 IO	\$0 25	\$0 7	′5
1502 Golden Custard. Mammoth strain of the Golden Bush. A valuable					
variety; golden yellow flesh; fine quality	05	10	25	8	10
1504 Early White Scallop Bush. A good early shipping variety	05	10	25	7	7.5
1506 Long Island White Bush. An improved strain of Early White Scallop			٠.	""	
Bush; very prolific	05	10	25	7	75
1507 Silver Custard. A mammoth strain of Early White Bush. Very large	05	10	25	7	75
1508 Summer Crookneck. Yellow fruit; distinct; best for summer	05	10	25	7	75
1509 Giant Summer Crookneck. Double the size of the above	05	10	25		30
1510 Giant Summer Straightneck. Most of them are straight-necked	05	10	25	7	75
1512 Cocozell Bush. A fine variety; oblong shape; skin smooth, dark green,	- 0			,	0
marbled yellow or pale green	05	15	35	1 0	00
RUNNING VARIETIES					
ROWING VARIETIES					
1530 Bay State. Hard, blue shell; for fall or winter	05	15	35	I C	00
1532 Boston Marrow. Oval; bright orange; flesh yellow and fine	05	. 10	25	7	75
1534 Canada Crookneck. Small, well-known winter sort; green skin	05	10	25		² 5
1536 Cocoanut. Of first-rate quality and very prolific		10	25		ŠÕ.
1537 Delicata. Orange-yellow, striped green; small size, but very prolific; it	- 0		Ü		
is extra early, solid, and a good keeper; flesh dry and of fine quality	05	15	35	1 0	0
1538 Delicious. Green skin, orange flesh; fine-grained, sweet and dry		15	40	I 2	5
We pay postage or express on all seeds bought by the packet, ounce or quarter	·	_			

	Squash, Running Varieties, continued					
1539	Essex Hybrid. A good fall and winter sort; fine-grained; rich flavor; very	Pkt.	Oz.	1/4lb.	Lb.	
1540	prolific	05	\$0 10 10	\$0 25 25	3 0 7.	
1541	Fordhook. One of the best winter sorts; fine quality	05	10	25	8	
	Golden Bronze. Skin green; flesh yellow, fine-grained and sweet		10	25	7	
	Hubbard. Well known and liked for late use; an excellent sort for pies		15	35	1 0	
1545	"Golden. Same as above, but with orange-red skin		15	35	1 0	0
1546			20	50	I 5	0
1547	" Mammoth Warted. Immense size, covered with warts		15	35	1 0	o
	Mammoth Chili. Rich orange flesh; grows to an enormous size		15	35	I 0	0
	Mammoth Whale. Enormous size; solid bright orange flesh of fine quality		20	50	I 5	0
	Marblehead. Gray skin; very productive, fine keeper; dry, sweet	05	15	35	I O	0
1552	Orange Marrow. Quite distinct; very early, and of most delicate flavor;					
4550	suitable for fall and winter	05	15	35	I O	
1555	Perfect Gem. Round, white; fine quality; good for fall or winter	05	15	35	. I O	
1554	Turban. Orange-yellow flesh; good flavor	05	15	35	IO	
1557	Warren. Of superior quality; a type of the Essex Hybrid. Winter Crookneck. One of the best winter sorts.	05	15	35	I 0	
1337	Winter Grookheek. One of the best winter sorts	05	10	25	0	U
	VEGETABLE MARROW					
1560	English. The true English strain; cream-color, merging into deep yellow; white flesh; about 9 inches long	05	20	50	1 5	0
1562	Italian (Cocozelle di Napoli). Grows about 20 inches long, with a diameter of 3 or 4 inches. Skin smooth, dark green, marbled yellow or paler green.	- 0		3.	- 3	

TOMATO

TOMATO Tomates Liebesapfel

CULTURE.—Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window, when one does not wish to have the trouble of making a hotbed. Transplant to the open ground when all danger of frost is past, setting the plants 3 to 4 feet apart each way. Fruit may be had several weeks earlier by



In Italy it is eaten when quite young.....

LIVINGSTON'S CORELESS TOMATO

sowing seed quite early and transplanting to small pots. Tomatoes that have not ripened at the end of the season may be taken from the vines and placed in empty coldframes, or wrapped in tissue paper and carefully packed in flat boxes, where a large proportion of them will ripen from time to time—frequently until Christmas.

35 1 00

1600 Acme. Medium size, smooth and good; purplish pink. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

1601 Atlantic Prize. Extra early; smooth, bright red, good size. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

1602 Beauty. Large, smooth, dark pinkish

1602 Beauty. Large, smooth, dark pinkish red; thick flesh; regular form. Pkt. 5 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50

1603 Buckeye State. Very large and productive, smooth, uniform, good quality. Pkt. 10 cts., oz. 30 cts., ¼lb. 85 cts., lb. \$3.
1604 Burpee's Earliest Pink. Produces

1604 Burpee's Earliest Pink. Produces clusters of smooth, solid, fleshy medium-sized Tomatoes of fine flavor. Very early. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.25, lb. \$4.

1606 Chalk's Early Jewel. Fine large solid, smooth, bright red; similar to Stone; early. Pkt. 5 cts., oz. 25 cts., ½lb. 75 cts., lb. \$2.50.

exceptionally fine slicing sort\$0	10 5	\$0 40 \$1	25	\$4 50	0
1608 Crimson Cushion. Extra large, handsome, bright crimson	10	30	85	3 00	0
1610 Dwarf Champion. Quite distinct, early: fruit like the Acme	TO	20	85	2 00	0
1612 Earliana. Extra early; bright red; smooth	05	25	75	2 50)
1613 EARLIBELL. See Noveltres	15	50			
1614 Enormous. Extra large; very solid; bright red.	05	25	75	2 50	,

We pay postage or express on all seeds bought by the packet, ounce or quarter pound

Tomatoes, continued	nl-+	Oz.	1/	lb.	L	
1616 Favorite. Large, smooth; productive and a good shipper	05	\$0 25	\$o	75	\$2	50
1618 Fordhook First. Smooth, solid; deep pink; medium size; early	05	25		75		50
1620 Frogmore Selected. Medium size, bright deep red, smooth, very solid and						
fine-flavored. An excellent sort for forcing under glass		40	1	25		00
1624 Freedom. Eearly, regular and uniform; bright scarlet	05	25		75	2	50
1626 Globe, Livingston's. Glossy rose-color, tinged with purple; very early smooth and of large size; very productive and a good keeper	10	40	т	25	4	00
1628 Golden Queen. Smooth, golden yellow; about size and form of Beauty		25	1	75		50
1632 Ignotum. Early for so large a sort, deep red, smooth; very prolific	-	25		75		50
1634 Imperial. Early, large, smooth, solid; fine quality; color of Beauty		25		75		50
1636 June Pink. A very early market sort; smooth and of a bright pink color;	3	-3		, ,		
medium size	10	40	I	25	4	00
1637 Lemon Blush, Thorburn's. Skin and flesh lemon, with a faint rose blush		25		75	2	50
1639 Lorillard. Bright glossy red, smooth; of fine flavor and very early		30		85	3	00
1639aMAGNITUDE. See Novelties		30				
1640 Magnus. Purplish pink, firm flesh; large, uniform; early; productive		25		75		50
1641 Matchless. Extra large, smooth and handsome; bright red; very solid		30		85		00
1642 Mikado. Purplish red; large, smooth and solid.		30		85	_	00
1643 Optimus. Bright red; smooth and solid; medium size, second early		30		85		00
1644 Paragon. Bright red; round; very productive		25		75		50
1648 Ponderosa. The largest variety in cultivation.	-	25	т	75		50
1649 Quarter-Century. Solid; bright scarlet; early; good size; dwarf habit		40 30	1	25 85		00
1652 Royal Red. Intense bright red color; good main-crop variety		25		75		50
1653 Ruby Early. Very early; large size; bright scarlet color		25 25		75		50
1654 Stirling Castle. Small size; very solid, finest flavor, enormously productive;	05	-3		13	_	50
for forcing under glass	10	30		85	3	00
1659 Stone. Very large; perfectly smooth; fine bright scarlet		30		85	3	00
1662 Stone, Dwarf. In growth resembling Dwarf Champion, but with much						
larger fruit. Color bright scarlet, perfect shape, very solid and of the best quality		30		85	3	00
1663 Success. Large bright scarlet, smooth and solid; productive		35	1	00		50
1665 Sutton's Best of-All. Highly recommended for growing under glass		40		25		00
1667 Table Queen. Large, smooth, round, solid		40	I	25	4	00
1668 Terra-Cotta, Thorburn's. Distinct in color and flesh; pure terra-cotta	05	25		75	2	50
1669 Thorburn's Earliest. Smooth, uniform grower; immense yielder	10	30		85	3	00
1672 Trophy. Very solid; standard late; fine canner; dark scarlet	05	25		75	2	50
1673 Trucker's Favorite. Large, smooth and and very regular in form. Purplish				0		
red; solid	10	30		85	3	00
SMALL-FRUITED VARIETIES						
For pickling and preserving. Also invaluable for garnishing.						
1674 Red Cherry. Small fruits, used for pickles; very handsome	10	30		85	3	00
1676 Red Currant. Very small and handsome; for preserves		30		85		00
1678 Red Peach. Resembling a peach; for preserves, pickles and exhibition		. 30		85		00
1679 Red Pear. Fruit handsome and solid; fine for preserves		30		85	_	00
1680 Red Plum. Bright red, round, regular; for pickles		30		85		00
1681 Strawberry. (Winter Cherry, or Husk Tomato.) Makes fine sauce		30		85		00
1682 Yellow Cherry. For pickles and preserves		25		75		50
1683 Yellow Peach. Beautiful clear yellow; perfectly resembles a peach		25		75	2	50
1684 Yellow Pear. Handsome, yellow, pear-shaped fruits	-	25		75		50
1685 Yellow Plum. Round and regular; bright yellow; used for pickles	05	25		75	2	50

SKIRRET


CHERVIS Zuckerwurzel

Culture.—Sow in drills 1/2 inch deep, a foot apart; thin out to 8 inches in the row; keep down the weeds. Take up the roots before winter, and store in sand or earth. It is a plump, fleshy root, containing a quantity of sugar and is eaten like scorzonera or salsify.

Per pkt. Oz. 1/41b. Lb.

1695 Skirret..................................\$0 10 \$0 30 \$0 85 \$3 00

WITLOOF. See Chicory, page 21




TURNIP

NAVET Nabo Rübe

Culture.—For early Turnips, sow as soon as the ground opens in spring. Nos. 1766 to 1776 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from the middle of July to the end of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Rutabagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills, one pound to the acre; broadcast, two to three pounds to the acre.

WHITE VARIETIES				
P	er pkt		1/4lb.	Lb.
1699 Cow Horn. Long, white, in shape resembling a cow's horn\$	0 05	\$0 10	**	
1701 Early Snowball. Small, and of rapid growth; pure white	. 05			
1702 German Teltow. Smallest of all; early; distinct flavor best for pickling		10		75
1705 Globe-shaped Red-Top. A standard sort in the New York market		. 10		
1706 Globe, Pomeranian White. Good either for table or stock		10	20	50
		**		T 00
fine. See Novelties	. 05	10	35	I 00 60
1708 Kashmyr Scarlet. Small, flat; extra early; pure white flesh of finest quality	. 05	10	20	
1712 Milan, Early Purple-Crown. Earliest of all; white, with purple top	. 05	10	25	75
1714 Milan, Early Pure White. Very handsomé; pure white; as early as above.		10	25	75 1 00
1716 Munich, Purple-Top. One of the earliest		10	35 20	
1717 Norfolk White. Globular; late; solid			20	U
1718 Stone, Thorburn Grey. Solid and sweet; good keeper		10	20	
1719 Strap-leaf, White. A good early, white, flat sort		10	20	50
1720 Strap-leaf Red-Top. The popular fall, flat sort	. 05	10	20	50
1721 Tankard Red. A good keeper; long shape	. 05	10	20	60
1722 "White. Similar to above, except as to color	. 05	10	20	60
1724 White Egg. Oval, handsome and sweet		10	20	60
1725 White French, or Rock. Very productive and a fine keeper	. 05	. 10	20	60
YELLOW VARIETIES				
1726 Aberdeen Yellow. Hardy, productive, and a good keeper	05	10	20	50
1727 Finland, Yellow. Early, and of fine flavor; small, flat; distinct		10	20	60
1730 Globe, Amber. Fine, sweet, light yellow sort		10	20	50
1732 Golden Ball. Very handsome; keeps fairly well	. 05	10	20	50
1733 Montmagny. Yellow; flat; purple top	. 05	10	20	50
1734 Stone, Thorburn Yellow. Fine, hard winter sort		10	20	50
				v
RUTABAGA				
1766 Thorburn Family. A fine strain for family use; finest quality	05	10	20	60
1768 Thorburn Purple-Top Improved. (L. I. Strain)	. 05	10	20	50
1770 Champion Purple-Top. Very large.		10	20	50
1774 White Flesh. Large and productive	. 05	10	20	50
1776 Laing's	. 05	10	20	60
We have hostage or express charges on all seeds hought by the basket ounce		nuarter	bound	

We pay postage or express charges on all seeds bought by the packet, ounce or quarter pound



Seeds of Pot, Sweet and Medicinal Herbs

seeds of I on sweet did	Per pkt. Oz	. Lb.	
Agrimony. For medicinal purposes	Agrimonia officinalis \$0.10.50		
Angelica, Garden. For flavoring wine and cakes	Archangelica officinalis 05	15 \$1 50	,
Anise. Seeds aromatic and carminative	Pimpinella anisum 05	10 75	
Arnica. Tincture of Arnica is made from it		10	,
Balm. For culinary purposes		25 2 50	,
Basil , Sweet. Culinary herb used for flavoring soups, etc	Ocymum hasilicum 05	15 1 50	
" Dwarf or Bush. Culinary herb	Ocymum minimum 05	20 2 00	
Belladonna. Is used in medicine	.Atropa Belladonna 10	45 4 50)
Bene. The leaves used for dysentery		10 75	
Borage. Leaves used as a salad	.Borago officinalis 05	10 90)
Caraway. Is used in flavoring liquors and bread	.Carum Carui 05	10 75	5
Catnip. Has medicinal qualities	.Nepeta cataria 10	45 4 50	
Chamomile	. Matricaria Chamomilla . 10 1 0	00	
Coriander. Seeds aromatic		10 40)
Cumin	.Cuminum Cyminum 05	I5 I 25	
Dill. Seeds used for flavoring vinegar	.Anethum graveolens 05	10 60)
Elecampane. Has tonic and expectorant qualities	.Inula Helenium 10	40 4 00)
Fennel, Sweet. Seeds aromatic; for flavoring		10 50)
" Florence. In flavor resembling celery		15 1 00)
Foxglove, Purple. Has medicinal qualities	.Digitalis purpurea 05	15 I 25	5
Fumitory. A medicinal herb	.Fumaria officinalis 10 1	50	
Hemlock. Has medicinal qualities; poisonous	.Conium maculatum 10	80	
Henbane. Has medicinal qualities; poisonous	.Hyoscyamus niger 05	20 2 00)
Horehound. Has medicinal qualities	.Marrubium vulgare 05	20 2 00)
Hyssop. Has medicinal qualities		20 2 00)
Lavender. True. For oil and distilled water		45 4 50	
Lavender. Possessing qualities as above in a lesser degree		20 2 00)
Marshmallow. Has medicinal qualities		30 3 00	
Marigold, Pot. Single. For medicinal purposes	.Calendula officinalis 05	15 1 50	
Marjoram, Sweet. Is used in seasoning	Origanum Marjorana 05	15 1 50	
Pot. Is used in seasoning	. Origanum Onites 10	45 4 50)
"Peppermint	Montha biberita		
Pennyroyal. Has medicinal qualities	Hedeoma pulegeoides 10	50 6 00	,
Rosemary. Yields an aromatic oil and water	Rosmarinus officinalis 10	10 4 00	
Rue. Said to have medicinal qualities	Ruta graveolens 05	30 3 00	
Saffron. Is used in medicine, and also in dyeing	Carthamus tinctorius 05	15 1 00	
Sage, Broad-leaf. A culinary herb; also used in medicine	.Salvia officinalis 05	15 1 50	
"Red. Is used as a culinary herb; also in medicine	.Salvia Horminum 05	10 75	
" Purple. Is used as a culinary herb; also in medicine	.Salvia Horminum 05	10 75	
Savory, Summer. Is used as a culinary herb	.Satureja Hortensis 05	15 1 25	5
"Winter. Is used as a culinary herb	.Saturega montana 10	30 3 00	
Tansy. Generally used in bitters	.Tanacetum vulgare 10	15 4 50)
Tarragon. True. Does not produce seed. Roots in fall and	4-4		
spring35 cts. each, \$3.50 per doz Thyme, Broad-leaved English. Is used as a seasoning	Thomas sulgaris	-0	
"French	Thymus vulgaris 10	50 15 4 50)
Woodruff (Waldmeister, or Maitrank)	Asperula odorata 10	13 4 3°	
Wormwood. Has medicinal qualities		20 2 00)
We pay postage or express charges on all seeds bought by			
or e pay possage or express enarges on an seeds bought by	we packer, burice or quarter pour		

TOBACCO SEEDS

All 10 cts. per pkt. Not less than 10 cts. worth sold

Brazilian American. Makes excellent cigars, and is a delightfully aromatic pipe-smoking tabacco. Per oz., 60 cts.; per lb., \$5.50.

Climax. A cross between Burley and Sterling; fine bright variety. Per oz., 45 cts.; per lb., \$4.50.

Connecticut Seed-Leaf. The popular sort, used for cigar wrappers. Per oz., 25 cts.; per lb., \$2.50.

Havana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo." Per oz., 45 cts.; per lb., \$4.50.

Honduras. A new mahogany variety, producing the very highest quality of tobacco of this type. A healthy and vigorous grower. Per oz., 45 cts.; per lb., \$4.50.

Kentucky Yellow. Per oz., 35 cts.; per lb., \$3.50. Oronoka White Stem. From Yellow Oronoka, which it resembles. Per oz., 30 cts.; per lb., \$3.

Pennsylvania Seed-Leaf. A first-class standard cigar variety. Per oz., 35 cts.; per lb., \$3.50.

Persian Rose. Fine; may be relied upon to make fine cigars. Per oz., 35 cts.; per lb., \$3.50.

Pryor, Blue. The genuine James River favorite. Per oz., 30 cts.; per lb., \$3.

Pryor, Yellow. Preferred by many for brights; succeeds where the other yellow sorts fail. Per oz., 30 cts.; per lb., \$3.

Safrano. Rich saffron-yellow color; soft silky texture and fine flavor. Per oz., 35 cts.; per lb., \$3.50.

Sterling. The newest and the brightest of the yellow type, and the earliest to ripen. Per oz., 3oc.; per lb., \$3.

Tuckahoe. Extra-fine, long leaf; fine for wrappers. Per oz., 30 cts.; per lb., \$3.

Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and habit. Unsurpassed in delicacy of fiber. Per oz., 35 cts.; per lb., \$3.50.

Virginia "One-Sucker". Large leaf; wide, lance-shaped; rather coarse than fine. Per doz., 30 cts., per lb., \$3.

Yellow Mammoth. Large yielder. Per oz., 30c.; per lb., \$3.

Zimmer's Spanish. One of the most popular and extensively grown cigar varieties. Very early; finest quality. Per oz., 45 cts.; per lb., \$4.50.

BIRD SEEDS, ETC.

PRICES VARIABLE

Per lb. 100 lbs.			
Canary, best Sicily\$0 10 \$7 00	Rape, English\$0 10	\$8	00
Mixed Canary Seed 10 7 00	" German 10	8	00
Hemp 10 7 00	Rough Rice	2 10	00
Lettuce Seed	Gravel for Cages. per qt., 6c.; bbl., \$3.50		
Maw, Blue Poppy 20	Cuttle-Fish Bone)	
Millet 10 5, 50	Sunflower Seed for Parrots) 7	50
	Teasels		
" Red Siberian 10			

VEGETABLE PLANTS

We shall have all the standard sorts at their proper seasons

ESCULENT PLANTS AND ROOTS

Asparagus Roots, Conover Colossal. Two years old Plant either	Doz.		1,000 \$6 00
" Palmetto. Two years old			
" Palmetto. Two years old in fall or spring		1 00	7 00
Chive Plants. Plant in early springper bunch, 25 cts			
Cinnamon Vine Roots (Dioscorea Batatas, Chinese Yam)each 6 cts	\$0 50	3 00	
Horse-Radish Roots. Cut in pieces. Plant in spring	20	75	
" "Maliner Kren." In bundles of 50		I 00	7 00
Jerusalem Artichoke Rootsper qt., 25 cts			
Rhubarb Roots. Strongeach, 15 cts.	1 50		
Tarragon Plants (Estragon)each, 35 cts.	3 50		

MATS FOR COVERING SASHES

Made of jute, stitched through; hemmed with canvas and thickly padded; size ?	76 inches	by 76 inches.
One mat covers two sashes.		Each Doz.
No. 1. Both sides jute		\$1 50 \$16 00
No. 2. One side jute, the other water-proof duck		
We pay postage or express charges on all seeds bought by the packet, ounce of	r quarter	pound

HORTICULTURAL BOOKS

A Book of Vegetable and Garden Herbs.	How to Know the Wild Flowers. By Mrs.	
A practical handbook and planting table for the home garden. By Allen French.	William Starr Dana. Illustrated\$2 of Insects and Insecticides. By Prof. C. M.	00
Besides a description of each plant, its	Weed	50
habits, value and use, the book contains	Landscape Gardening. By Samuel Parsons,	, ,
cultural directions for growing all vegetables	Jr., late Superintendent of Parks, New	
cultivatable in the northern United States.	York City	00
A Woman's Hardy Garden. By Helena	Lessons and Manual in Botany. By Prof. Asa Gray. 800 pages. Illustrated 2 5	50
Rutherfurd Ely 1 75	Leaf-Collector's Handbook and Herba-	50
Alfalfa. Its growth, uses and feeding value.	rium. By Charles S. Newhall. An aid in	
Illustrated, 164 pages; cloth. By F. D.	the classification of specimen leaves 2 (00
Coburn	Milk and Its Products. A treatise upon	
Asparagus. Its culture for home use and tor market. By Dr. F. M. Hexamer. Illus-	the nature and qualities of dairy milk and the manufacture of butter and cheese. Just	
trated, 150 pages; cloth 50	the book for the dairy farmer. By Prof.	
Botany. The Story of Plant Life. By Julia	Henry H. Wing, 280 pages, 33 illustrations. 1	50
McNair Wright	Mushrooms: How to Grow Them. Fal-	
Broom-Corn and Brooms	Ornamental Gardening for Americans.	50
tables. By C. L. Allen. Illustrated. Cloth. 50	Long 1 5	50
Celery Culture. In this work complete cul-	Our Native Trees. By Harriet L. Keeler.	
tural directions are included, together with	Profusely illustrated 2 0	00
the estimates of cost for equipment and	Principles of American Forestry. By Samuel B. Green	
running expenses and a fair estimate of returns from one acre. By Prof. W. R.	Principles of Plant Culture. A first-class	50
Beattie. 16mo. Illustrated. Cloth. 150	all-round instruction book in horticulture.	
pages 50	By Prof. E. S. Groff.	00
Clovers and How to Grow Them. By	Plant-Breeding. Treats of crossing, hybrid-	
Thomas Shaw. Treats of the subject in a systematic way. Illustrated, 337 pages; cloth 1 oo	izing, pollination, etc. By L. H. Bailey 1 2 Practical Forestry. By A. S. Fuller 1 5	25 50
Cyclopedia of American Horticulture. By	Small-fruit Culturist. By A. S. Fuller 1 of	
L. H. Bailey, of Cornell University, as-	Soiling Crops and the Silo. By Thomas	
sisted by Wilhelm Miller and many expert	Shaw. How to cultivate and harvest crops.	
cultivators and botanists. 4 vols. Over	How to build and fill a silo. How to use	- 0
2,000 original engravings	silage. Illustrated; 364 pages, cloth I 5 The Book of Corn. By Herbert Myrick.	,0
practical treatise on the grass crop, seed-	Cloth, 500 pages	50
ing and management of meadows and past-	The Fertility of the Land. The maintaining	
ures, etc. By Prof. W. J. Spillman. 250	of the productiveness of the soil. By Prof. I. P. Roberts. Cornell University 1 5	-
pages; cloth. Illustrated	The Flower Garden. A handbook of prac-	,0
compendium of agricultural science and	tical garden lore. By Ida D. Bennett I 2	25
practice. By E. V. Wilcox and C. B. Smith. 3 50	The Forcing-Book. How to grow vegetables	
Fertilizers. By Prof. E. B. Voorhees. Very	under glass. Cloth. By L. H. Bailey 1 2 The Horticulturist's Rule-Book. For the	25
practical, plain, clear, untechnical. 8vo. cloth, 335 pages I 25	and also Clath are as a second	75
Flowers; How to Grow Them. By Eben	The New American Farm-Book. Allen 2 o	
E. Rexford50		50
Forest Planting. By H. N. Jarchow, LL. D. 1 50	The Potato. Its characteristics, planting, cul-	
Forage Crops other than Grasses. How	tivation, etc. By Samuel Fraser. 200 pages.	75
to cultivate and use. Very practical. 287 pages; illustrated. By Thomas Shaw 1 oo	The Pruning Book. A manual of pruning	J
Fumigation Methods. A practical treatise	and training. Cloth. 540 pages 1 5	50
upon new, cheap, simple and effective	The Practical Garden-Book. Directions	
means of exterminating insect pests and	for growing the commonest plants of house and garden. Illus.; 12mo. Flexible cloth 1 o	00
vermin in field, nursery, greenhouse, etc. By Willis G. Johnson	The Spraying of Plants. By E. C. Lodeman.	
Garden-Making. All theinformation wanted	A manual for the application of fungicides	
by every one who buys a single packet of	and insecticides. Cloth I 2	
seeds or grows one plant. Fully illustrated . 75	The Sugar Beet. By Lewis S. Ware 4 o The Survival of the Unlike. By L. H. Bai-	Ю
Hedges, Wind-Breaks, Shelters and Live	ley. A collection of evolution essays 2 0	00
Fences. The planting, growth and management of hedge plants. By F. P. Powell	The Trees of Northeastern America. By	
ment of hedge plants. By E. P. Powell 50 How Crops Grow. By Prof. S. W. Johnson. 1 50	Chas. S. Newhall. With illustrations 1 7.	
How to Know the Ferns. By Frances	Truck-Farming at the South. By Dr. A.	25
Theodora Parsons. Illustrated 1 50	Oemler I o	00
How to Plan the Home Garden. By Sam-	The Nursery Book. Complete details as to	
uel Parsons, Ir., late Superintendent of	budding, grafting, seed-sowing, etc. By L.	
Parks, New York City 1 00	H. Bailey I 50	0



About Lawns and Lawn Grass Seed

FORMATION OF LAWNS FROM SEED

The ground should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but the surface should be as much alike in quality as possible and thoroughly pulverized. After sowing, the ground should be rolled in order to press the seed firmly into the soil. The proper time to sow grass seed depends, of course, upon the latitude. In the central and eastern states from March 15 to the middle of May is the best time, but in favorable seasons the sowing may be done up to July 1. Seed may also be sown in the fall, provided it is done early enough to secure a good, strong growth before winter sets in. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent rolling is always advisable. As to weeds in newly made lawns, it may not be generally known, but many weed seeds actually lie dormant in the ground for six or seven years and will germinate and make their appearance when the soil is turned up. The annual wild grasses, such as Crab grass or Summer grass, must be pulled up by the roots before they ripen their seed in fall. This is the only sure way to rid lawns of these pests.

Rolling.—As soon as the frost is out of the ground in the spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. If grass seed is to be sown, this should be done first and the rolling immediately afterward. Roll frequently.

Mowing.—All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot summer months, when the roots require some top-growth to protect them from the burning sun. A good top-growth is also necessary to protect the roots from severe winter frosts.

To Grass a Bank or Terrace. - For each square rod, take a pound of lawn grass seed and mix it thoroughly with 6 cubic feet of good, dry garden loam; place in a tub, and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied.

It is a good plan to sow on good land, in any out-of-the-way place, strips for sod to be used for patching poor parts of the lawn, or for grass borders, etc. The best mixture of seed for this purpose is Agrostis stolonifera, Cynosurus cristatus and Poa pratensis.

N. B. We shall be pleased to make special mixtures for particular purposes or to suit exceptional conditions of soil, situation or climate. We invite consultation about any difficulties experienced in getting the right turf for any purpose or in any place.

Lawn Grass Seed Mixtures

The Thorburn Lawn Grass

Practically all the finest lawns in America were produced from this mixture. It is composed exclusively of permanent grasses that make a finer and thicker turf the older they become, and yet give a rich green sward in three or four weeks from the time of sowing. The ordinary Central Park Lawn Grass Seed as usually sold is not to be compared with this superior mixture. It should be sown at the rate of 4 to 5 bushels to the acre (15 pounds to the bushel). Per qt., 25 cts.; 2 qts., 40 cts.; ½pk., 65 cts.; pk., \$1; bus., \$3.50.

Thorburn's Lawn Grass for the South

A mixture of grasses that stand extremes of heat and drought well and that are therefore peculiarly adapted for southern lawns. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bushel of 20 pounds,

Thorburn's Grass Mixture for Shady **Spots on Lawns**

A mixture of grasses that thrive in shaded situations, under trees, or close to walls where there is little sun. Per qt., 40 cts.; 2 qts., 70 cts.; ½pk., \$1.25; pk., \$2; bushel of 24 pounds, \$7.

Thorburn's Lawn-Restoring Grass Seed

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out, or burned spots. The best time to resow them is very early in spring, but seed may also be sown in the fall from first of September to first of October. Some Lawn-restoring Grass Seed should also be sown before every summer rain on thin places. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bushel of 24 pounds, \$6.

Thorburn's Special Lawn Grass Mixture

This extra-choice mixture contains a large proportion of the finer and more expensive species, such as Rhode Island Bent, Crested Dog's-Tail, Creeping Bent, in extra-heavy samples, bringing the weight up to 20 pounds ber bushel, and producing a turf of the closest and finest texture possible. Per qt., 30 cts.; 2 qts., 50 cts.; ½pk., 85 cts.; pk., \$1.50; bushel of 20 pounds, \$5.50.

Thorburn's Special Lawn Grass Mixture for the Seashore

A mixture of fine grasses peculiarly suited to seaside lawns. Per qt., 30 cts.; 2 qts., 50 cts.; ½pk., 85 cts.; pk., \$1.50; bushel of 20 pounds, \$5.50.

Also Permanent Grass Seed for Golf-Links, Tennis-Courts, **Polo-Grounds**, Etc.

We have devoted much attention to the seeding and preservation of golf-links, tennis-courts and polo-grounds, and offer the following mixtures, which have been used on most of the finest links, etc., in the country, with very satisfactory results.

Fair-Green Mixture

For the grounds in general. Per bushel of 20 pounds, \$3.50.

Tennis-Court Mixture

A mixture of extra-fine grasses peculiarly adapted for tennis courts. This mixture will make a firm, green and lasting turf of the finest texture, that will improve with tramping. Per qt., 40 cts.; 2 qts., 70 forming a strong and lasting turf that will cts.; ½pk., \$1.25; pk., \$2; bushel of 24 pounds, \$7. hard usage. Per bushel of 20 pounds, \$3.50.

Putting-Green Mixture

A mixture of extra-fine grasses, that will make a close, firm, green and lasting turf, which will improve with tramping. Per qt., 40 cts.; 2 qts., 70 cts.; ½pk., \$1.25; pk., \$2; bushel of 24 pounds, \$7.

Polo-Grounds Mixture

A mixture of fine-leaved and deep-rooting grasses, forming a strong and lasting turf that will stand

Grass Mixture for Railroad Banks, Etc.

A mixture of grasses with long, interlacing, matting roots that will bind steep embankments, gravelly or sandy slopes, etc., preventing washouts by rainstorms and covering with permanently green turf. Per qt., 30 cts., 2 qts., 50 cts.; ½pk., 80 cts.; pk., \$1.25; bushel of 20 pounds, \$4.50.

We can also make other mixtures for special purposes ad libitum.

The following are a few Celebrated Lawns and Golf-Links which were produced mainly from Thorburn's Seeds. We have not space to mention hundreds of others

St. Andrews Golf Club Wee Burn Golf Club Naussau Country Club Hackensack Golf Club Nashville Golf and Country Club Essex County Country Club Chicago Golf Club

Philadelphia Country Club Baltusrol Golf Club Upper Montclair Country Club Calumet Country Club
Rockland Country Club
Allegheny Country Club
Montclair Golf Club Oakmont Country Club

Buffalo Country Club Hot Springs Golf and Country Club Tacoma Country Club
Portland (Oreg.) Country Club
Dayton Country Club Wykagil Country Club Woodlawn Cemetery

WORM ERADICATOR, "RADIX." One pound makes 30 gallons; directions on can. Per lb., 50 cts.

FOR DESTROYING WORMS on putting greens, a distinguished golfer recommends the following formula; Take 1/80z. corrosive sublimate and mix with two quarts of water; then add 40 or 50 gallons of water and sprinkle the ground, using an ordinary watering-pot.

Grass Mixtures for Meadows and Pastures

For about a hundred years our house has made a specialty of grasses. We were probably the first to introduce to this country, for commercial distribution, the many valuable natural and cultivated foreign species that now take such an important part in our agricultural economy. The formation of permanent pastures and meadows has, for many years, been a subject of careful study with us, and the following formulæ for seeding grass-lands have received universal recognition.

It is a well-ascertained fact that a thicker and more prolonged growth is produced by a mixture of many sorts of grasses than by only one or two. For every different kind and condition of soil there are grasses that are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early and others so late that from the beginning of spring until winter sets in there is no time when one species or another is not at its best. Grass seed may be sown either early in spring or in fall from first of September to middle of October in this latitude. The quantities given are the minimum, and may often be increased to advantage.

MEADOW MIXTURES FOR ONE ACRE

No. 1. On Good Land, ne	ither]
Too Dry nor Too Wet	4
5 lbs. Red Top.	4
ı " Meadow Foxtail.	2
1/2 " Perennial Sweet Veri	nal. ½
2 " Tall Meadow Oat Gra	ass. 5
3 " Orchard Grass.	2
2 " Hard Fescue	4
2 " Sheep's Fescue.	I
5 " Perennial Rye Grass.	. 15
17 " Timothy.	I
2 " Red Clover.	I
1/2 " Alsike Clover.	1/2

40	lbs.	\$3	.5	o per	bus	hel	of	20	lbs.
	5	Sow	2	bushel.	s to	the	acr	e	

No. 2. On High and Dry Land

lbs. Red Top. " Tall Meadow Oat Grass. " Meadow Brome Grass. Crested Dog's-Tail. " Orchard Grass. Hard Fescue. Sheep's Fescue. Meadow Soft Grass. Timothy.

" Rough-stalked Meadow. " Red Clover. " White Clover.

40 lbs. \$4 per bushel of 20 lbs. Sow 2 bushels to the acre

No. 3. On Wet Late Land

6 lbs. Red Top.

21/2" Creeping Bent Grass.

6 " Orchard Grass.

2 " Tall Meadow Oat Grass.

3 " Meadow Fescue.

I " Tall Fescue.

Meadow Soft Grass. 1

" Perennial Rye Grass. 7

" Timothy. 10

I " Red Clover.

1/2 " Alsike Clover.

40 lbs. \$3.50 per bushel of 20 lbs. Sow 2 bushels to the acre

PASTURE MIXTURES FOR ONE ACRE

No. 4. On Good Land, neither Too Dry nor Too Wet 3 lbs. Tall Meadow Oat Grass. Red Top.

4.6 $\frac{I}{2}$ Perennial Sweet Vernal. Orchard Grass. 5

4.4 Sheep's Fescue. 3 Hard Fescue. 2

4.6 Meadow Soft Grass. T 6 Perennial Rye Grass.

Meadow Foxtail.. 1 66 4 Kentucky Blue Grass. 66 8 Timothy. Yellow Trefoil.

1/2 66 Red Clover. T " White Clover. T

4.6

40 lbs. \$4 per bushel of 20 lbs. Sow 2 bushels to the acre

No. 5. On Dry Land

3 lbs. Creeping Bent Grass. 4½" Tall Meadow Oat Grass. I " Meadow Brome Grass.

4 " Orchard Grass.

2 Hard Fescue. 6 Sheep's Fescue.

1/2 11 Perennial Sweet Vernal.

7 " Timothy. 10 " Perennial Rye Grass.

I " Red Clover. I " White Clover. No. 6. On Wet Land

6 lbs. Red Top. 5 " Orchard Grass.

Meadow Fescue. 2

1 Tall Fescue.

Meadow Soft Grass. 2 8 Perennial Rye Grass.

Meadow Foxtail. 1

" Timothy. 8

Rough-stalk τ Meadow Grass.

Kentucky Blue Grass. 4

Alsike Clover. " White Clover. т

40 lbs. \$4 per bushel of 20 lbs. Sow 2 bushels to the acre

The various grasses used in the above mixtures are fully described on the following pages.

We are always glad to make up Special Mixtures and are pleased to answer inquiries as to the best grasses for different purposes and for sowing on various soils under varying climatic conditions.

40 lbs. \$4.50 per bushel of 20 lbs.

Sow 2 bushels to the acre

Grass Seeds

We desire to call particular attention to the fact that Grass Seeds are sold in the trade by sample, and each sort is divided into three or four grades of quality, according to purity, germination and weight. The price of the best grade is often double that of the ordinary. The Grass Seeds here offered by us are in every case the VERY HIGHEST GRADE. Not less than one pound of any one sort sold.

25 lbs. and up of any one sort at the 100 lb. rate


😭 The prices of some varieties may change as the season advances. The weight per bushel is average actual weight, except in case of some sorts that are always sold by standard arbitrary weights.

AGROSTIS CANINA (Rhode Island Bent Grass). Resembles Red Top (A. vulgaris, described below), but is of dwarfer habit, with shorter and narrower leaves. It makes a beautiful, close, fine turf, and is one of the very best grasses for lawns. It adapts itself to almost any soil, rich and moist, or dry, sandy and sterile. It is a native of Europe, but has been cultivated in our eastern states for many years. Of late years we have been unable to obtain true and pure seed of it here, and we now import it from Europe, where it has been more carefully cultivated. 50 lbs. of seed to the acre is recommended for lawns. Height, I to 2 feet. (16 lbs. to the bushel.) Per lb., 35 cts.; 10 lbs., \$3.25; 100 lbs., \$30.

AGROSTIS STOLONIFERA (Creeping Bent, or Fiorin). The distinctive feature of this species is, as the name implies, its compact, creeping, rooting stems. It is of rapid growth and spreading habit, and the stoloniferous roots form a strong, enduring turf that is positively improved by constant trampling. Being of fine texture, it is most valuable for lawns and putting greens. If sown alone, 50 lbs. to the acre should be used. (18 lbs. to the bushel.) Per lb., 35 cts.; 10 lbs., \$3.25; 100 lbs., \$30.

AGROSTIS VULGARIS (Red Top; Herd's Grass).

A very hardy, native perennial grass, succeeding best on moist land. It accommodates itself to a variety of soils, however, even to quite dry situations, and stands our hot climate admirably. It is, perhaps, the most permanent grass we have, and it enters largely into the composition of our best natural pastures. It remains green for the greater part of the year, and its long, trailing stems form a very close, matting turf, that is not affected by trampling. The seed, as usually sold, weighs 14 to 20 lbs. to the bushel, in the chaff, and 4 bushels of it is required to sow an acre. Per lb., 17 cts.; 10 lbs., \$1.60; 100 lbs., \$14.



AGROSTIS STOLONIFERA

Agrostis vulgaris, continued (The absolutely clean or "fancy" seed offered weighs about 36 lbs. to the measured bushel, I bushel or less of it is sufficient to sow an acre.)



AGROSTIS VULGARIS

Fancy Heavy Red-Top Grass. Absolutely clean and free from chaff. About 25 lbs. to the acre. (36 lbs. to the bushel.) Per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

AIRA CÆSPITOSA (Hassock Grass). A coarse grass, preferring stiff and marshy bottoms and thriving in moist and shady woodlands. In England, door-mats are formed of it by the cottagers. 30 lbs. to the acre. (18 lbs. to the bushel.) lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

AIRA FLEXUOSA (Wood Hair Grass). Delights in high and rocky hills; is of little agricultural value except for sheep pasture. (12 lbs. to the bushel.) 30 lbs. to the acre. Per lb., 20 cts.; 10 lbs., \$1.85; 100 lbs., \$16.

ALOPECURUS PRATENSIS (Meadow Foxtail). One of the best permanent pasture grasses for rich, moist soil. Its chief characteristics are its earliness and its faculty of standing high summer heats without burning. It prefers moist, low grounds, but it accepts drier situations, and makes an earlier spring verdure than any other variety. Sow only in connection with other grasses, 3 to 4 lbs. to the acre; if sown alone, 25 lbs. to the acre. Height, 2 to 3 feet. (9 lbs. to the bushel.) Per lb., 45 cts.; 10 lbs., \$4; 100 lbs., \$35.

AMMOPHILA ARUNDINACEA (Beach Grass). Valuable on the sandy seashore, canal and railway banks, etc. Its strong, creeping, matting roots bind the drifting sand into natural embankments against the action of wind and waves. This grass is usually propagated by transplanting in the fall. Where it is necessary to use seed, it should be sown in spring, and ground covered with brush to hold the seed in place until it has taken firm hold. Height, 2 to 3 feet. (15 lbs.to the bushel.) Per lb., 70 cts.; 10 lbs., \$6.50; 100 lbs., \$60.

ANTHOXANTHUM ODORATUM (True Perennial Sweet Vernal Grass). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the autumn. For meadows, its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 3 lbs. to the acre, when mixed with other grasses. Per lb., 80 cts., 10 lbs., \$7.50.



CYNOSURUS CRISTATUS

ANTHOXANTHUM ODORATUM PUELLI (Annual Sweet Vernal Grass). Much smaller than the perennial, and of much less value, lasting one year only. 20 to 25 lbs. to the acre. (II lbs. to the bushel.) Per lb., 25 cts.; 10 lbs., \$2.50; 100 lbs., \$22.

ARRHENATHERUM AVENACEUM (Tall Meadow Oat Grass). See Avena elatior.

AVENA ELATIOR (Tall Meadow Oat Grass). Most valuable for pasture on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle early and late. For hay, it may be cut twice a year, and for green soiling it may be cut four or five times in favorable seasons. It is very hardy, and withstands extreme drought and heat and cold. It is very valuable for our southern states, where it is extensively cultivated for winter grazing and for hay. Height, 2 to 4 feet. 50 lbs. to the acre. (13 lbs. to the bushel.) Per lb., 35 cts.; 10 lbs. \$3; 100 lbs., \$28.

AVENA FLAVESCENS (*True Golden Oat Grass*). Will not thrive well when sown alone, but with other species it becomes desirable for dry meadows and pastures. About 25 lbs. to the acre. Our seed is *true*. Per lb., \$1.10.

BEACH GRASS. See Ammophila arundinacea.

BERMUDA GRASS (Cynodon dactylon). A most valuable grass for our southern states, both for pasture and lawns. It is of dwarf habit, with long, creeping stems rooting at the joints and covering the ground with a matting of fine turf, which no amount of trampling will impair. It is also useful for binding drifting sand and for steep embankments subject to wash. When established, it is difficult to eradicate, and is therefore unsuitable for temporary pastures. It requires heat and moisture to start it. As it cannot endure frost, it is of no value north of Virginia. It thrives in the poorest and sandiest soil, and resists extreme drought and intense tropical heat. It should be sown at the rate of 15 lbs. to the acre. (36 lbs. to the bushel.) Per lb., 55 cts.; 10 lbs., and over, 50 cts. per lb.; 100 lbs., \$45.

BLUE GRASS, CANADA. See Poa compressa.

""ENGLISH. See Festuca pratensis.

KENTUCKY. See Poa pratensis.

BROMUS INERMIS (Awnless, or Smooth Brome Grass). An erect perennial, 3 to 5 feet high, native of Hungary, where it is considered one of the best hay grasses, yielding a good return in the arid and silicious soil. The nutritive quality of its hay, however, is much inferior to that of our standard native sorts, so that we should recommend it only for dry, arid soils, where the better and more delicate grasses would not grow. It is strongly stoloniferous, its creeping rootstocks spreading rapidly under ground and giving out new plants. It is on this account undesirable for temporary meadows, being difficult to eradicate when once established. Sow 35 to 40 lbs. to the acre. (12 lbs. to the bushel.) Per lb., 20 cts.; 10 lbs., \$1.75; 100 lbs., \$15.

BROMUS MOLLIS (Soft Chess). This annual grass is so called because its stems and leaves are downy and soft to the touch. In good soil it rapidly produces an abundant forage, but of poor quality and little relished by cattle. It can be recommended only for poor, sandy soil, where grasses of better quality would not grow. 30 lbs. to the acre. (16 lbs. to the bushel.) Per lb., 28 cts.; 10 lbs., \$2.50; 100 lbs., \$20.

BROMUS PRATENSIS (Meadow Brome Grass). A hardy perennial, 2 to 3½ feet high, much used in mixtures for meadows, both for mowing and pasture. It is not recommended to be sown alone except in poor soil, on dry, stony hillsides, where better grasses will not grow. It withstands extreme cold and drought, and, if cut before flowering, it makes a good hay. If left to grow older, it becomes very tough. (16 lbs. to the bushel.) 30 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3; 100 lbs., \$28.

BROMUS SCHRADERI (Rescue Grass). In good, rich soil, several crops have been cut in a season. It cures into hay of fair nutritive quality, but for pasture, or for cutting and feeding green, it is more suitable. It is most valuable for the South and for the tropics. Height, I to 2 feet. 30 lbs., to the acre. (14 lbs. to the bushel.) Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$18.

CALAMAGROSTIS ARENARIA. See Ammophila arundinacea.

CYNOSURUS CRISTATUS (Crested Dog's-Tail).

True. A stoloniferous perennial, forming a smooth, compact and lasting turf. It thrives best on rich, moist land, but it can accommodate itself to almost any soil. Its roots penetrate deeply into the ground, which enables it to stand severe droughts. It makes a good bottom grass and is

Cynosurus cristatus, continued

therefore valuable in mixtures for lawns and putting greens. It thrives well in the shade. The color is the same as that of the Kentucky Blue Grass, and it is, therefore, excellent in mixture with that sort. If sown alone, 30 pounds to the acre is none too much, but it is recommended only in mixture with other sorts. Height, I to 2 feet. (30 lbs. to the bushel.) Per lb., 50 cts.; Io lbs., \$4.50; Ioo lbs., \$40.

DACTYLIS GLOMERATA (Orchard Grass; Cocksfoot). One of the grasses most employed in permanent meadows, either for pasture or for mowing. It is very hardy and succeeds well anywhere in the United States. It is very productive and makes excellent hay. If cut before it flowers it is less hard and the pith of the stem is soft and sweet. It blossoms about the same time as Red Clover, and is therefore desirable in mixture with that plant. Stock of all kinds are very fond of it, either dry or green, and it endures constant cropping better than any other grass. After being mown, it grows up quickly and yields a heavier aftermath than any other variety. It can stand considerable shade, and is recommended as a pasture grass for woodlands. Its tendency to grow in tussocks is diminished if it is sown with other grasses, and also by heavy rolling in the spring. But it is quite unsuitable for lawns. Height, 3 feet. (14 lbs. to the bushel.) Sow 3 or 4 bushels to the acre. Per lb., 27 cts.; 10 lbs., \$2.50; 100 lbs., \$22.

DOG'S-TAIL. See Cynosurus cristatus.

ELYMUS ARENARIUS (Lime Grass). Valuable on the sandy seashore, canal and railroad banks, etc. It tends, with its tough, wide-spreading and thickly matting roots, to form natural and permanent embankments, thus serving to prevent the drifting of the sand and to protect an exposed shore from wind and waves. It is of no agricultural value. (12 lbs. to the bushel.) Per lb., 60 cts.; 10 lbs., \$5.50; 100 lbs., \$50.

FESCUES. See Festuca.

FESTUCA DURIUSCULA (Hard Fescue). This is a variety of F. ovina, dwarfer and less vigorous in growth, but possessing all the other valuable characteristics of that variety. It is emphatically a grass for dry lands, doing well on sandy and shallow silicious soils. It is exceedingly hardy and withstands extremes of heat and cold, and also long periods of drought. For permanent pastures on poor lands it is especially valuable but it may also be used in meadow mixtures for well-manured, clayey lands. In the latter case it has been known to yield a good crop of excellent hay and a very large aftermath. On account of its stooling habit, it is not recommended for lawns. Height, I to 2 feet. 30 lbs., to the acre. (20 lbs. to the bushel.) Per lb., 27 cts.; Io lbs., \$2.50; Ioo lbs., \$22.

FESTUCA ELATIOR (Tall Fescue). This grass is a native of Europe, but was long ago introduced in this country, and is now naturalized and widely grown here. It succeeds best in moist, alluvial, and strong, clayey soils. It is very productive and of long duration, and is especially valuable for permanent pasture. Stock of all kinds eat it readily, and its nutritive value is said to be very great. On rich, moist lands it yields a large amount of hay of excellent quality. It is not suitable for lawns. Height, 3 to 4 feet. (22 lbs. to the bushel.) 40 lbs. to the acre. Per lb., 40 cts.; 10 lbs., \$3.60; 100 lbs., \$3.4.

FESTUCA FLUITANS (Floating Fescue). A perennial with long, creeping roots, and preferring a rich, muddy, or alluvial soil. It is found in ditches, shallow ponds, sides of rivers and lakes, and in boggy, and marshy ground. As trout and wild duck are very fond of the seeds and tender shoots, it is often introduced on the margins of ponds and rivers with the view of affording them nourishment. (24 lbs. to the bushel.) Per lb., 45 cts.

FESTUCA HETEROPHYLLA (Various-leaved Fescue). A very early, hardy perennial, 2 to 3 feet high, thriving best in cold, moist soils that are rich in humus and potash. In such soils it yields heavily, and is valuable in grass mixtures for permanent meadows, either for mowing or grazing. Its great production of root-leaves makes it an excellent bottom grass. Its nutritive value is said to be very high. It grows very well in the shade, and is highly recommended for shaded lawns in mixture with other grasses. (15 lbs. to the bushel.) 40 lbs. to the acre. Per lb., 40 cts.; 10 lbs., \$3.50; 100 lbs., \$32.



FESTUCA PRATENSIS

FESTUCA OVINA (Sheep's Fescue). A native both of America and Europe. In our northwestern states there are many varieties of it, some of which grow 2 or 3 feet high. It prefers dry uplands and thrives in poor, shallow, gravelly soils, where other grasses would fail. It is very hardy, resisting extreme heat and cold. Though of dwarf growth, it grows thickly, yielding a large amount of nutritious herbage. In grass mixtures for pastures on high and dry lands, it is especially valuable. Though a "bunch grass," it may be included in lawn mixtures as well as in fair green mixtures on account of its fine foliage and dwarf, dense growth. ½ to 1½ feet. 35 lbs. to the acre. (16 lbs. to the bushel.) Per lb., 28 cts., 10 lbs., \$2.65; 100 lbs., \$24.

FESTUCA PRATENSIS (Meadow Fescue, or English Blue Grass). One of the grasses most used in permanent or temporary meadows for mowing or for pasture. It succeeds best in cold, moist, light soils, in well-drained meadows and in low valleys rich in organic matter. It should not be

Festuca pratensis, continued grown at all in warm, dry land. It does not reach its full development till the second or third year, when it far exceeds most other sorts in the quantity of its produce and nutritive matter. After being mown, it grows again very quickly. The forage, either green or dried, is very nourishing and much relished by cattle, especially when it has been cut young. Height, 2 feet. 40 lbs. to the acre. (27 lbs. to the bushel.) Per lb., 28 cts.; 10 lbs., \$2.65; 100 lbs., \$24.



FESTUCA RUBRA

FESTUCA RUBRA (Red, or Creeping Fescue). True. A creeping-rooted species, forming a close and lasting turf, and especially adapted for dry, sandy soils. It resists extreme drought, and thrives on very inferior soils, gravelly banks and exposed hillsides. It is also valuable for shady places in lawns, as well as for golf courses and for binding shifting sands on the seashore. 30 lbs. to the acre. (24 lbs. to the bushel.) Per lb., 30 cts.; 10 lbs., \$2.75; 100 lbs., \$25.

FESTUCA TENUIFOLIA (Slender Fescue). This is really a variety of Festuca ovina, with much finer leaves. It will grow on very dry and inferior soils, and its dwarf habit of growth and fineness of leaf render it not unsuitable for dry slopes on lawns and golf links. It stands grazing well, is very hardy and lasts long, and may therefore be recommended for permanent pasture on high and dry situations. 30 lbs., to the acre. (22 lbs. to the bushel.) Per lb., 60 cts.; 10 lbs., \$5.75; 100 lbs., \$50.

FOXTAIL. See Alopecurus pratensis.

HOLCUS LANATUS (Meadow Soft Grass; Velvet Grass). This grass is of fair agricultural value, and it will thrive on poor soil, where better sorts will not grow. It is a perennial, very hardy and grows rapidly. As a forage plant its nutritive value is small, yet it makes a hay that is eaten readily by cattle, especially when it is sprinkled with salt. Height, I to 2 feet. 35 lbs. to the acre. Per lb., 25 cts., Io lbs., \$2.25; Ioo lbs., \$19.

HUNGARIAN GRASS. See *Panicum Germanicum*. **JOHNSON GRASS.** Crop failed.

LOLIUM PERENNE (Pacey's Perennial Rye Grass). Although called a perennial, it seldom lasts more than three or four years. It is the most valuable grass of Great Britain, both for pasture and for meadows, occupying there the same relative position of importance that Timothy holds here. The cool, moist climate of England seems to suit it best, yet it succeeds very well in our middle and eastern states, and adapts itself to a great diversity of soils. The seed is large and heavy, and produces a strong, verdant growth in four or five weeks after sowing. It cures into hav that is rather hard, but having a sweet flavor, and much relished by cattle and horses. Its nutritive value, especially in mixture with Red Clover, is very great. It is excellent in mixtures for quick effects in lawns or golf links. Height, 11/2 to 2 feet. 60 lbs. to the acre. (28 lbs. to the bushel.) Per lb., 15 cts.; 10 lbs., \$1.20; 100 lbs., \$9.

LOLIUM PERENNE. Fancy. A carefully selected short-seeded, dwarf-growing strain, suitable for lawns. Makes a fine green turf in three weeks. Per lb., 20 cts.; 10 lbs., \$1.50; 100 lbs., \$12.

LOLIUM ITALICUM (Italian Rye Grass). Though lasting two or three years under very favorable circumstances, it is practically an annual. Like the perennial Rye Grass it is a remarkably rapid grower, and has, in addition, the advantage of standing extremes of temperature, remaining green throughout the winter, and retaining its freshness in the hottest summer months and during prolonged droughts. When sown very thickly, or in mixture with other sorts, it makes a good, dense turf, and it has been used with much satisfaction on lawns as far south as Jacksonville. On rich, moist soils, it is exceedingly productive, and may be cut in four or five weeks after sowing, and every six weeks after that until frost. For temporary meadows, on good soils, it is a most valuable grass. Height, 1½ to 2½ feet. 50 lbs. to the acre. (22 lbs. to the bushel.) Per lb., 15 cts.; 10 lbs., \$1.20; 100 lbs., \$10.

OAT GRASS. See Avena elatior.

ORCHARD GRASS. See Dactylis glomerata.

PANICUM GERMANICUM (Hungarian Grass). One of the most valuable annual soiling plants. It grows on any ordinary soil; withstands drought well. As it is of very rapid growth, being ready for cutting within sixty days, it may be sown in this latitude as late as the middle of July for hay, or the middle of August for green fodder. It should be cut just before blooming. Sow I to 1½ bushels to the acre. (50 lbs. to the bushel.) Price variable.

PASPALUM DILATATUM (Australian Water Grass). A somewhat leafy perennial, growing in clumps. Valuable as a pasture grass for the South, endures summer heat and drought very well and is especially desirable for furnishing late summer and autumn feed, during which period it makes its principal growth. Sow lightly on the surface in warm weather. The seed should barely be covered with soil. Sow from 8 to 10 lbs. to the acre, with 5 lbs. Hungarian grass as a temporary protection. Per lb., 40 cts.; 10 lbs., \$3.75; 100 lbs., \$34.

PHALARIS ARUNDINACEA (Reed Canary Grass). A very hardy perennial, preferring stiff, wet land, but also doing fairly well in dry, sandy soils. It grows well in ditches and by riversides, where its strong, creeping rootstocks render it valuable

Phalaris arundinacea, continued for binding the banks. Its seed also affords food for trout and wild fowl. When young, it may be cut for green forage for cattle, but in its more matured state it is too coarse for this purpose. (30 lbs. to the bushel.) Per lb., 75 cts.

PHLEUM PRATENSE (Timothy). A native of Europe, but long ago naturalized in America, where it ranks as by far the most important of hay grasses. On moist, loamy or clayey soil it produces a larger hay crop than any other grass. It is not so well suited for light sandy soils. Though preferring a moist, temperate climate, it withstands drought and extreme heat and cold. Its hay is very nourishing and can be preserved for a long time. It should be cut when flowering, as if left later the hay becomes hard and coarse. It is often sown along with red Clover, and the nutritive value of the hay is greatly increased by this mixture. Height, 2 to 3 feet. If sown alone, at least one-half bushel to the acre, should be used. The seed weighs 45 lbs. to the bushel. Several grades are always on the market, differing in purity and vitality. It is always most economical to buy the highest grade, known as "Fancy." Present price, per lb., 13 cts.; 10 lbs., \$1; per bus. of 45 lbs., \$3.50.

POA AQUATICA (Water Meadow Grass). This is an excellent pasture grass for very wet situations. It also does well in bogs and marshes, and is useful in the same way as Festuca fluitans. 20 lbs. to the acre. (II lbs. to the bushel.) Per lb.,

POA COMPRESSA (Canada Blue Grass). A very hardy perennial grass, with creeping rootstalks, forming a close and durable turf of fine texture. It grows on the poorest and driest soils, sandy, gravelly or clayey, standing extremes of wetness or drought, and keeping green until the severe frosts of winter. It is said to be especially valuable for dairy pastures, cows feeding on it yielding the richest milk and finest butter. It is distinguished from the Kentucky Blue Grass by its flattened, wiry stems, and by its decidedly bluer color. Height, 6 to 18 inches. 60 lbs. to the acre. Per lb., 17 cts.; 10 lbs., \$1.55; 100 lbs., \$14.

POA NEMORALIS (Wood Meadow Grass). chief characteristic of this grass is its special fitness for shaded positions in lawns and woodland Poa Nemoralis, continued

parks, where other grasses will not grow. It is very permanent and hardy, resisting extremes of heat and cold, and is one of the first grasses to show a rich green growth in the spring. The creeping roots are formed under ground, and make a good turf and should be included in all putting-green mixtures. It is excellent for pasture. 30 lbs. to the acre. (19 lbs. to the bushel.) Per lb., 85 cts.; 10 lbs., \$8; 100 lbs., \$75.

POA PRATENSIS (Kentucky Blue Grass; June Grass). One of the most widely distributed and valuable native grasses. It combines more points of excellence than any other sort. It is a true perennial, lasting indefinitely and improving every year. Its densely creeping rootstalks, spreading habit and smooth, even growth, fine texture and rich green color render it one of the very best grasses for lawns. It forms a close turf, starts very early in the spring, and lasts till frost. It succeeds in almost any soil, dry, rocky, sandy or gravelly, and stands long-continued dry weather and hot suns. It takes, however, two or three years to become well established, and should, therefore, be sown only in connection with other grasses. If the soil is especially suitable it will eventually crowd these out, and make the finest possible sward. It is one of our most valuable pasture grasses, very productive and nutritious. 50 lbs. to the acre. Per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

OA TRIVIALIS (Rough-stalked Meadow Grass). A spreading, thickly matted, stoloniferous-rooted species, forming a fine turf, and adapted for shaded portions of lawns. It thrives on rich, moist soil and in sheltered situations, but not on dry land. Valuable for forming bottom grass in mixtures for permanent pastures. Height, I to 3 feet. (26 lbs. to the bushel.) 20 lbs. to the acre. Per lb., 40 cts.; 10 lbs., \$3.50; 100 lbs., \$30.

RED TOP. See Agrostis vulgaris.

RYE GRASS. See Lolium Italicum and Lolium perenne.

RHODE ISLAND BENT GRASS. See Agrostis canina.

TIMOTHY. See Phleum pratense.

KENTUCKY BLUE GRASS. See Poa pratensis.

FOR CLOVERS, SEE NEXT PAGE

The revised edition of our pamphlet on the seeding and preservation of Golf Links is now ready and will be mailed free to any one desiring a copy.

We shall be pleased to make special mixtures for any purpose or to suit exceptional conditions of soil, situation or climate-for very sandy or clayey ground, for very dry or wet situations, for steep slopes, terraces, tennis courts, croquet greens, polo-grounds, etc. We invite consultation about any difficulties experienced in getting the right turf for any purpose or in any place, and we recommend and furnish suitable fertilizers.

For Special Meadow and Pasture Mixtures see page 48, and for Forage, Economical and Miscellaneous Seeds and Field Corns and Cereals, see pages 55 to 58. Fertilizers are quoted on page 132.

Clovers

SUBJECT TO CHANGE OF PRICE. OUR QUOTATIONS ARE THOSE RULING AT THIS TIME

ALFALFA, or LUCERNE (Medicago sativa). One of the most valuable and largely grown forage plants. It requires deep, rich, well-drained soil. It roots very deeply, the tap-root descending often to a depth of 10 or 15 feet in loose soil. It is, consequently, capable of resisting great droughts. In the West it is the best crop for hay or for soiling. It should be sown alone (about same time as oats are sown in this section) in thoroughly prepared, deeply plowed soil, at the rate of 20 to 25 pounds to the acre. It is also successfully sown as late as August and up to the middle of September in more southerly localities. The crop should be cut when the plant is coming into bloom. In suitable soil the plant is perennial, and several crops may be cut every year. Height, I to 3 feet. Present price, per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

TURKESTAN ALFALFA. Imported from Turkestan. It is said to be hardier and more productive than the ordinary variety, and also withstands drought much better. Present price, per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

ALSIKE, or HYBRID CLOVER (*Trifolium hybridum*). A perennial, I to 3 feet high, succeeding best in cold and stiff soils, and in marshy lands which are too wet for other species. It grows well in the far north and in high altitudes, and can withstand severe cold. A good honey plant for bees. 15 lbs. to the acre. Per lb., 22 cts.; 10 lbs., \$2; 100 lbs., \$18.

BERSEEM, or EGYPTIAN CLOVER (Trifolium Alexandrinum). This clover is said to be especially suited for a rotating crop for irrigated lands. It yields heavily in Egypt, growing a little taller than alfalfa. It is very succulent and much relished by stock. Its value as a soil renovator is also said to be very high. Per lb., 48 cts.; 10 lbs., \$4.50; 100 lbs., \$40.

BOKHARA CLOVER (*Melilotus alba*). A most valuable sort for soiling. It grows from 3 to 5 feet high, and if sown in rich soil may be cut three times; lasts two years or more if cut before flowering; good for ensilage and bees. 15 lbs. to the acre. Per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$20.

CRIMSON, or SCARLET CLOVER (Trifolium incarnatum). Erect annual, I to 2 feet high, with

bright scarlet flowers. It is a native of southern Europe and is now largely grown in our southern states for improving the soil by turning under. It will not stand severe frost, and cannot be depended upon to stand the winter north of New Jersey. It makes a very valuable crop for pasturage or green manure. For hay it should be cut when in full bloom. Sow 20 lbs. to the acre. Price variable.

KIDNEY VETCH, or SAND CLOVER (Anthyllis vulneraria). A deep-rooted, herbaceous hardy perennial plant, valuable for dry sands and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle, and horses; useful in mixture for dry soils. Sow 20 lbs. to the acre. Per lb., 28 cts.; 10 lbs., \$2.60; 100 lbs., \$2.40.


RED CLOVER, MEDIUM. (*Trifolium pratense*). One of the most valuable farm crops of the eastern states for pasture, soiling, hay or turning under for green manure. It requires a deep, rich soil, and yields two hay crops in the season. In this section, sow in the spring at the rate of 15 lbs. to the acre. Price variable.

MAMMOTH RED, or PEA VINE CLOVER (English Cow Grass). Grows larger and lasts longer than the common Red Clover; valuable for ploting under. 10 lbs. to the acre. Price variable.

WHITE CLOVER (Trifolium repens). Some White Clover is usually included in lawn-grass mixtures. It makes an excellent turf that stands constant trampling. It is of dwarf habit, the stems creeping and rooting at the joints. It spreads rapidly, and is very hardy. It is valuable in permanent pastures, its forage being sweet and nutritious. Sow in the spring. In mixtures, I or 2 lbs.; if alone, 8 or 10 lbs. to the acre. Price variable.

YELLOW SUCKLING CLOVER (*Trifolium fili-forme*). Native of northern Europe. Prefers sandy clay soils; valuable for sheep pastures; recommended in grass mixtures for wet, sandy meadows. Lb. 40 cts.

YELLOW TREFOIL (Medicago lupulina). An annual or biennial suitable for pastures in wet meadows or for stiff, clayey soils too poor for Red Clover. It is very useful in some sections of the country, sometimes used for hay. 15 lbs. to the acre. Per lb. 30 cts.; 10 lbs., \$2.75; 100 lbs., \$2.5.



N. B.—All prices are subject to market fluctuations. Prices quoted are those ruling January 1, 1910.

Cereals

Customers will please add cost of bags when ordering, as follows: ½ bushel, 9 cents; 1 bushel, 12 cents; 2 bushels, 23 cents.

The prices of some varieties may change as the season advances. Customers pay transportation charges.

FIELD CORN (56 lbs. to bushel)

All grown especially for seed

FLINT VARIETIES Qt.	Pk.	Bus.
Angel of Midnight. Flint, 8-rowed, good-sized \$0.20 \$ Compton's Early Flint. Small grain, yellow, 12-rowed; large, white cob 20 King Philip. Early; reddish yellow flint 20 North Dakota Flint. White; 8-rowed; very early 20 Canada Early Yellow. Very early yellow flint 20 Sanford, or Long White Flint. Large, 8-rowed 20 Longfellow (Yellow Flint). Small cob and large grain 20	85 80 85 80 80 80 80	\$2 50 2 25 2 50 2 25 2 25 2 25 2 25 2 50
DENT VARIETIES		
Blunt's Prolific. Standard sort	75 75 80 75 75 75 75 75 75 75 75	2 00 2 00 2 00 2 25 2 00 2 00 2 00 2 00
FODDER AND ENSILAGE VARIETIES		
Red Cob Ensilage. 15 Thoroughbred White Flint. Spreading habit; leave only one kernel to grow in a hill. Broad blade and small stalk; valuable for fodder and ensilage; also for grain 20 Virginia Horse Tooth. For fodder and ensilage	75 80 75	2 00 2 25 2 00
POP CORN Qt. 34	рk.	DI
White Rice \$0 25 \$ White Pearl 25 Golden Queen 25 Silver Lace 25		Pk. \$1 25 1 25 1 25 1 25
		\$1 25 1 25 1 25 1 25 1 25
MISCELLANEOUS CEREALS		\$1 25 1 25 1 25 1 25 1 25
MISCELLANEOUS CEREALS All subject to change in price. Those marked with an * are imported Swedish varieties. BARLEY (48 lbs. to the bushel). 2 Qt. Bus. bushels to the acre— Champion. Price variable; about\$0 10 \$1 50 BUCKWHEAT (48 lbs. to the bushel). 1 bushel to the acre	75 75 75 75 75	\$1 25 I 25 I 25 I 25 I 25
MISCELLANEOUS CEREALS All subject to change in price. Those marked with an * are imported Swedish varieties. BARLEY (48 lbs. to the bushel). 2 Qt. Bus. bushels to the acre— Champion. Price variable; about\$0 10 \$1 50 BUCKWHEAT (48 lbs. to the bushel). 1 bushel to the acre	O 75 75 75 75 75 75 20	\$1 25 I 25 I 25 I 25 I 25
MISCELLANEOUS CEREALS All subject to change in price. Those marked with an * are imported Swedish varieties. BARLEY (48 lbs. to the bushel). 2 Qt. Bus. bushels to the acre— Champion. Price variable; about \$0 10 \$1 50 BUCKWHEAT (48 lbs. to the bushel). 1 bushel to the acre	0 75 75 75 75 75 75 75 20	\$1 25 I 25 I 25 I 25 I 25 I 25

Forage, Economical and Miscellaneous Seeds

Except where noted, these seeds are not sold in packets. From 10c. to 25c. worth is the smallest quantity put up

All subject to change in price

ASPERULA odorata (Waldmeister). Perennial, about 6 inches high; very fragrant flower. In Germany it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known Maitrank. Per pkt., 5c.; per oz., 5oc.

ASTRAGALUS sinicus (Milk Vetch, or Chinese Clover). Largely grown in Japan for feeding cattle and as a fertilizer for rice fields. It is a clover-like plant, with red and white flowers. Per oz., 10 cts.; per lb., 75 cts.

AUSTRALIAN SALT BUSH (Atriplex semibaccata). Thrives in soils on which nothing else will grow, and it is highly recommended for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live stock. Two to three pounds of seed are sufficient for an acre. The seed may be sown in beds, and the seedlings planted out when 2 inches high, 3 feet apart. Per oz., 15c.; per lb., \$1.50.

BEANS (60 lbs. to the bushel)-

Velvet Bean (Dolichos multiflorus). Used in the South as a forage plant, and as a fertilizer plant for turning under. Stock readily eat the vines and leaves, and the Beans, when ground with or without the pod, are used in place of oats or corn, or mixed with them. Plant in rows 4 feet apart and 1 foot in the row, 2 or 3 beans in a place, as soon as danger of frost is past. Per qt., 20 cts.; bus., \$4.25.

Common English Horse Bean. Per qt., 30

cts., per bus, \$5.

Soja Bean. Thrives well in hot and dry weather. Valuable for the South. Plant at the rate of ½ to ¾ bushel to the acre, in drills 2½ to 3 feet apart, and cultivate same as field corn. It does not make good hay, but is good as ensilage or green fodder.



SOJA BEAN

Beans, Yellow Southern. Per qt., 20 cts.; bus., \$3. Several other varieties. Prices variable.

BEGGAR WEED (Florida, or Giant Beggar Weed; Desmodium tortuosum). An erect leguminous annual, growing from 3 to 8 feet high, with abundant foliage, valuable as forage or for soil renovation in subtropical regions; it also makes hay of a fine quality. It should be sown at the rate of 10 pounds to the acre, after the ground is warm and moist. The seed should be but very lightly covered. If for hay, it should be cut just as it begins to bloom. Per lb. 40 cts.; per 100 lbs., \$35.

BERSEEM. See under Clover, page 54.

BROOM CORN (12 quarts to the acre). Broom Corn succeeds in a good, deep soil, fresh but not damp; it is very sensitive to cold.

Long-brush Evergreen. Per lb., 15c.; 100 lbs., \$7.

Improved Dwarf. Per lb., 15c.; per 100 lbs., \$7. California Golden Long-brush. Grows from 12 to 14 feet high. Per lb., 15c.; 100 lbs., \$7.

BROOM—Scotch (*Genista scoparia*). The young growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per oz., 10 cts.; per lb., 65 cts.

BURNET—Common Field (Poterium sanguisorba). Perennial; makes excellent pasture for sheep; grows on the poorest ground—on dry, sandy or calcareous soils; resists the extremes of heat and cold. Sow in April, and again in September, with Sainfoin, Clover, Rye, Grass, etc., 30 lbs. to the acre. Per lb., 40 cts.

CHICORY—Large-rooted. When the roots are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 10 cts.; per lb., \$1.

COTTON—Upland Big Boll. Very prolific. Per lb., 12 cts.; per 100 lbs., \$10.

Sea Island. Per lb., 15 cts.; 100 lbs., \$12.

COW-PEAS (Vigna Catjang). Specially adapted to warm countries; extensively grown in our southern states; also valuable in this latitude as a fodder plant; their chief value, however, is as a green crop to plow under. The seed should not be sown till the ground has become well warmed. I bushel to the acre, in drills; 2 to 2½ bushels to the acre if sown broadcast.

Black-eyed.
Clay.
Whippoorwill.

All 20 cts. per qt.; \$4 per bus.

EMMER (sometimes advertised as "Speltz," though this name is incorrect, the true "Speltz" being a different article). It is grown quite extensively in the Northwest, having been brought by the Germans from Russia, where it is considered a valuable cereal on account of its hardiness and drought-resisting qualities. per lb., 15 cts.; per 100 lbs., \$7.50.

ESPARTO GRASS (Stipa tenacissima). This is the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making rope, etc. Per oz., \$1.25.

ESPARSETTE. See Onobrychis sativa page 57.

FENUGREEK. Annual. This seed is often sought by hostlers to give temporary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soiling when green. Per oz., 10 cts.; per lb., 30 cts.

FLAT PEAS. See Lathyrus sylvestris, below.

FLAX SEED. 11/2 bushels to acre. Price variable.

FURZE (Ulex Europæa). Also known as Whin and Gorse. A perennial leguminous shrub. The crushed sprigs of one year's growth of this shrub furnish an excellent green fodder in winter. It grows well on barren hillsides and in sandy soil. Sheep are fond of it. 25 lbs. to the acre. Per oz., 20 cts.; per lb. \$2.

HEDYSARUM coronarium, "Sulla." Per oz., 15 cts.; per lb., \$1.

HEMP. One bushel to acre. Per lb., 10c.; 100 lbs., \$7.

HOP SEED. Per pkt., 10 cts.; per oz., 60 cts.

INDIGO SEED (Indigofera Dosua). Per oz., 30 cts.; lb., \$3.

JERSEY WINTER KALE, or Cow Cabbage. For feeding cattle; very hardy. Per pkt., 5 cts.; per oz., 10 cts.; per ½lb., 30 cts.; per lb., \$1.

JERUSALEM CORN. See Sorghum, page 58.

JUTE. Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires *no* cultivation, as it will outstrip in growth all weeds. May be also sown broadcast. 6 to 7 pounds per acre. Per oz., 10 cts.; per lb., 50 cts.

KAFFIR CORN. See Sorghum, page 58.

KIDNEY VETCH, or Sand Clover. See Clovers, page 54.

LATHYRUS sylvestris (*Flat Pea*). A perennial forage plant. The vines, when cut, dry out readily and make a nutritious hay, which is relished by cattle and horses. Grows well on very poor, sandy soil, can withstand severe frosts and roots so deeply that it is not injured by severe drought. It is recommended to sow seeds in beds and transplant to the field when the plants are of suitable size. Per oz., 10 cts.; per lb., 75 cts.

LIQUORICE (Glycyrrhiza glabra). Seed in pods, per oz., 35 cts.

LOTUS corniculatus (Bird's-foot Trefoil). Perennial, used in pastures. Cattle and sheep eat it readily, and it is said to be quite nutritious. It grows on the lightest and most sterile soils, and can withstand severe droughts. Is excellent for sowing in mixture for dry pastures. Per lb., 75 cts.

villosus or major (Greater Bird's-foot Trefoil).

Per lb., \$1.

LUPINS, Yellow. Succeeds well in the poorest soil, and is exceedingly valuable for plowing in to improve sandy soils. It makes good forage either green or as hay. The seeds are very fattening when used with hay. Sow in the spring when the ground has become warm, at rate of 90 lbs. to the acre. Per lb., 20 cts.; per 100 lbs., \$7.

White. One of the best plants known for green manure, as it gathers large quantities of nitrogen from the air. It may be sown from April to Lupins, White, continued
July, and plowed under when in flower. The
seed, when burned, is excellent manure for
orange and olive trees. Per lb., 20 cts.; per 100
lbs., \$7.

Blue. Used for the same purpose as the white variety. Per lb., 20 cts.; per 100 lbs., \$7.

MILLETS. See Cereals, page 55.

MILLO MAIZE. See Sorghum, Branching, page 58.

ONOBRYCHIS sativa (Sainfoin, French; Esparsette, German). A perennial leguminous plant, belonging to the same family as Clover and Lucerne. It is a valuable plant for growing on poor land and barren hillsides. When once well established, it lasts for many years. If to be used for hay, cut just before the flowering period. Sow in spring, covering the seeds quite deeply, at rate of 80 lbs. or 100 lbs. to the acre. Per lb., 15c.; per 100 lbs., \$10.

OSAGE ORANGE (Maclura aurantiaca). Useful for hedges. Per oz., 10 cts.; per lb. 45 cts.; per 100 lbs., \$27.

PEARL MILLET (Penicillaria spicata). A valuable fodder plant for the South; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 15 cts., per 100 lbs., \$10.

PEAS, Canadian Field. Valuable for northern climates, for cattle-feeding, especially for milch cows. It also makes fine ensilage. It is sown broadcast in the spring and harrowed in. If sown with oats, about 1½ bushels to the acre, in drills, 2 to 3 bushels to the acre. Present price per bus., \$2.

PENICILLARIA spicata. See Pearl Millet above.

POPPY, Opium. The seed furnishes an agreeable sweet oil, used for the table, also for painting and for illuminating. May be sown in spring either broadcast or in drills, covering thinly. Also cultivated for opium. Per oz., 20 cts.; per lb., 80 cts.

POLYGONUM Sachalinense (Sacaline). Hardy perennial, native of the island of Saghalin, between Japan and Siberia. It grows well on the poorest soils, and endures the extremes of heat and cold. Reaches a height of 10 to 12 feet, and can be cut two or three times in the season. The stems and leaves, which are very nutritious, are eaten either green or dry by cattle and sheep, and much relished. Clean seed, per oz., 40 cts.; per lb., \$3.50.

RAMIE—Silver China Grass (*Urtica nivea*). Extensively cultivated for its fiber. The seed should be germinated on cotton floating in luke-warm water, and transferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way; when 3 feet high, turn them over and peg down, covering with earth, and they will start in every direction. Per oz., \$1; per lb., \$14.

RAPE—Dwarf Essex English. Largely grown in the northern United States, and in Canada. It is excellent for sheep pasture, and also for soiling. It may be sown in May, and will be ready for pasturing in July and August. Or it may be sown in June or July, and yet furnish a large amount of pasture or fodder. In drills, sow 5 pounds to the acre; sown broadcast, 10 pounds to the acre. Per lb., 10 cts.; per 100 lbs., \$8.

REANA luxurians (*Teosinte*). A valuable fodder plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Per oz., 10 cts.; per lb., 40 cts.; per 100 lbs., \$35.

RICE SEED, for sowing. Best Carolina. Per lb., 12 cts.; per 100 lbs., \$10.

SAINFOIN. See Onobrychis, see page 57.

SALT BUSH. See Australian Salt Bush, page 56. **SACALINE.** See *Polygonum Sachalinense*, page 57.

SERADELLA. A valuable forage plant, admitting of one, and sometimes two cuttings, in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with winter rye. About 50 pounds to acre. Per lb., 18 cts.; per 100 lbs., \$11.

SNAILS. Used in the same way as Caterpillars. Per paper, 5 cts.; per oz., 40 cts.

SORGHUM (25 pounds required to the acre if sown in drills. For dry fodder 2 bus. should be sown to the acre).

Shallu. New. A non-saccharine sorghum from India, also known as Egyptian wheat. Requires more room to develop than ordinary sorghum and consequently needs less seed to sow an acre. Per lb., 15 cts.; 100 lbs. \$8.



SORGHUM

Sorghum, Early Amber Sugar Cane. Ripens wherever Indian corn matures. Grows 10 to 12 feet high. Per lb., 15 cts.; per 100 lbs., \$8.

Early Orange Sugar Cane. Ripens about ten days after Early Amber; and is said to produce a larger crop. Per lb., 15 cts.; per 100 lbs., \$8.

Yellow Branching (Yellow Millo Maize). Nonsaccharine; useful for the large amount of foliage, green feed or cured fodder that it furnishes and for its grain. Per lb., 15 cts.; 100 lbs., \$7.

Red Kaffir Corn, or **Sorghum.** Non-saccharine. The plant is low, stalky, perfectly erect. The whole stalk as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Per lb., 15 cts.; per 100 lbs., \$7.

White Kaffir Corn. Per lb., 15 cts.; 100 lbs., \$7.

Jerusalem Corn. Per lb., 15 cts.; 100 lbs., \$9.

White Dhoura Corn. Per lb., 12 cts.; per 100 lbs., \$8.

Kavanaugh Cane. Per lb., 12 cts.; per 100 lbs., \$8.

Halepense (Johnson Grass). One of the most valuable southern fodder plants. On rich soils it may be cut three or four times in a single season, and it is claimed that hay made from it is equal in value to timothy. Sow in August and September, 35 or 40 pounds to the acre. Crop failed.

SPELTZ. See Emmer, page 56.

SPURRY (Spergula arvensis). Annual. Grows well on poor, dry, sandy soil; may be sown every month from March to August. Excellent pasture for cattle and sheep; also of much value as a fertilizer for light soil. 15 pounds to the acre. Per lb., 20 cts.; 100 lbs., \$9.

Giant Spurry. Per lb., 20 cts.; 100 lbs., \$9.

SUNFLOWER—Large Russian. Per lb., 10 cts.; per 100 lbs., \$7 50 (price fluctuates).

TEASELS—Fuller's. Heads used for combing cloth. Require a deep soil; sow in April or May. The young leaves are used for feeding silkworms. Per lb., 30 cts.

TEOSINTE. (See *Reana luxurians*, this page.)

TOBACCO SEED. See page 44.

ULEX Europaea. See Furze, page 57.

VELVET BEAN. See page 56.

VETCHES—Spring Tares (Vicia sativa). Sown broadcast at rate of 60 to 100 pounds to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for peas. Market price.

Sand, Winter, or Hairy Vetch (Vicia villosa). Thrives on poor, arid, sandy soils. It may be sown either in fall or in spring, mixed with rye, for a support. Grows 3 to 4 feet high, and can be cut as soon as the bloom appears, and again for the seed. Perfectly hardy. Sow from 30 to 50 lbs. to the acre. Market price.

WALDMEISTER. See Asperula odorata, page 56.

WORMS. Used the same as Snails and Caterpillars. Per pkt., 10 cts.; per oz., 40 cts.

Tree and Shrub Seeds

To preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot sun and winds, and to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 or 4 inches, to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain from one to two years before transplanting.

The propagation of Deciduous Trees from seeds is less difficult than that of Evergreen species. Acorns, Hickory Nuts, Chestnuts and Walnuts should be planted in autumn, or kept during the winter in earth or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not vegetate till the second year after planting, and if they are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple, and a few other sorts ripen their seeds early in summer, and, if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about two feet apart, and covered about half an inch in depth, according to size.

Some of the varieties here offered are on hand now; many are due from foreign countries, where they are being collected for us. We are, of course, uncertain of getting all of them. As the season advances, many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

EVERGREEN TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

quotes at over 25 como per contes, es meses,	-		Par
	oz.		
Abies alba (White Spruce) \$0	30	\$3	00
balsamea (Balsam Fir)	15	I	25
brachyphylla (Short-leaved Japan Fir).	40	4	00
canadensis (Hemlock Spruce)	45	4	50
Cephalonica (Greek Silver Fir)	35	3	50
concolor (Calif. White Silver Fir)	25	2	50
firma (Japan Silver Fir)	30	3	00
Fraseri (Double Balsam Fir)	40	4	00
grandis (Great Silver Fir)	45		50
magnifica (Superb Silver Fir)	35		50
mariesii (Japan Silver Fir)	55		50
mertensiana (Calif. Hemlock Spruce) . I	00	12	00
nobilis (Noble Fir)	45	4	50
Nordmanniana (Nordmann's Fir)	20		00
pectinata (European Silver Fir)	10	_	75
Pinsapo (Spanish Fir)	30	3	00
sachalinensis	40		00
Sibirica	30		00
Sibiricasubalpina (Dwarf Mountain Spruce)	65		50
Veitchii. From Japan	30		00
Arborvitæ. See Thuja.			
Buxus sempervirens (Evergreen Box)	20	2	00
Cedrus		_	
			~~
Atlantica argentea (Mt. Atlas Cedar)	35		50
Deodara (Himalayan Cedar)	30		00
Libani (Cedar of Lebanon)	30	3	00
Chamæcyparis obtusa. From Japan	25	2	50
Cryptomeria Japonica (Japan Cedar)	25	2	50
Cupressus Arizonica	50	5	00
Goveniana (Goven's Cypress)	50		00
Guadalupensis. (From California)	45		50
horizontalis (Horizontal Cypress)	io	i	00

	45	\$4 4	
Fir Tree. See Abies and Picea.			
Juniperus			
* /P' * / P' *	ĬO.		60
hibernica (Irish Juniper)	30	3	00
Oxycedrus (Sharp-leaved Cedar)	15		50
	20	2	00
	10		60
Libocedrus decurrens (Calif. White Cedar)	45	4	50
Norway Spruce. See Picea excelsa.			
Picea			
Ajanensis. From Japan	55	5	50
	60	6	00
Douglasii (Douglas' Spruce)	35	3	50
excelsa (Norway Spruce)	10		00
	60		00
menziesii (Menzies Fir)	45	4	50
nigra (Black Spruce)	35		50
polita (Tiger's Tail Fir)	50		00
	50	0	00
	00	10	00
	15		50
	35	3	50
	40	4	00
	50		00
	10		00
Combia (Combian Brone 2 Mic)	10		60
	40		00
densiflora (Japan Pine)	20	2	00

Evergreen Tree and Shrub Seeds, continued Pinus, continued Pinus, continued Per oz. Per lb. sylvestris (Scotch Pine) \$0 25 \$2 50 edulis (American Nut Pine)\$0 25 \$2 50 flexilis (Graceful Pine). 4 00 40 taeda (Loblolly)......45 inops (Jersey or Scrub Pine)...... 55 50 Sciadopitys insignis (Oregon Pitch Pine) 20 2 00 verticillatus (Umbrella Pine of Japan). 50 Jeffreyana (Jeffrey's Pine)...... 45 4 50 Segmoia Koraiensis. From Japan 35 50 gigantea (Big Tree of California) 85 Lambertiana (Sugar Pine) 25 2 50 sempervirens (California Redwood)... 35 50 Spruce Tree. See Abies and Picea. 60 Massoniana (Chinese Pine)..... 20 2 00 Taxus baccata (European Yew)..... 20 I 75 mitis (Short-leaved Pine) 45 50 cuspidata (Japanese Yew)...... 45 4 50 montana.. 2 00 Thuja aurea (Golden Arborvitæ) 25 2 50 monticola (Mountain White Pine).... 55 50 compacta (Compact Arborvitæ)..... 25 50 6 00 gigantea (Giant Oregon Arborvitæ)... 70 00 Murrayana (Tamarack Pine) 90 9 00 orientalis (Chinese Arborvitæ)..... 15 I 25 parviflora. From Japan...... 25 2 50 Thujopsis dolobrata (Japanese Thuja).. 80 8 00 Pinea (Stone Pine, or Nut Pine) 10 60 Torreya nucifera. From Japan..... 20 I 75 rigida (Northern Pitch Pine)..... 35 50 Sabiniana (Sabine's Nut Pine)...... 25 Tsuga Sieboldii (Siebold's Japan Spruce). 50 5 00 50 Yucca filamentosa (Adam's Needle).... 35 3 50 DECIDUOUS TREE AND SHRUB SEEDS Acer Betula, continued Per oz. Per lb. campestre (European Field Maple).. \$0 10 \$0 50 papyracea (Paper Birch)...\$0 25 \$2 50 populifolia (Poplar-leaved Birch)..... 15 1 50 macrophyllum (Large-leaved Maple) .. 15 1 25 platanoides (Norway Maple) 65 Boston Ivy. See Ampelopsis Veitchii. pseudo-platanus (Sycamore Maple) . . . 10 75 Broom. See Genista. Ailanthus glandulosus (Tree of Heaven). 10 T 00 Broussonetia papyrifera (Paper Mulberry)..... Akebia quinata. From Japan..... 40 25 4 00 Calveanthus **Almond.** See Amygdalus. floridus (Common Carolina Allspice) . . 15 1 25 Alnus glutinosa (Common Alder)..... 10 Callicarpa incana (Smooth White Alder)...... 15 I 25 americana (French Mulberry)..... 10 75 Oregona (Oregon Alder).......... 30 3 00 Camellia Japonica. From Japan..... 20 2 00 15 50 Camphor. See Cinnamomum. 2 50 Carya sulcata (Big Shellbark Hickory)... Amelanchier canadensis (Shad Bush).. 20 I .75 qt., 25 cts.; bus., \$4... Amorpha Carpinus Americana (Water Beech).... 10 75 angustifolia..... 65 Castanea Japonica (Japan Chestnut)... 10 60 fruticosa (False Indigo)..... 10 75 Catalpa Tennesseensis..... 10 90 speciosa. True Hardy Catalpa...... 25 2 50 Ampelopsis hederacea (Woodbine).... 10 I 00 Ceanothus Veitchii (Boston Ivy). Clean seed. 45 4 50 Americanus (New Jersey Tea)...... 10 Amygdalus 50 vulgaris dulcis (Sweet Almond)..... 10 50 scandens (Climbing Bittersweet) 20 2 00 vulgaris amara (Bitter Almond)..... 10 50 Celtis australis (European Nettle Tree). 15 I 25 Andromeda arborea (Sour Wood) 15 1 50 Cephalanthus occidentalis (Buttonball) 15 ligustrina (Privet Andromeda) 35 3 50 Cercis Aralia Sieboldii. From Japan..... 40 4 00 Canadensis (American Judas Tree).... 10 1 00 50 occidentalis (California Judas Tree)... 35 50 4 00 Siliquastrum (European Judas Tree).. 10 00 Arbutus Unedo (Strawberry Bush) 30 3 00 Chionanthus virginica (Va. Fringe Tree) 15 Menziesii (Madrona Tree)...... 30 I 50 3 00 Cinnamomum Camphora (Camphor).. 20 1 75 Aristolochia Sipho (Dutchman's Pipe). 1 50 Citrus trifoliata (Hardy Japan Orange). 15 1 50 Ash. See Fraxinus. Cladrastis lutea (Yellow-wood Tree)... 55 5 50 Asimina triloba (Paw Paw)..... 10 75 Clematis Berberis flammula (White Virgin's Bower).... 20 2 00 repens (Creeping-rooted Barberry).... 30 3 00 paniculata (Panicled Virgin's Bower).. 50 5 00 2 50 Virginica (American Virgin's Bower).. 20 2 00 1 00 vitalba (Traveler's Joy)..... 10 I 00 vulgaris purpurea (Purple-leaved)..... 20 2 00 viticella (Purple Virgin's Bower)..... 15 1 50 Betula alba (White European Birch).... 10 50 Clethra alnifolia (Sweet Pepper Bush).. 10 I 00 alba laciniata (Fern-leaved Birch) 15 I 25

Colutea

arborescens (Shrubby Bladder Senna).. 10

75

2 50

Deciduous Tree and Shrub Seeds, continued

Cornus Per alternifolia (Alternate-leaved Dog-	oz.	Per	1b.	Ilex aquifolium (Common Holly)\$0	oz. IO	Per \$0	lb. 70
wood)\$0		\$1		opaca (American Holly)verticillata (Deciduous Holly)	10		60
ammomum (Silky Dogwood) circinata (Round-leaved Cornel)		2	60	Indigofera Dosua (Indigo Tree)		2	75
florida (Flowering Dogwood)	10		60			_	00
Nuttalli (Nuttall's Dogwood Box) mascula (Cornelian Cherry)		2	00 65	Itea Virginica (Virginian Willow)	15	I	50
sanguinea (Scarlet Dogwood)stolonifera (Osier Dogwood)	10		75 75	Juglans cinerea (Butternut)			60
Coronilla Emerus (Scorpion Senna)		4	50	cordiformis. From Japan nigra (Black Walnut)	10		60
Corylus avellana (German Hazel)			60	qt., 20 cts.; bus., \$3.50			
Cratægus				regia (English Walnut) Sieboldii. From Japan	10		45 60
coccinea (Scarlet-fruited Thorn) Crus-galli (Cockspur Thorn) Oxyacantha (Hawthorn)	10		75 60 60	Kalmia angustifolia (American Laurel). latifolia (Mountain Laurel)	55		50 50
Cytisus alpinus (Scotch Laburnum)		т	50	Kœlreuteria	00	J	0 -
Laburnum (Laburnum)			25	paniculata (Chinese Bladder Nut)	10		80
Scoparius. See Genista.				Larix Europæa (European Larch)	25	2	50
Daphne Mezereum (Mezereon)		4	00	Laurus nobilis (Sweet Bay)			60
Deutzia crenata			50 00	Leucothoe catesbæi	15	I	50
Diospyros Kaki (Keg Fig of Japan)			00	Ligustrum			
Virginiana (American Persimmon) Dogwood. See Cornus.			60	Japonicum (Japan, or Calif. Privet) vulgare (Common Privet)			65 50
Edgeworthia				Liquidambar styraciflua (Sweet Gum)	40	4	00
papyrifera (Indian Paper Tree)	15	1	50	Liriodendron tulipifera (Tulip Tree)	10		70
Elæagnus multiflora. From Japan			00	Locust. See Gleditschia and Robinia.			
parviflora (Small-leaved Oleaster)			50	Lonicera tatarica (Tartarian Honey-			
Eucalyptus amygdalina (Messmate) gigantea (Stringybark Tree)			50	suckle)	25	2	25
globulus (Tasmania Blue Gum)	55	5	50	Maclura aurantiaca (Osage Orange)			
Gunni (Cider Tree of Tasmania) leucoxylon (Australian Iron Bush)			00 50	100 lbs., \$27			45
obliqua (Stringybark Tree)	45	4	50	Magnolia acuminata (Cucumber Tree)	15 25		50 25
rostrata (Flooded Gum)robusta (Brown Gum)			00 50	grandiflora (Large-flowering)	20	2	00
viminalis (Blue Gum)	50	5 5		macrophylla (Great-leaved Magnolia) tripetala (Umbrella Tree)			00 50
Euonymus Europæus (Spindle Tree)	15		25	Mahonia aquifolia (European Holly)	_		25
Japonicus (Japanese Spindle Tree)		2			10	1	23
Exochorda grandiflora (Pearl Bush) Fagus sylvatica (European Beech)		3	50 50	Maple. See Acer. Morus alba (White Mulberry)	20	2	00
sylvatica purpurea (Purple Beech)		I	25	nigra			00
Fraxinus				alba rosea (Rose-leaved Mulberry)			00
Americana alba (White American Ash). excelsior (European Ash)			60 45	Cedrona	45		50 50
pendula (Weeping Ash)	10		45	rubra (American Red Mulberry)	25	2	50
oregona (Oregon Ash)	25	2		Tatarica (Russian Mulberry)	25	2	50
viridis (Green Ash)			50 50	Mulberry. See Morus.			
Gaultheria				Myrica cerifera (Candleberry Myrtle) Negundo aceroides (Box Elder)			75 60
procumbens (American Mountain Tea)		2		Nyssa multiflora (Sour Gum Tree)			60
Genista scoparia (Scotch Broom)	10		65	Oreodaphne Californica (Cal. Laurel)			75
Ginkgo. See Salisburia.		_		Osage Orange. See Maclura.		•	13
Gleditschia horrida (Horrid Thorn) triacanthos (Honey Locust)	15	1	50	Paliurus aculeata (Christ's Thorn)	10		70
100 lbs., \$30	10		40	Paulownia imperialis (Paulownia)		I	50
Gymnocladus Canadensis (Kentucky Coffee Tree)			60	Platanus orientalis (Oriental Plane) occidentalis (Button-ball)	10		60 60
Halesia diptera (Snowdrop Tree)			00	Plum. See Prunus.	10		
tetraptera (Silver Bell)			00	Populus tremula (Haps Tree)	20	T	75
Hedera Helix (English Ivy)			70	Prunus Americana (Wild Plum)			50
Hibiscus Syriacus fl. pl. (Double Rose of Sharon)		I	50	maritima (Beach Plum)serotina (Wild Black Cherry)	20		00
Holly. See Ilex and Mahonia.				Virginiana (American Choke-cherry)			75

Deciduous Tree and Shrub Seeds, continued

Per oz. Per		Symphoricarpus Per oz.	Per lb.
Ptelea trifoliata (Hop Tree)\$0 20 \$1 Rhamnus	75	vulgaris (Indian Currant)\$0 10 occidentalis (Wolf Berry)25	\$1 00
(D D:)	25	racemosa (Common Snowberry) 25	2 50 2 50
Carolina (Indian Cherry) 10 cathartica (Buckthorn) 10	75 90	Syringa vulgaris (Lilac), clean seed 35	3 50
Rhododendron catawbiense (Catawba		Tamarix Gallica (Common Tamarisk) 60	6 00
Rhododendron)		Thea viridis (Green Tea of Japan) 20	2 00
	50	Tilia argentea (Silver-leaved Linden) 15 Europæa (European Linden) 10	I 50
cotinus (Smoke Tree)	00 90	grandiflora (Large-leaved Linden) 10	I 00
	25	heterophylla (American White Bass-	
Robinia pseudacacia (Yellow, or Black		wood)20	2 00
Locust)100 lbs., \$3010	40	Ulex Europæa (Furze, Gorse or Whin) 20	2 00
	00	Ulmus campestris (Common Elm) 15	
Carolina (Swamp Rose) 10 humilis (Low Rose) 15 1	75 50	americana (American White Elm) 15 fulva (Slippery Elm) 25	
lucida (Dwarf Wild Rose) 15 1		Montana (Large-leaved Elm)	
rubiginosa (Sweetbrier)	75 00	Viburnum acerifolium (Dockmackie) 10	.1 00
Salisburia adiantifolia (Maidenhair Tree) 10	70	cassinoides (Appalachian Tea Tree) 15 nudum (American White Rod) 10	I 25 I 00
Sambucus Canadensis (American Elder) 10	75	dentatum (American Arrow-wood) 10	75
glauca (California Elder)	50	lantana (Wayfaring Tree)	1 50
nigra (Elderberry)	75 75	Lentago (Sweet Viburnum)	I 25 I 00
Sophora japonica (Japanese Sophora)10	75	prunifolium (Black Haw) 10	1 00
Spartium scoparia. See Genista.	7.5	Tinus (Laurestinus)	1 50
	00	Walnuts. See Juglans.	
	00	Wistaria	
	00	chinensis (Chinese Wistaria) 40	4 00
	50	Zizyphus sativa (Cultivated Jujube) 20	2 00
		10	

FRUIT SEEDS

Apricot Pits	\$	50 25 40 30	25 00	Plum Pits, continued Per Damson, for grafting. Myrobolan. St. Julien. Domestic.	\$ 0	30 40 35	\$25 00 35 00 25 00
Currants, Black\$	0 25	2 50		Quince Seed \$0	25 2	50	
Red Dutch		2 00		Raspberry, Redpkt., 10c			
Gooseberry, Green and yellow pkt., 100.				Strawberry, Mixed " 10c 1 Red Alpine " 10c 1	00 00		
Red 10c	50			Vitis æstivalis(Summer.Grape)	25 2	50	
Peach Pits, Natural					30 3	00	
qt., 15 cts.; bus., \$2.50				cordifolia (Frost Grape) Labrusca (Northern Fox	25 2	50	
Pear Seed	20	2 00			25 2	50	
Plum Pits, Green Gage		30	25 00		15 1		

SEEDS OF HEDGE PLANTS

For prices, see under head of Tree Seeds

Barberry, CommonBerberis vulgaris. Purple-leavedBerberis folio-purpurea. JapaneseBerberis Thunbergi.	Yellow
Broom, ScotchGenista scoparia.	Norway SprucePicea excelsa. Osage OrangeMaclura aurantiaca.
BuckthornRhamnus Cathartica.	Privet, Japan or CalifLigustrum Japonicum.
Furze, or Gorse	Common EvergreenLigustrum vulgare. Sheepberry (Black Haw) .Viburnum prunifolium.
nawthornCratægus Oxyacantha.	. Sheepberry (black flaw) , vibulitum prumonum.

FLOWER SEEDS

Practical Directions for Culture, Treatment, etc.

HARDY ANNUALS (hA).—Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed, or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after for a succession, as well as to provide against failure the first time. For sowing seeds in there is nothing better than shallow boxes from 2 to 3 inches deep, and of any convenient size. The most suitable soil for all the smaller kinds is a very fine, rich, sandy loam. That from old hotbeds is excellent, or sods from an old pasture piled up and allowed to rot for two or three years and then mixed with a little old stable manure and sand. After the seeds are up, care must be taken to give them plenty of air and moisture, yet not too much water, or they will "damp off." When the young plants are well out of the seed-leaf, they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When pots cannot be had, boxes, tin cans, etc., may be substituted.

A common mistake in sowing flower, as well as other seeds, is covering too deeply. As a general rule, cover only to the depth of the thickness of the seeds; or, with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but, as a rule, it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in July and August in the open and in September in boxes and placed in coldframes. They will make strong plants by spring and flower early. Do not put on the sashes until heavy rains and frosts begin, and then always remove during the day whenever the temperature is above treezing in winter.

HARDY BIENNIALS (hB) and PERENNIALS (hP). These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border from July to September; for, if not sown until spring, the seeds of many Perennials require several months, and some even as long as two years before they germinate. In this case, it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which when large enough may be transplanted to the flower-garden where they are to remain. The seeds of some species of Hardy Perennials often lie in the ground for six or eight months before germinating, so that patience with them is often unexpectedly rewarded.

HALF-HARDY ANNUALS (hhA). —These may be sown in shallow boxes, pots, or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day, give all the air possible. After the end of May, sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of Hardy and Half-Hardy flower seeds may be sown in the open border in a warm and sunny spot as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse or plunging in a moderate hotbed carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in a very light, sandy compost, and the pots well drained by placing broken pots or bits of sod in the bottom. The finer seeds must not be covered more than an eighth of an inch deep and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant them into shallow boxes or small pots, and when they have acquired sufficient strength, transplant into the flower-beds; not, however, before the middle of May.

GREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to make germinate unless great care be

taken in the mode of sowing. Hence, the supposition arises that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mold or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top, so that the mold may not afterward sink materially with watering. Sow the seed very thinly and cover very lightly with a little compost or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seedpan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting, they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give it to them by dipping a clothes-brush in water, shaking off the greater part from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times; this will cause the water to be thrown on the young plants almost like dew. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

Primula Sinensis.—Sow the seeds in drills in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest-sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse or out-of-doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2- or 2½-inch pots, using a light, rich soil. The object now is to make good, stocky plants, and they must, therefore, be repotted as often as the pots become tolerably filled with roots, until they are in 5- or 6-inch pots, when they may be allowed to flower. Previous to this, any flower-stalks that appear must be pinched out. In a suitable place, the plants will do better out-of-doors during summer. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted room, not too warm; they should not be moved about often.

Cineraria.—This is a rather difficult plant to grow if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow in April and May, in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of seedlings should be similar to that given to Primula Sinensis. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil with some vegetable mold in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound. If specimen plants are wanted, the repotting should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious watering. When the flower-stalks appear, manure water may be used once or twice a week. Aphis and red spider are to be guarded against; this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out-of-doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall they should be placed in a cool greenhouse, where the temperature can be kept low and the air moist.

Calceolaria.—The seeds are very small, and should be sown on the surface of shallow boxes filled with a light, sandy soil which has been sifted. Sow moderately thick in rows on the surface and cover very lightly with sifted sphagnum moss, cocoanut waste, or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush is best. To retain the moisture, the box may be covered with panes of glass, which must be removed as soon as the plants appear however. The box should have plenty of light, but not much sun. As soon as the plants can be handled transplant singly into pots 2 to 2½ inches in diameter. The soil should be light and rich, and vegetable mold is an excellent addition. Repot as aften as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in 8-inch pots. If the plants become root-bound, they are apt to run prematurely into flower. Water regularly and abundantly to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a cool greenhouse in the winter, and keep the pots apart to prevent the leaves from touching.

Pansy.—For spring blooming, the seed should be sown in August, September and October, in a cold-frame with a southern aspect. Plenty of air and light is essential During mild weather the sashes should be "emoved; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July and transplant in beds or benches near the glass in the greenhouse in a low and even temperature. The more expensive sorts and mixtures produce the largest and finest flowers.

Petunias.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mould and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently, but is still warm, sow the seeds very thinly in the boxes, so that the plants may be I inch apart: cover the seeds very slightly with sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand, replace the slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce stocky plants. The soil may now need water, which should be applied very gently. Later, the larger plants may be transplanted into other boxes or pots. As the weakest plants frequently give the finest blossoms, every plant should be preserved until the blossoms appear. For the magnificent large flowers the more expensive sorts should be ordered.

Selected List of Flower Seeds

Our Complete List of Flower Seeds begins on page 99

We have unquestionably the largest assortment of flower seeds in America, and our strains are far superior to those commonly sold, often under fancy names and at fictitious prices. We avoid extravagant descriptions, which are only meant to effect sales.

ASTER (Half-hardy Annual)

The Aster is of easy culture and very popular. Plants from seed sown in the open ground in May bloom finely in September and October. For July and August flowers, sow in March or April in cold-frame, spent hotbed, or pots or boxes in the house. Cover the seeds about half an inch deep with rich, light soil, and, when the plants have three or four leaves, transplant about 18 inches apart each way into well-prepared beds. Manures too fresh or used in too large quantities sometimes induce disease in Asters. When used, they should be thoroughly well decayed and mixed with the soil. Small quantities of unslaked lime or fresh wood-ashes stirred into the surface of the Aster beds form good tonics for the plants and keep disease and insects from the roots. One of the best annuals for cut-flowers.

DWARF	CHRYSANTHEMUM - FLOWERE	D.
Grows 10 c	or 12 in. high; large, chrysanthemum-like flowe	ers
52240	Whitepkt.,	10
52244	Scarlet	10
52250	Dark Blue	10
52254	Light Blue	10
52256	Carmine	10
52260	Rose	10
52270	Mixedoz., \$1.50	10



ASTERS

TRUFFAUT'S PÆONY PERFECTION. Grows
stiffly erect and about 18 inches tall. Remarkable for the
brilliant colors of its great incurved flowers. 52280 Amethystpkt., 10
52286 Sunbeam. Sulphur-yellow 10
52290 Snow-White
52294 Apple Blossom 10
52300 Crimson
52306 Scarlet
52310 Light Blue
52314 Blood-Red 10
52320 Mixedoz., \$1.50 10
DWARF NON PLUS ULTRA. Beautiful class;
6 inches high; fine for borders.
52350 Whitepkt., 10
52354 Rose
52358 Crimson
52360 Dark Blue
52370 Mixedoz., \$1.7510
VICTORIA, Dwarf. Plants bear from 10 to 20
beautifully reflexed flowers in pyramids about 18 inches high. The best sort for pot culture.
52390 Whitepkt., 10
52392 Rose
52394 Light Blue
52404 Dark Scarlet
52410 Mixedoz., \$2 10
VICTORIA, Tall. Large flowers, imbricated petals.
52430 Purity. Whitepkt., 10
52434 Daybreak. Rosy flesh 10
52440 Rose
52444 Dark Scarlet 10
52450 Light Blue
52452 Peach Blossom 10
52456 Dark Blue
52460 Mixedoz., \$2 10
COMET. Outer petals wavily reflexed, centering in
COMET. Outer petals wavily reflexed, centering in a whorl of shorter curled and twisted ones; forms flowers
of extraordinary size and beauty.
52490 Rosepkt., 10
52494 Carmine10
52498 Light Blue
52500 Dark Blue 10
52504 Snow-White 10
52510 Peach Blossom 10
52514 Crimson 10
52520 Mixedoz., \$1.7510
52530 Giant White
52540 " Rose
52560 " Light Blue
52564 " Dark Blue 10
52570 " Crimson 10
52574 " Sulphur-Yellow 10
52574 Suiphui-Tenow
22300 WIIACU

	ontinued
QUEEN OF THE MARKET. The best early Aster.	Branching, continued
Of graceful, spreading habit. Height, 1½ feet. 52600 Whitepkt., 10	52738 Lavenderpkt., 10 52740 Mixedoz., \$1.2510
52604 Violet-Red 10	CREGO. Very early; on style of Queen of the
52608 Crimson 10 52610 Scarlet 10	Market, but with larger flowers. 52750 Whitepkt., 25
52614 Rose 10	52760 Shell-Pink 25
52620 Dark Blue	OSTRICH PLUME. Splendid class; fine for cutting
52630 Lavender 10	52790 Dark Bluepkt., 10 52794 White10
52640 Mixedoz., \$110	52800 Rose
BALL, or JEWEL. Flowers long-stemmed, quite round; desirable for cutting. Dwarf; free-flowering.	52810 Mixedoz., \$1.25 10 HOHENZOLLERN. Valuable for cutting.
52680 White	52830 White
52690 Crimson	52834 Rose 10
52694 Dark Blue	52840 Azure-Blue 10 52850 Mixed 10
52698 Light Blue	RAY. Fine for cutting.
BRANCHING. Forms broad bushes, with large,	52880 White, 52890 Rose, 52900 Blue
long-petaled flowers graceful and feathery in effect 52720 Rose	each, pkt., 10 CHRISTMAS TREE. Very fine class.
52724 Crimson 10	52920 White pkt., 10
52728 Peach Blossom 10 52730 White 10	52924 Rose
52734 Dark Blue 10	52930 Mixed
VARIOUS	ASTERS
52950 Mignon. Pure whitepkt., 10	53020 Vick's Violet King
52954 " Dark blue 10	53030 Mixed German Quilledoz., 5oc. pkt., 5
52960 " Crimson	53040 Mixed Globe-flowered
52990 Triumph. Scarlet 10	53060 Novæ Angliæ, Mixed (hP)
53000 Triumph. White	53070 Mixed Perennial
33010 Showball. Ture white	
	Choice Asters
These collections are put up by the famous Ger- from the very finest plants. In each collection the	nan Aster-growers, and they contain only seed saved
for instance, containing one packet each of 24 separate	and distinct colors of that class.
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan	and distinct colors of that class. themum-fld.\$1 oo 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan	and distinct colors of that class. themum-fld.\$1 00 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 ""	and distinct colors of that class. themum-fld.\$1 oo
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 12 " 12 " " 90 6 " 6 " " 50 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " " 18 "" 1 00 6 " "	and distinct colors of that class. themum-fld.\$1 00 6 Princess\$0 60 ' " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 arf Bouquet 75 6 Dwarf Queen 50 12 Imbricated Pompon 75
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 12 "" 6 "" 50 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 18 "" 1 00 6 "" 12 "" 75 12 Giant Cmet. 6 "" 45 8 "" "	and distinct colors of that class. themum-fld \$1 00 6 Princess \$0 60 ' ' ' 50 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 6 Dwarf Queen 50 12 Imbricated Pompon 75 6 White-centered Crown 50
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 """ 90 6 "" 6 """ 50 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 """ 18 """ 1 00 6 "" 12 """ 75 12 Giant Comet. 6 """ 45 8 """	and distinct colors of that class. themum-fld \$1 00 6 Princess \$0 60 ' " 50 12 Large Rose-flowered 75 ' " 50 6 " " 45 O Dwarf Queen 50 12 Imbricated Pompon 75 6 " " 50 12 Imbricated Pompon 75 6 " " 50
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 12 "" 6 "" 50 12 Pyramidal Dw 24 Truffaut's Perfection	and distinct colors of that class. themum-fld.\$1 00 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 125 6 " 12 "" 90 6 " 12 Pyramidal Dw 24 Truffaut's Perfection. 1 25 8 "" 1 18 "" 1 00 6 "" 1 18 "" 1 00 6 "" 1 19 Giant Comet. 6 "" 45 8 "" " 6 Branching 40 6 "" " AGER	and distinct colors of that class. themum-fld.\$1 00 6 Princess\$0 60 " " " " " " 45 arf Bouquet 75 6 " " " " 45 " " 40 12 Imbricated Pompon 75 6 White-centered Crown 50 ATUM
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 12 "" 6 "" 50 12 Pyramidal Dw 24 Truffaut's Perfection1 25 8 "" 12 12 Giant Comet. 6 "" 50 12 Giant Comet. 6 "" 45 8 "" " 6 Branching 40 6 "" " AGER For strengthening the garden's color forces in the strengthening the	and distinct colors of that class. themum-fld.\$1 oo
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 12 "12 "16 6 "16 12 Pyramidal Dw 6 "" 50 12 Pyramidal Dw 12 Truffaut's Perfection 1 25 8 "" 1 00 6 "12 Giant Comet. 18 "" 75 12 Giant Comet. 19 General Research of 24 separate and bright of the separate a	and distinct colors of that class. themum-fld.\$1 00 6 Princess\$0 60
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 1 25 6 " 12 "" 90 6 " 24 Truffaut's Perfection 1 25 8 "" 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 6 " 18 "" 1 00 6 "" 12 "" 75 6 "" 12 Giant Comet. 6 "" 45 8 "" " 6 Branching 40 6 "" " AGER For strengthening the garden's color forces in bordinarily used in bedding and borders, in contrast white and blue sorts are exceedingly attractive when They grow well almost anywhere. The plants are recognitions.	and distinct colors of that class. themum-fld.\$1 oo 6 Princess\$0 60
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 125 12 " 6 " 6 " 50 12 Pyramidal Dw 24 Truffaut's Perfection	and distinct colors of that class. themum-fid.\$1 oo 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " 125 12 " 6 " 6 " 50 12 Pyramidal Dw 24 Truffaut's Perfection	and distinct colors of that class. themum-fld.\$1 oo 6 Princess\$0 60 4 " " 50 12 Large Rose-flowered 75 arf Bouquet 75 6 " " " 45 arf Bouquet 75 6 Dwarf Queen 50 40 12 Imbricated Pompon 75 6 White-centered Crown 50 6 Ball, or Jewel 50 ATUM due, no annual is so good as the Ageratum. Though with such plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants. 10 beautiful produce clusary and erect, with a continual profuse clusary and ellow seed-bed. Seeds sown in August will produce Oz. Pkt.
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 90 6 " 6 " 90 6 " 12 Pyramidal Dw 24 Truffaut's Perfection	and distinct colors of that class. themum-fid.\$1 oo 6 Princess\$0 60 '. " 75 6 " " " 45 6 Dwarf Queen
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 90 6 " 6 " 6 " 50 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " 12 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " " 100 12 Pyramidal Dw 12 " " 75 12 Giant Comet 6 " 45 8 " " " 6 Branching 40 6 " " " 45 8 " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 " " " " 45 8 8 8 " " " " " 45 8 8 8 " " " " 45 8 8 8 " " " " " 45 8 8 8 " " " " " 45 8 8 8 8 " " " " " 45 8 8 8 " " " " 45 8 8 8 8 " " " " " 45 8 8 8 8 8 " " " " " 45 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	and distinct colors of that class. themum-fid.\$1 oo 6 Princess \$0 60 '. " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 arf Bouquet 75 6 Owarf Queen 50 " 50 6 White-centered Crown 50 6 White-centered Crown 50 6 Ball, or Jewel 50 ATUM August with alyssum, candytuft, and similar plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants as anon. The dwarf, blue sorts make fine borders. Sow a mellow seed-bed. Seeds sown in August will produce over the control of th
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 125 12 " 12 " 16 6 " 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " 12 Giant Comet. 18 " 100 6 " 12 Giant Comet. 18 " 100 6 " 12 Giant Comet. 19 6 6 " 12 Giant Comet. 19 6 6 " 100 6 6 " 100 6 6 " 100 6 6 6 " 100 6 6 6 6 " 100 6 6 6 6 6 " 100 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	and distinct colors of that class. themum-fid.\$1 oo 6 Princess \$0 60 '. " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 arf Bouquet 75 6 Owarf Queen 50 " 50 6 White-centered Crown 50 6 White-centered Crown 50 6 Ball, or Jewel 50 ATUM August with alyssum, candytuft, and similar plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants as anon. The dwarf, blue sorts make fine borders. Sow a mellow seed-bed. Seeds sown in August will produce over the control of th
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 25 12 " 12 " 6 6 " 6 " 50 6 " 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " " 1 00 6 " 12 Pyramidal Dw 18 " " 1 00 6 " 12 Giant Comet. 6 Branching 45 8 " " " 50 6 6 " 12 Giant Comet. 6 Branching 45 8 " " " 50 6 6 " 12 Giant Comet. 6 Branching 45 8 " " " 50 6 6 " " 50 6 6 " 50 6 6 " 50 6 6 " 50 6 6 " 50 6 6 " 50 6 6 " 50 6 6 " 50 6 6 " 6 " 6 6 8 6 8 6 " " " 50 6 6 8 6 8 6 " " " 50 6 6 8 6 8 6 8 6 " " " 50 6 6 8 6 8 6 8 6 8 6 8 6 8 6 8 6 8 6 8	and distinct colors of that class. themum-fid.\$1 oo 6 Princess \$0 60 '. " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 arf Bouquet 75 6 Owarf Queen 50 " 50 6 White-centered Crown 50 6 White-centered Crown 50 6 Ball, or Jewel 50 ATUM August with alyssum, candytuft, and similar plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants as anon. The dwarf, blue sorts make fine borders. Sow a mellow seed-bed. Seeds sown in August will produce over the control of th
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 12 50 12 Pyramidal Dw 24 Truffaut's Perfection	and distinct colors of that class. themum-fld.\$1 oo 6 Princess\$0 60 '. " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 445 6 Dwarf Queen50 6 White-centered Crown50 6 Ball, or Jewel50 ATUM due, no annual is so good as the Ageratum. Though with such plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants. leat, bushy and erect, with a continual profuse clusaeon. The dwarf, blue sorts make fine borders. Sow a mellow seed-bed. Seeds sown in August will produce a mellow seed-bed. Seeds sown in August will produce operennials; sow early; flowers white; I ft
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 " " 90 6 " 6 " 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 " 12 Giant Comet. 18 " " 75 12 Giant Comet. 6 " 45 8 " " 10 0 6 " 12 Giant Comet. 6 Branching 45 8 " " " Too 6 " " 45 8 " " " Too 6 " " 45 8 " " " Too 6 " " " 10 0 6 " " " Too 75 12 Giant Comet. 19 50 50 50 For strengthening the garden's color forces in hordinarily used in bedding and borders, in contrast white and blue sorts are exceedingly attractive when They grow well almost anywhere. The plants are retering of pretty, bush-like flowers throughout the set under glass early in the season, or, later, outdoors, in good plants for winter flowering. 50550 Conspicuum. This and the next are tender 50560 Lasseauxi. Rose-colored clusters; I ft 50570 Mexicanum (hA). Parent stock of the hard 50580 " album. White; I ½ ft 50590 " Dwarf Blue. 9 in.; fine for ed 50620 " White. Pretty for con 150620 " White. Pretty for con 50630 " White. Exce Little Dorrit. Plants 6 inches	and distinct colors of that class. themum-fld.\$1 oo 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 ""	and distinct colors of that class. themum-fid.\$1 oo 6 Princess\$0 60 '. " 75 12 Large Rose-flowered 75 arf Bouquet 75 6 " " 45 arf Bouquet 75 6 0 Dwarf Queen 50 12 Imbricated Pompon 75 6 White-centered Crown 50 6 Ball, or Jewel 50 ATUM Though with such plants as geraniums, perillas, etc., the rose, mingled with alyssum, candytuft, and similar plants. as a mellow seed-bed. Seeds sown in August will produce the product of the color
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 12 50 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 "" 12 Pyramidal Dw 24 Truffaut's Perfection 1 25 8 "" 10 0 12 Pyramidal Dw 12 12 "" 10 0 12 Pyramidal Dw 12 Giant Comet. 10 0 12 "" 10 0 12 Giant Comet. 10 0 0 12 Giant Comet. 10 0 0 12 Giant Comet. 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	and distinct colors of that class. themum-fld.\$1 oo 6 Princess
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 ""	and distinct colors of that class. themun-fld.\$1 oo
for instance, containing one packet each of 24 separate 24 Victoria Prize\$1 50 18 Dw'f Chrysan 18 "" 12 50 12 Dw'f Chrysan 18 "" 12 50 12 Pyramidal Dw 24 Truffaut's Perfection 125 8 "" 12 51 8 "" 1 25 8 "" 12 Giant Comet 6 "" 45 8 "" "" 1 25 8 8 "" "" 1 2 Giant Comet 6 "" 45 8 "" "" 1 2 Giant Comet 6 "" 45 8 "" "" 1 2 Giant Comet 6 "" 45 8 "" "" "" 1 2 Giant Comet 6 "" "" "" 1 2 Giant Comet 6 "" "" "" "" "" "" "" "" "" "" "" "" "	and distinct colors of that class. themum-fld.\$1 oo 6 Princess

ALYSSUM

For borders, baskets, pots, rockwork and for cutting, we recommend a liberal use of this dainty little flower. In borders, sow thickly, so as to form masses, quite early in spring or even the previous autumn. For winter bloom, sow late in August, and thin the seedlings to about a dozen for a good-sized basket. Cut back after the first flowers fade and others will come.

51150	Maritimum (Sweet Alyssum). (nA). Fragrant	
	white flowers all summer	
	oz., 30cpkt.,	-
51160	" compactum, Little Gem. Grows	
	erect; 6 inoz., 40c	-
51170	' Thorburn's Bouquet. Is very	
	dwarf and compact; best for	
	pots and borders; 3 in	I
51180	' procumbens, White Carpet. Of	
	trailing habit; flowers profusely.	
	oz., 40c	5
51190	saxatile compactum (Gold Dust) (hP). Single	
	plants easily cover a square foot in a year and	
	produce many hundreds of bright yellow flow-	
	er-heads. Grayish foliage; I ftoz., 50c	
51200	argenteum. Similar to the above, but dwarfer;	
	6 inoz., 60c	10

AQUILEGIA (Columbine)

(Hardy Perennials)

A most desirable border plant in all its many varieties. It forms large clumps, blooms early, long and abundantly, is quite hardy, useful for cutting and elegant in habit. Sow seed in the open ground in spring, preferably where the plants are to grow, and thin to about a foot apart. They may also be sown in the fall for flowering the following season. They thrive well with ordinary garden culture, but such rare sorts as A. cærulea and A. chrysantha do best in partially shaded, well-drained nooks. Few hardy perennials are so easily grown from seed. 51800 Canadensis. Scarlet and yellow; very fine.pkt.10

51890

53460



BALSAM (Impatiens Balsamina. hhA)

A native of India, the garden Balsam loves hot sun, rich soil and plenty of water. The young plants are quick, sure growers and, from seed sown in the open ground in May, soon form handsome bushes thickly massed with large, rose-like flowers. Transplanting two or three times has a tendency to dwarf the plants into better shape and to make the flowers more double. Balsams are not often given room for perfect development; they will easily cover 12 to 18 inches of space each way. For the finest flowers, choice seed is more than usually essential, for cultivation and selection have wrought wonders with this plant. We offer only the finest double sorts, most carefully selected.

00	J. M. HIORDORN &	C,, 3	3 DAI	CLAI SI.	, NEW TORT	<u> </u>	
			4*				
53470	Double Carmine	BALSAM,	continu	iea		Oz.	Pkt.
53480	" Lavender'					#0 60	\$0 10
53490	" Page				• • • • • • • • • • • • • • • • • • • •	60	10
53500	" Rose				• • • • • • • • • • • • • • • • • • • •	60	10
	Dright Scarlet					60	10
53510	" Red, Spotted White		• • • • • • •			60	10
53514	Dark blood-Red					60	10
53520	rate vellow					60	10
53530	Camellia-flowered White. Flower	ers of ex	tra size	e, double and	full-centered, wi	th	
		52540	ren	exed petals	#* * T	80	10
(4) Asia		53540			lixed. Best colors		10
	No. 3. But the state of	53550	Callest	Double Mix	ed	40	5
		ć ::			ams, including-		
	NAME OF TAXABLE PARTY.				ia-flowered		40
		12	, Do	ubie Kose-now	ered		65
		6 '				• •	35
				CALE	NDULA		
				CALL	IDULA		
		Har	dv annu	als about a fo	ot high. The seed	may l	oe sown
					oring, and the plan		
		early in	summ	er, and contin	ue until late in a	utum	n. The
		flowers	exhibit	every shade	of yellow from i	vory 1	to deep
		orange,	are pro	duced in great	profusion, and ar	e stro	ngly ef-
		fective	in beds,	borders or bac	kgrounds. The dri	ed flov	vers are
	Control of the second	sometir	nes used	for flavoring s	oups and stews.	Oz.	Pkt.
		54390	officina	alis (Pot Mari	gold). Rich orange	\$0.20	\$0 05
		54400	44		ra. Very large-		" 0
		01100			d strain	25	5
136		54410	. 44		ra sulphure		J
		01110			ellow; large-flowere		5
		54420	4.6	0,	. A rich, soft shad		5
		54430	44		Creamy cente		J
		31130			vith orange		5
		54440	"		f Orange. Glitte		J
		31110			nge and yellow		5
		54450	66		loides (Garden Ma		J
		31130			Double flowers		5
		54460	44		(Cape Marigola		J
		01100			or ivory		5
		54470	44		pl. Handsome, de		U
		01110			te flowers		5
					d, pages 80 and 81		V
14				Dec, a, 1.12go.	-, , , , , , , , , , , , , , , , , , ,		
				CALL	IOPSIS		
		TEL:				east fo	orooo in
		I III	s annua	hoped with	of the garden's gr ich red-maroons	and i	browns
		Sow in	the ope	n ground in sr	oring, and, in thin	ning o	r trans-
		plantin	g give t	he plants plent	cy of room to sprea	d. Th	eir tall.
		slender	habit n	nakes neat sta	iking and tying n	ecessa	rv. All
			cutting			Oz.	Pkt.
COPY	RIGHT 1909 BY J.M. THORDURN & CO.				of gold; 6 to 8 in.		
	DOUBLE BALSAM	54530	"	,,	orata. Maroon a	1	#5
				gold:	1 ½ ft	30	5
54534	bicolor nana radiata (Golden Ray). Golde	n yellow	flowers, with	dark purplish brov	vn	
	centers. Grows 6	to 8 incl	nes high.	. and is a verv	profuse bloomer.		10
54540	hvbrida superba. Very showy hy	brids in g	great var	riety		60	10
54550	coronata. Vellow: very fine: 1 1/2 1	ft				30	5
54560	cardaminifolia. Red and yellow;	I ½ ft				30	5
54570	Drummondii (Golden Wave). Gold	d and bro	own; I t	t		30	5
54580	elegans picta. Yellow and brown;	2 It				30	5
54590	bicolor hybrida fl. pl. Mixed; I f	t				30	5
54600	Mixed Annual Sorts	~ TO ***	otios			25	5 40
	Conection of Calliopsis, including	g 10 vari	ettes				40

COREOPSIS

54644	grandiflora (hP). Large flowers of rich yellow; 2 ft	10)
54650	lanceolata (hP). Yellow, with brown eye. One of the best yellow flowers for cutting. 7	75 10)
54660	California Sunbeams (hP). Flowers very large, in a great variety of beautiful forms		
	and various shades of vellow and brown: I ft	50 10)

CAMPANULA

These fine old plants are rich in color, profuse in bloom, and of easy culture. For outdoor effects, when planted in quantity, they are glorious, and finest full-bloom specimens of such varieties as *C. calycanthema* can be transplanted to pots for house decoration by soaking the soil about them with water and lifting with a ball of earth. Sow seed of biennials outdoors early in July and thin or transplant to temporary quarters until October. Transplant, then, 6 or 8 inches apart, in a coldframe, where they will make large plants by spring, and are as easily cared for as pansies. The old practice of covering Canterbury Bells with leaves through winter is not satisfactory. Transplant in spring, 18 to 20 inches apart, in beds where they are to bloom. In June and July they flower most profusely, and are in fine form a long time. They also make beautiful pot-plants for Easter. If sown early in good soil, the hardy perennials will bloom early the next year. All the varieties like a rich, sandy soil with good drainage.

Oz. Pkt. ood drainage.

year.	An the varieties like a rich, saidy son with good dramage.	ĸt.
	Carpatica (hP). Deep blue: 6 in. For rockeries, beds and edgings	
54720	" alba. Flowers white; 6 in	10
54730	" Mixed. Dwarf sorts	10
54740	Medium Blue (Canterbury Bell) (hB). Blooms first year if sown early; 2 ft30	5
54750	" White. Pretty for contrasts	5
54760	" Rose	5
54770	" Striped. Very fine	10
54780	" Mixed	.5
54790	" Mixed	10
54800	" White. Of waxen appearance	10
54810	" Rose.	
54814	" " Mixed	10
54820	" calycanthema (Cup and Saucer) (hB). Blue; symmetrical; often has 35 to 40 flowers	
	open at the same time on a single plant. Beautiful for pots or borders. 2 ft	10
54824	" calycanthema alba. A white-flowered variety of the above	
54830	" Mixed. Shades of blue and white	
54840	" Prize Mixture of all colors, and Single and Double Calycanthema; unequaled.oz., \$1	15
54850	amabilis (hP). Light blue flowers, nearly 2 inches in diameter. The many-branched flower-	·
		25
54854	stems are 2 to 3 feet high	15
54860	Loreyi, Blue. Very pretty hardy annual	10
	nobilis alba. White; semi-double; 2½ ft. June. Hardy biennial	
	persicifolia grandiflora, Blue (hP). Hardy	-3
	perennials, with superb, large flowers; for	
	finest effects, plant the blue and white	
	varieties together; 2 to 4 ft. June and	-
	Julypkt., 25	
54874	persicifolia grandiflora alba. A white-	
	flowered variety of the above	
54880	persicifolia grandiflora, Fine Mixed.	
31000	Very showy	
54884	pyramidalis (Chimney Bellflower) (hhP).	
31001	Spikes 3 to 4 ft. tall, erect, pyramidal;	
	flowers large and of a beautiful blue; blooms	3
	in late summer and autumn 10	
54900	pyramidalis alba. A white-flowered variety	
34070	of the above	
54000		
34700	grandiflora Mariesii (hP). A fine, dwarf,	
54040	dark blue variety, growing I ft. high 10	
54910	grandifora Mariesii macranthum (hP).	
	Dwarf habit; rarely exceeds 3 feet in	8
	height; intense bright blue flowers, 3 to	
	5 inches across; lives eight to ten years 15	2000
54920	Vidali (gP). White; very floriferous. 2 ft 15	*
	Collection of Campanula, including 12	
	varieties choicest perennial sorts 75	-

CELOSIA PLUMOSA

Beautiful foliage plants blooming in late summer and autumn, and producing large, showy plumes, curled and curved, very much resembling ostrich feathers. See illustration, page 70.

55640 Ostrich Feather, Crimsonpkt., 10 55650 **Orange** 10

For other Celosias, see page 103, and for Cockscomb (Celosia cristata), see page 75



CAMPANULA

CANDYTUFT (Iberis)

The Candytufts are among our best flowers for edgings, bedding, massing or rockeries, and for cutting. Several of the varieties are fragrant, and all are profuse in bloom. Sow outdoors in April, and thin well when the plants grow about an inch. Sow again in a month, and late in July for fall flowers. Give rich soil and water freely.

Give ri	ch soil and water freely.	
54960	affinis, Dwarf. (hA). Neat and pretty	
	bedder; 6 inoz., 25c., pkt.,	5
54970	amara (hA). White; I ftoz., 20c	5
54980	coronaria (Rocket Candytuft). (hA).	
	Of candelabra form; flowers in upright	
	spikes	5
54990	coronaria, Empress. White. I ft	
	oz., 25c	5
55000	coronaria, Little Prince. Very large	
	heads of pure white flowers. Fine for	
		10
55010	coronaria, Giant Hyacinth-flowered.	
FF000	Whiteoz., 40c	10
55020	odorata (hA). Small, white, fragrant	_
EE020	flowersoz., 20c	5
55030	umbellata (hA). Purple. I ft oz., 25c	5
55040	" carnea. Flesh-colored; I ft.	
55050	" Dunnetti. Dark crimson;	10
33030		_
55060	umbellata lilacina. Lilac; 1 ft	5
33000	,	_
	oz., 25c	- 5



CANDYTUFT



CELOSIA, OSTRICH FEATHER (see page 69)

55070 umbellata carminea. Bright carmine; I ft.oz., 50c...10 umbellata, Queen of Italy. 55080 Dwarf, erect; fine pink flowers; .oz., 40c... 10 umbellata, Dwarf Hybrids. 55090 Mixed colors. Neat, pretty and long in bloom; 6 in. .oz., 5oc. . . 10 55100 Mixed Annual Sorts .oz., 20c... PERENNIAL CANDYTUFT. Shrubby, hardy, evergreen plants, making a magnificent showing the second year from seed. They bloom very early, cushioning rock ledges, borders, etc., with banks of bloom. Sow outdoors in spring or fall in any sunny place.

120 Sempervirens. White flowers remain fresh nearly a month; ī ft...... 55130 Gibraltarica. Beautiful blushwhite; I ft. Collection of Candytuft. 6 varieties choicest annual sorts ... 30

CARNATION

 $(Dianthus\ Caryophyllus)$

The splendid Carnation of the florist is a very interesting plant to grow from seed, and it is not over-exacting. Sown under glass in early spring, or later in the open ground, the plants will flower finely the second summer. For largest, richest flowers, we recommend culture in pots of rich soil. With many they are also garden favorites, and, grown in this way, flowers of good quality may be enjoyed all summer if given plenty of water, good soil and a mulch about their roots. With tall varieties, staking and tying is necessary. Young plants are perfectly hardy outdoors, but when two or three years old they are injured

CARNATION, continued

by winter cold, so that sowings should be made every year. The more expensive sorts produce the finest flowers. The prices we quote, although seemingly high, are most reasonable for strains such as we offer. MARGARET CARNATIONS are an extra-vigorous race, especially adapted for outdoor culture. They are very neat in habit, and remarkable for their rich profusion of flowers, produced in five months from

sowing. For masses of bloom, few plants are finer; they are also very suitable for pots. Grown	as
annuals from seed sown every spring, they are most satisfactory. Our seed of these varieties is grow	wn
exclusively in the famous Chabaud Garden of Carnations, Provence, France.	
55270 Margaret, Double White. Large, perfect flowers; 1½ ftpkt.,	10
	25
55280 " Yellow. A clear, soft shade; 1½ ft	
55300 " " Half Dwarf Mixed. 1½ ft	10
55310 Giant Margaret. Extra large and perfect flowering, in a rich variety of colors, including yellow;	
80 per cent of the flowers generally come double; I ft	25
PERPETUAL CARNATIONS. This race has large, elegantly formed flowers, continually abloom upon	·
closely branched, symmetrical plants, often called, from their neat habit, "Tree Carnations."	
55320 Chabaud Perpetual Double. Mixed, vellow, red, white, etc.; 11/2 ft. Blooms in 7 months, pkt	25
55324 " " Choicest Mixed	25
55330 Dwarf Perpetual (a tige de fer). 1 ft.	50
55334 Marie Chabaud. Pure canary-yellow; the most beautiful and most fragrant yellow	
55340 Comtesse de Paris. Very dwarf; yellow; comes true from seed	
55344 Jeanne Dionis. Enormous flowers of the purest white and most perfect form	
55350 Sparkling (Etincelant). Bright glittering red of surpassing richness	
55354 Giant Perpetual White. Very large, perfectly double; flowers in seven months after sowing.	50
55360 " Yellow. Eighty per cent come true to color; creamy to golden yellow	50
55364 " Red. Beautiful shade; large flowers	50
55370 " Fine Mixed. Enormous flowers, perfectly double; splendid colors	50
BORDER CARNATIONS, ETC. We invite attention to the splendid collection below—	
55380 Red Grenadine, Double. Brilliant scarlet; 2 ft	25
55390 Enfant de Nice (Improved Giant-flowered). All colors. Flowers in six months from seed	25
55400 Early Dwarf Vienna, Double Mixed. Fine for garden culture and for cutting: I ft	10
55410 " " White. Very fine; always comes true white	10
55420 Fine Double Mixed. Many colors. 2 ft.	10
55430 Double Mixed	5
	Ü
Choice Collections of Carnations	
50 varieties Carnation and Picotee\$1 00 12 varieties Carnation and Picotee\$1 25 " " " " " " " " " " " " " " " " " "	00
25 " " " " 1 50 6 " " " " "	65

50	varieties	Carnation	and	Picotee	\$3	00	12	varieties	Carnation	and	Picotee	\$1	OC
25	44	4.6	6.6	4.6	I	50	6	44	44	4.4	66		65
18	6.6	44	4.6	44.	I	25			44				Ŭ




CARNATIONS

CENTAUREA

C. Cyanus, the popular Cornflower, is also known as "Blue Bottle," "Ragged Sailor," "Kaiser Blumen," and, sometimes, as "Bachelor's Button." These are bright-flowered plants of hardiest nature and simplest culture, yet esteemed among the most attractive and graceful of all the old-fashioned flowers. When placed in water, the flowers increase in size.

culture, yet esteemed among the most attractive and graceful of all the old-fashioned flowers. When placed in water, the flowers increase in size.	1
PERENNIAL FLOWERING. A dry, sandy soil of moderate fertility seems to suit them best.	
55750 macrocephala. Flower-heads large, showy, bright yellow; 3 ftpkt., 10	0
PERENNIAL SILVER-LEAVED. These are used for borders or edgings, and thrive anywhere. Flowers	
white, leaves grayish; height I ft; half-hardy. Oz. Pkt.	
white, leaves grayish; height 1 ft; hair-hardy. 55760 candidissima	0
55770 Clementei	_
55780 gymnocarpa	0
HARDY ANNUALS. These flower finest in full sun and thin soil. Sow in the open ground in	
spring.	
55790 Americana. Large, lilac-purple flowers; bushy plants; very fine 50 10	
55800 imperialis, White	0
55820 renow hardy class	
55830 " Mixed	
55840 odorata, Chameleon. Yellow and rose; fragrant; superb	0
55850 "Margaritæ. Pure white, 2½ inches across, exquisitely laciniated and delightfully	
scented; forms stocky, well-budded little bushes. A garden treasure; 1½ ft 10	0
55854 moschata (Pur ple Sweet Sultan).	-
	5
55670 Mixed Sweet Sultan	5
55880 suaveolens (Yellow Sweet Sultan). Fine	5
	5
2007	_
	5
55910 Cyanus, Rose. Beautiful, distinct shade: 1 ½ ft	_
55920 Cyanus Victoria, Dwarf Com-	5
pact. Only 9 inches high; for	
pots and edgings; azure-blue; fine. 10	0
pots and edgings, azure-blue, line. To	



CENTAUREA IMPERIALIS

CHRYSANTHEMUM

pretty

Do not confound these annuals with the winter-flowering sorts of the florists. They bloom profusely from early summer until frost, and, when grown in large beds or masses, their bright colors make a splendid show. The plants can be brought into bloom early by sowing the seed in frames or window-boxes, and afterwards transplanting to the garden; or seed may be sown where the plants are to flower, if the seedlings are thinned to 8 or 10 inches apart. A little pinching back in early growth makes the plants bushy and shapely. All are fine for cut-flowers. Average height, I to 1½ ft. For the magnificent large-flowered sorts, the more expensive packets should be ordered.

should	be ordered. Pk	t.
56260	Coronarium, Double White	
56270	Coronarium, Double Yellow.	5
54200	The flowers are perfect bosses of goldoz., 30c	5

eum. Pale yellow...oz., 30c... 5
59290 Coronarium, Double imbricatum, Yellow....oz., 60c... 10
56300 Coronarium, Double Mixed.

Yellow, white, etc. ..oz., 3oc...

	CHRYSANTHEMUM, continued		
56310	Tricolor, White. Tricolor sorts have Oz.	Pkt.	
	beautiful rings and eyes	#0.0=	19 02.25
56320	of color \$0 40 Yellow 40	\$0 05 5	
56330	" Scarlet. Dark and rich 40	5	
56340	" Golden Feather. Foliage	J	
	rich yellow; flowers bright		
	red and white 50	10	
56350	" Eclipse. Yellow, with velvety		
56360	brown band 50	10	
30300	" Burridgeanum. Crimson- maroon, with white edge		
	and inner circle 40	5	
56364	" Northern Star. Giant white	· ·	
	flowers, with black centers.	10	
56370	" Mixed. All colors 40	5	
56380	Double Golden. Fille /5	10	
56390 56400	wnite 75	10	A STATE OF THE STA
56410	" " Mixed	10	THE THE SELECT THE SEL
30110	A choice mixture of beauti-		
	ful yellow-leaved sorts;		
	flowers of various bright,		
	vivid colors	10	
56420	"Single and Double Mixed. 40	10	
56430	" Double Hybrid Mixed 75 multicaule. An exceptionally fine	10	
30110	little bedder; flowers yellow; 3 in	5	
56450	segetum, Morning Star. Large yel-	3	
	low flowers; excellent for		
	cutting	10	
56460	" Helios, Evening Star. Fine	for	
	cutting; pure golden yellow flow		
56470	of gigantic size inodorum, Double. (hP). Pretty white flower		
30170	fine for cutting; I ft		
56474	inodorum, Bridal Robe. Fine foliage; pu		
	white, extra-double flowers; compact hab		
	Splendid		
56480	frutescens (Paris Daisy, or Marguerite) (h)	P).	COPYRIGHT 1909 BY J.M. THORBURN & G.
	Beautiful for cutting and pot culture; lor		ANNUAL CHRYSANTHEMUMS
			spkt., 10
	" " " " " " " " " " " " " " " " " " "	itnemu:	m, Annual
PERE	NNIAL VARIETIES. This section includes the	ne large-	flowered sorts, and the pretty, hardy Pompons
			ter heavy frosts have cut down other flowers.
			class and the Annual Chrysanthemums described
at	pove, so that, as has sometimes happened her	retofore,	customers may not order seed of the summer-
DI to	soming garden varieties expecting them to	yield the	e grand show flowers of late fall which are ob-
			y culture and room decoration, plants pinched five to ten flowers, are satisfactory. Average
	eight of show kinds, 3 feet.	mg non	i live to tell howers, are satisfactory. Tiverage
56540	Indicum grandiflorum. Will produce supe	rb flowe	rs of different types and colorspkt., 25
56550	" Pompon. The pretty hardy dwar	fs, with	bright clustered flowers; 1½ ft 25
56570	Japonicum fl. pl. From Finest Flowers.	An extra	-choice mixture
	CLA	DKI	Δ
0			· ·
			us from beyond the Rocky Mountains. The
plants	bloom so freely and have nowers of such variables. The second of the second such that the sec	rious br	ight colors that a bed of them in full bloom is

One of the prettiest native hardy annuals that come to us from beyond the Rocky Mountains. The plants bloom so freely and have flowers of such various bright colors that a bed of them in full bloom is a beautiful sight. They are useful, too, for hanging baskets, for vases and as edging plants. Sow outdoors in early spring and grow in partial shade. They bloom through midsummer to late autumn. Average height, 1½ ft.

Oz. Pkt.

56740	elegans	s rosea. Rose\$0	30	\$0 05
56750	"	" Double. Rose	50	10
56760	**	alba, Double. White		10
56770	"	Single Mixed	30	5
56780	"	Double Mixed	30	5
56790	"	Double and Single Mixed	30	5
56800	pulchel	lla rosea. Rose	30	5
56810	"	alba. White	30	. 5
56820	44	marginata. White-edged	40	10
56830	"	White Tom Thumb	40	10
56840	. 46	Mixed	30	5



COSMOS

This is one of the notable fall flowers, the specialist's skill having recently added much to its beauty A strong, tall-growing annual, its bold flowers have yet an exquisite daintiness and airiness, heightened in effect by their foliage-setting of feathery green. It is most effective when planted in broad masses, or long background borders against evergreens or fences. From seed started early in the house or frame, the plants will be 3 or 4 feet high by July, tossing into the air a perfect storm of bright-colored, daisy-like flowers, fine for cutting. If topped when half-grown, the plants will bloom much earlier, the check seeming to induce immediate flowering. We offer only the choice large-flowering strains. To make sure of flowering early, Cosmos should be started indoors and transplanted into dry, sandy, or poor soil, in a sunny situation.

Pkt. 57740 LADY LENOX. Introduced recently; lovely large shell-pink flowers of great substance.\$0 60 \$0 10 Giant Fancy. Flowers often 5 inches wide, and with the petals beautifully fringed. 57750 10 57760 10 Pink. Bright clear shades. 40 57770 10 57780 5 57790 Klondyke. Orange-colored 10 57800 Tints of Dawn. Of compact, bushy growth, early-flowering. The handsome, white, circular flowers are delicately flushed with rose around the center 50 10 57810 Marguerite. Petals deeply and irregularly fringed; in various bright colors 10 57820 New Striped. A charming and distinct new class of flowers, with large white centers, and the petals deeply striped with white..... 15


COCKSCOMB

(Celosia cristata. hhA)

We prize and plant the Cockscombs as an odd and picturesque decorative feature of the garden. The bright red and crimson varieties are most effective, both in gardens and in winter bouquets, for which they are cut before fully ripe and dried in the house. The dwarf varieties make novel and attractive borders; the tall ones form striking groups. Transplanting into rich soil about the time the combs begin to form makes the flower-heads much larger. They are bright from midsummer until frost.

5 .30	Japan Crimson. Huge combs, much cut and beruffled	pkt.,	10
	Glasgow Prize. Dark leaves and crimson combs; I ft		
55690	warf Bright Red. A miniature plant, with enormous combs of intense bright red.		10
	Yellow		
	" White		
-	5. '94 Dwarf Crimson		10
	557. Mixed. Extra-large combs		10

For Celosia plumosa, see page 69, and for other sorts see page 103



DELPHINIUM

DELPHINIUM (Larkspur)

In variety and beauty of its blue tints, which are as numerous as they are charming, no other plant can equal the Delphinium. The brilliant flowers can be seen from a long distance and are strongly effective in beds or masses, in borders, shrubberies, or in combination with white lilies. Ordinarily, the tall sorts are planted among shrubbery, or as a background for dwarfs, which are favorites for bedding. Improvements are continually being made in the size of the flowers, as well as in the length and fullness of the spikes. Some of the species flower both early and late; the season for all can be prolonged by cutting away withered flower-stems. They are sometimes increased by division, but are much more robust when grown from seed. All varieties are easily cultivated and adaptable to many conditions, but in a soil deeply dug, and well enriched with fine old manure, their blooms are the finest. They must have plenty of room to grow; 1½ to 2 feet each way is not too much for the taller sorts.

ANNUAL VARIETIES. These include the Rocket and Hyacinth-flowered, so called from their long, narrow flower-spikes. They bloom best in a rather cool, moist soil. Sow seed in the open border, either in spring or fall, preferably the latter, so that germination may take place very early in the spring. As the seedlings grow, thin them to stand 6 to 18 inches apart, according to variety. The shades of color include light, dark and azure-blue, white, buff, rose, apple-blossom, pink, brick-red, red-lilac, dark lilac, violet and 'fawn. The varieties are seldom kept separate, as they are quite as pretty and convenient for cutting when sown in mixture. Some of these are really hardy biennials, but because they bloom the first season, we treat them as hardy annuals.

requiring more space between the plants. If sown in the fall or very early spring, nearly all will bloom the first season. The foliage is clean and pretty; habit strong and neat; flower-spikes long and dazzling.

58600 Barlowi. Large, dark blue flowers; extra finepkt.,	25
58604 Brunonianum. Lovely blue, musk-scented flowers; very	Ū
distinct; 3 ft	25
58610 cardinale. Orange-scarlet. A California native; 2 ft	20

DELPHINIUM, continued
58620 Chinense Mixed (C. grandiflorum). Large flowers, ranging from pure white to deep indigo-blue.
Young seedlings will bloom from midsummer until frost; 2 ftpkt., 10
58624 " azureum. Beautiful, distinct shade of blue; 2 ft
58630 elatum, Blue (Bee Larkspur). Soft, clear blue flowers in tall spikes; 3 ftoz., 75c 10
58640 "hybridum, Finest Mixed. Very showy
58650 formosum. Brilliant blue, white center; especially fine and attractive; 3 ftoz., 80c 20
58660 " cœlestinum. Sky-blue; handsome; true
58670 hybridum fl. pl. Finest double sorts in choice colors; a superb mixture; 3 ft
58680 "Burbank's. Wonderful blue shades; splendid sorts; giant-flowered
58690 nudicaule. The only pure bright scarlet. Dwarf and compact in growth, with flower-stems
of fine length; I ft. A native of California
58700 Zalil (sulphureum). Very beautiful, hardy perennial, with long spikes of yellow flowers 30
Collections of Delphinium
12 varieties Dwarf Rocket
6 " " " Tall Branching
6 " " 30 8 " Tall Branching 50 12 " Tall Rocket 50 6 " " 40 6 " " 30 6 " Hybridum, Finest Double 60
6 " " " Hybridum, Finest Double 60
6 " Emperor

ESCHSCHOLTZIA

(Commonly called California Poppy)

The state flower of California. An annual, very bright and rich in its pure tints of yellow and orange. The plants average about a foot in height, with silvery foliage, and produce their large, poppy-like flowers from early spring until frost. They are most effective when grown in beds of considerable size, over which the seed may be sown broadcast thinly and lightly raked in. These sowings may be made early in spring

or late in autumn for earlinext spring. Useful as a pop 59130 THORBURNI. Ition. The grand See Novelties; also on back cover of 59140 Californica. The R S9150 "alba. 59154 "Carm by 59160 "cana 59170 crocea. Pure deer 59180 "Double G 59190 " "Va 59194 Burbank's Crim 59198 "Crim 59198 "Crim 59198 "Crim 59198 "Crim 59198 "Crim 59198 "Formal See See Novelties; also on back cover of 59160 "cana 59170 crocea. Pure deer 59180 "Double G 59190 " "Va 59190 " " "Va 59194 Burbank's Crim 59198 "Crim 59198 "

GAILLARDIA GRANDIFLORA (see page 77)

or late in autumn for earlier germination, blooming the								
next spring. Useful as a pot-plant and for cut-flowers.								
59130 THORBURNI. New. Our own introduc-								
tion. The grandest of all Eschscholtzias.								
See Novelties; also color sketch from nature								
on back cover of this cataloguepkt.,	25							
59140 Californica. The so-called California Poppy								
Rich yellowoz., 3oc	5							
59150 " alba. Creamy white.oz., 35c	5							
59154 " Carmine King. Carmine-rose;	_							
beautiful	10							
59160 " canaliculata rosea	10							
59170 crocea. Pure deep orangeoz., 25c	5 5							
59180 " Double Orange oz., 30c	5							
59190 " White oz., 40c	5							
59194 Burbank's Crimson-flowering. Crimson	10							
59198 " Crimson and Gold. Beautiful								
variations in colors of orange,								
yellow, rose, and all inter-								
mediate shades to vermilion.	15							
59200 Golden West. A superb variety, with very	_							
large flowers of deep yellow; 2 ft. oz., 40c	5							
59204 Douglasii. Very pretty yellow variety from	_							
California	5							
59210 tenuifolia. Bright yellow; leaves dense and	5							
finely cut; I ft	3							
center; leaves grayish and beautifully cut	5							
59220 Mandarin. Red-gold flowers, orange within	3							
and scarlet withoutoz., 50c	10							
59230 Mixed	5							
J/230 Milacu	0							

FORGET-ME-NOT

(Myosotis)

These dainty, elegant little flowers are hardy perennials that love cool, moist soils, and, like pansies, bloom most freely in fall and early spring. They make beautiful, close borders, or edgings, thickly sprinkled with pretty flower-sprays, and will bloom nicely in winter in a cool room or coldframe. Once at home in a garden, they establish themselves by self-seeding. All the varieties are general favorites. Sow in spring in a warm, sunny border. Most varieties bloom freely the first season and profusely the second. Average height, 6 inches.

FORGET-ME-NOT, continued							
59440	Myosotis	alpestris.	A pretty trailer, with blue flowers.				
			oz., 60cpkt., 10				
59444	66	4.6	Indigo-Blue. Like the above, but				
			with indigo-blue flowers 15				
59450	44	46	rosea. Rosy flowers; a pretty				
			contrast for blue and white va-				
			rieties 10				
59460	"	"	alba. White; especially pretty				
			oz., 60c 10				
59470	"	"	elegantissima. Blue; leaves				
			white-edged; very attractive 10				
59480	44	44	nana cœrulea. Very dwarf, com-				
	44	"	pact; sky-blue				
59490	••	••	robusta grandiflora (Eliza Fon-				
			robert). Grown extensively for				
			cutting. Large sky-blue florets				
	44	"	with yellow eye, in large clusters 10				
59500	••	••	Victoria. Symmetrical and strong-				
			growing; dwarf habit; flowers				
			large, globular, sky-blue, abun-				
50540	44 -		dant; fine for pots and cutting 15				
59510			Mixed				
39320	Star of Lo	ve. A disti	nct, dwarf variety, with large, beau-				
50520		e flowers					
59530	Azorica.	Dark blue,	with white eye; I ft				
50540) المناماتات	Disame	Beautiful light blue; I ft 25				
39340	Caritanal	a. Dioonis	s very early; flowers blue. From				
50550	poluetrie	(True Form	et-me-not). Blooms the second year				
37330	abundar	tly all sage	on 10				
59560			yellow eye; likes dry soil; 1 to 2 ft 10				
37300	sylvatica.	Diuc, with	yellow cyc, likes dry soli, 1 to 21t 10				

FORGET-ME-NOT continued

FOXGLOVE


(Digitalis)

The tall flower-stems of the Foxgloves are particularly handsome when seen growing among shrubbery, or in bold masses anywhere. Used as a background for lower plants, they are also very fine. Often the spikes are 2 to 3 feet long and thickly strung with scores of showy, thimble-shaped flowers. Seed may be sown outdoors in spring and the seedlings transplanted where they are to grow, or, preferably, to a coldframe, where they make extra-strong plants, that will flower in magnificent spikes the next season. They are most satisfactory when treated as biennials, sowing the seed every year in rich, deep soil and partial shade. Average height, 2 to 3 feet.



FOXGLOVES

GAILLARDIA



DOUBLE HOLLYHOCK

GODETIA

Choice, free-blooming annuals, with widely opened flowers of satiny texture, and of the most delicate and lovely colors. They are beautiful for solid beds, border lines, for pots, and for growing in shaded places, where so few really fine flowers will flourish. Sow seed in the open border in spring, or in a coldframe, and transplant seedlings to stand about a foot apart in rather thin soil. Fine for cut-flowers. Average height, 1½ ft.

5011. 1	the for emiglowers. Average neight, 1/2 11.	
60450	Rosamond. Splendid, large, glossy	
	_ pink pkt., 5	
60460	Princess of Wales. Dark crimson 5	
60470	Lady Satin Rose. Bright carmine:	
	very effective 5	
60474	Fairy Queen. Large, white flowers,	
	with carmine spots 5	
60478	gloriosa. Darkest red; dwarf and com-	
	pact 5	
60480	grandiflora maculata. Great white	
	flowers, blotched with carmine 5	
60484	White Pearl. Beautiful glossy white	
	flowers 5	
60488	The Bride. White, with blush spots. 5	
60490	Duchess of Albany. Sating white 5	
60494	Lady Albemarle. Dark crimson 5	
60500	" compacta (Dwarf)	
	Dark crimson 5 Lindleyana. White and red 5	
60504	Lindleyana. White and red 5	
60510	Bijou. Of dwarf, bushy habit; lovely	
	blush color 5	
60514	Whitneyi. Compact, with superb,	
	rosy flowers, blotched with	
	crimson; elegant pot-	
	plant 5	
60520	Brilliant. Carmine; very	
(0520	showy 5	
60530	Mixed	
	Collection of Godetias, including	
	6 choice varieties 25	

DOUBLE HOLLYHOCK

(Althea rosea)

These stately, old-fashioned perennials are most striking when seen in groups or long rows against evergreen hedges, shrubbery, etc., and, in their turn, form a very fine background for plants of lower growth. Their color-variety is wonderful, ranging from pure white through almost every conceivable shade of yellow, red and rose to ashen gray and almost black. Although Hollyhocks are very permanent and hardy for the first winter, it is advisable to sow seed every year, as the flowers on young, vigorous plants are much finer than old ones. Sowings

should be made in April or May, and not later than June, to flower the next year. In final transplanting, give each seedling a foot or more space each way for development. Average height, 4 feet. Our seed is of magnificent, double varieties, grown from Chater's celebrated collection, which has revolutionized the popular estimation of the Hollyhock.

iar estimation of the frontyhock.	O:	z.	Pkt.
50900 Cherry	.\$1	00	\$0 10
50910 Canary-Yellow	. I	00	10
50920 Blood-Red	. I	00	10
50930 Sulphur-Yellow	. І	00	10
50940 Lilac	. І	00	. 10
50950 Dark Rose	. І	00	10
50960 Light Rose	. І	00	10
50970 Orange		25	10

				DOUBLE	HOL	LYHO	CK, co	ntinu	eđ .	659		Oz.	T	Pkt.
50980	Maroo	n												
														10
51000	Bright	t Scarle	t								, .	 I C	00	10
														10
51020	Mixed	Alleghe	eny Fringe	1								 I 2	25	10
51030			al Everbloo											
	fro	om seed				:						 I 5	;o	15
51040	Mixed	Double										 IC	00	10
51050) "	Single										 4	lo.	5
	Choice	e Collec	ctions, incl	uding—										
I2 va	rieties D	ouble I	łollyhocks	, Chater's	Superl							 		75
8		"	""	"								 		. 00
6	44	**	**	**,	**							 		. 40

IPOMOEA

(Moonflower. Morning-Glory. Cypress Vine)

Of all our climbers for garden and greenhouse, these are the quickest and most luxuriant in growth, carrying to great height a splendid curtain of leafage, studded, as summer heat comes on, with large, satiny blooms of lovely colors. Ipomœas grow so easily from annual sowings that it is no longer thought necessary to winter-over roots or young cutting plants under glass. The large, horny seeds of some varieties should be soaked in hot water before planting. For early flowers sow in hotbeds or pots and boxes under glass, and transplant to rich, deep soil in summer quarters as soon as danger of frost is over, when sowings may also be made in the open ground. Nothing finer for porches, trellises, etc.

*These are very hard-seeded, and, in order to hasten germination, a notch should be filed in the seed before planting.

ANNUAL VARIETIES. From early sowings, these begin to bloom in June and July, and are full of bea tiful flowers all the season, often blooming freely until cut down by frost.	u-
61500 coccinea. Scarlet flowers; 10 ft.	5 5
Imperial Japanese. See Japanese Morning-Glory, page 81. 61514 hederacea grandiflora superba. Rich sky-blue flowers with white margin; 15 ft	5
61520 " " fol. marmoratis, Mixed 61524 Nil. Flowers purple; 15 ft.	5
61524 Nil. Flowers purple; 15 ft	5
61530 limbata. Violet and white; 5 ft	5
61540 *Mexicana grandiflora alba. The great white Moonflower; 15 ft	10
61550 * " hybrida alba. Flowers very large and numerous; 15 ftoz., 75c	10
61560 *bona nox (Good Night, or Evening Glory). Opens large, white flowers in the evening; 15 ft 61564 Heavenly Blue. The very large clustered flowers of beautiful sky-blue open early in the morning.	5
Unusually distinct and handsome; 10 ft. Sow early	10
61570 Quamoclit (Cypress Vine; Star Flower). A tender annual, with finely cut leaves and small,	
star-shaped flowers. This, the type, is scarlet-flowered; 10 ftoz., 30c White	5
61580 " White	5
61500 "Mixed Cypress Vine Of 200	10
61600 "Mixed Cypress Vine	5
	-
Collection, including 12 varieties. Annual sorts.	5
	30
GREENHOUSE CLIMBERS. These handsome vines grow nicely in the open ground, but bloom almost too late to be very useful there, in all except warm climates. Grown in pots, tubs, or greenhouse beds, they flower grandly between October and spring.	
61640 Horsfalliæ. A superb West Indian species of vigorous growth. The rich, thick leafage is beau-	
tiful; the flowers a deep glossy rose-purple; 15 feet	25
61644 Learii. Very quick and strong in growth, sometimes succeeding admirably outdoors. The	
flowers are a beautiful violet-blue; 15 ft	
61650 rubro-cœrulea. Bright red; 8 ft	
61660 " alba. White; 8 ft	10
61670 setosa (Brazilian Morning-Glory). This vine makes an immense, thick growth of great lobed	
leaves, lighted by a profusion of large rosy flowers, with a satiny pink star in the center.	_
The red pubescent stems and seed-pods add to its attractiveness. 10 to 20 ft	5

KOCHIA (Summer Cypress)

LOBELIA


The Erinus valeties are charming little plants that bloom very quickly from seed and continue gay with flowers all through the season. For beds, edgings, baskets and pots, we have nothing prettier; their exceedingly clear, cheery colors and generous bloom make them welcome anywhere. Sow outdoors in early spring where the plants are to grow, and thin moderately; or transplant several inches apart in rich, open soil. Some stimulant given when they are in bloom greatly improves the flowers. Almost all are also good winter conservatory plants of trailing habit. The perennial, or tall varieties are handsome, showy plants, found quite effective for backgrounds and grouping.

ERINUS VARIETIES (tA)—	
62340 gracilis. Blue; trailing; beautiful for baskets	5
62344 speciosa. A favorite blue-flowered edging plant; 6 in	10
62350 alba. White flowers	5
62354 kermesina. Crimson	
62360 Lindleyana. Rose; white eye	10
62364 Paxtoniana. Blue and white	10
62370 Barnard's Perpetual. Deep blue, with white eye; very fine	
62374 Royal Purple. Deep blue, with a distinct white eye	10
62380 Mixed (gracilis)	5
62390 erecta, Crystal Palace compacta. Dark blue; for bedding; 6 in	20
62400 "Emperor William. Light blue; very fine	15
62410 "Golden Queen. Dwarf; blue flowers, yellow leaves; very fine sort	20
62420 "White Lady. Splendid large-flowered white	10
Collections, including 12 varieties Lobelia	60
" 6 " "	35
PERENNIAL, or TALL VARIETIES—	
62430 cardinalis (Cardinal Flower). Long spikes of richest cardinal-red	10
62440 " (fulgens), Queen Victoria. Brilliant scarlet, dark leaves; very striking and beautiful	
62444 ramosa. Blue; flowers profusely in fall; height I ft.	10

MARIGOLD

(Tageles)

These, like the Calendulas, are valuable because they light the garden with such a grand glitter of yellow far into the frosts of autumn. The dwarf varieties make a fine border for taller sorts, and both are



KOCHIA (see page 79)

effective when planted in groups or in garden borders. Hardy annuals. Average height, I ½ to 2 ft. All our own special strains, vastly different from the ordinary sorts commonly sold.

monly sold.	
62950 African, Orange. Rich orange coloroz., 40cpkt.,	5
62960 African, Eldorado. Large, quilled perfectly double; brilliant shades	
of yellowoz., 40c 62970 African, Pride of the Garden. Extra-large, double flowers of	5
richest yellow; dwarf and neat	01
62980 African, Delight of the Garden. Also dwarf and large-flowered; lemon-yellow; double	5
62990 African, Lemon Queen. Very	10
63000 African, Prince of Orange. Beautiful orange color oz., 40c	5
63010 African, Mixed Doubleoz., 40c.	5
63020 French, Tall Dark Brown. Yields an amazing number of charmingly conventional reddish brown-colored little blossoms; I	
ft oz., 40c	5
63030 French, Dwarf Striped. This and the next have flowers handsomely	
marked; 1½ ftoz., 40c	5

50

MARIGOLD, continued 63040 French, Dwarf Goldstriped. Rich and quaintly striped double flowers.oz., 40c...pkt., 63050 French, Dwarf Dark Brown. Beautiful reddish brown..oz., 40c.. 63060 French Dwarf Legion 63060 French Dwarf Legion
of Honor (Little
Brownie). Single
golden yellow blooms,
marked with velvety
redoz., 50c... 10
63070 French Tall Mixed, **Double** ...oz., 40c... 63080 French, Dwarf Mixed Double.. oz., 40c... Collections, including 12 vars. Double French . . 45
6 " " . . 25
6 " " African . . 25 African .. 25 See, also, Calendula, page 68 MIGNONETTE

(Reseda odorata. hA)

Seed of this popular annual can be sown at any time, and if successive sowings are made, its fragrant, modest colored flowers may be gathered outdoors until November. Scw in pots or boxes under glass in February or March, and thin or pot cff the seedlings to make good plants for bedding out in April. Sow outdoors in rows about April 1, and again regularly at intervals of about three weeks till August, a row cr two at a time for succession. The July sowing will make good winterflowering plants.

63440 Reseda odo-rata. Sweet . \$0 20 \$0 05 63450 Crimson Giant (ameliorata).

MARIGOLD Red-flowered 25 5 Oz.

63460 Golden Queen. Golden yellow \$0 45
63470 Crimson Queen (Paris Market). Crimson 75
63480 Machet, Dwarf. Deep red 50
63490 Golden Machet 80 \$0 05 10 10 63490 Golden Machet
63500 Bismarck. Improved Machet
75
63510 Gabrielle. Large red; 9 in.
63500 Goliath. Red; enormous spikes; striking
75
63530 Victoria. Compact; brilliant red; 6 in.
50
63540 Miles' Spiral. I ft.
35
63550 Giant Pyramidal. 1½ ft.
40
63560 Diamond. Pure white flowers; extra fine
50
63570 Allen's Defiance. Spikes of great length; very fragrant and fine for cutting; 1½ ft.
50
63580 Ruby. Very fine strain of the Machet, with coppery scarlet flowers
75
63590 Parson's' White. White and buff; 9 in.
40
Collection, including 12 varieties Mignonette 10 10 10 15 10 5 5 ıŏ τo 10

IMPERIAL JAPANESE MORNING-GLORY

The leaves are mostly plain green, but some are oddly blotched with white or yellow. Flowers vary from pure white to carmine, through blues and purples of every shade to almost black. Vines vigorous, growing rapidly to a height of 10 or 20 feet, and their foliage is spangled with hundreds of large and lovely flowers.

NASTURTIUM

A marvelous rate of new colors has been developed in this favorite flower, which for three or four months of the season makes a better display than almost any other plant. No other annual will produce such a lavish profusion of flowers for so long a time with the same small outlay of time and labor. The maximum of bloom is produced in thin soils, and never flags through the hottest weather. In soils too rich leaves predominate and the plants are apt to rot off in wet weather, especially if standing too close.

For Climbing varieties and the celebrated Lobb's, see next page

DWARF, or TOM THUMB NASTURTIUM

(Tropæolum nanum)

These have a neat, compact habit and attractive foliage, are not disturbed by insects, bloom in two months from sowing, and most profusely the whole season.

63900	atrococcineum. Brilliant Oz.	Pkt.		kt.
	scarlet; fine\$0 20	\$0 05		05
	Aurora (Terra-cotta). Fine 20		64080 Spotted 20	.5
63920	Beauty. Yellow and scarlet 20	5	64090 Vesuvius. Salmon-rose; beauti-	
63930	Chameleon. Mottled crimson,		ful 20	5
	bronze and yellow; very fine 20		64100 White, or Pearl 20	. 5
	cœruleo-roseum. Bluish rose 20		64110 Yellow 20	5
	Crimson	5	64120 Dark-leaved Sorts in finest mix-	J
63960	Crystal Palace Gem. Yellow		ture. ¼lb. 25c., ½lb. 40c., lb.	
	and carmine 20	5		=
63970	Empress of India. Deep crim-		75c 10	5
	son; fine dark foliage 20	5	64130 Ivy-leaved, Golden Butterfly.	
63980	Golden Cloth. Golden yellow		Bright golden orange, fringed	
	leaves; scarlet flowers 20	5	flowers; foliage deep green, dis-	10
63990	Golden Dream ($Reve\ d'Or$). Very		tinct ivy-like form 30	10
	bright yellow, with intense		64140 Ivy-leaved, Snow Queen. Same	
	green foliage 20		as above as to foliage, but with	
	Golden King. Golden yellow 20	5	almost pure white flowers 30	10
64010	King of Tom Thumbs. Scar-		64150 Ivy-leaved, Mixed. Fine 30	10
	let; fine color 20	5	64160 Variegated-leaved Queen of	
64020	King Theodore. Black, velvety;	_	Tom Thumbs. Brilliant	
	darkest of all 20	5	orange-scarlet flowers, beautiful	
64030	Lady Bird (Spotted King). Yel-	_	silver variegated leaves 50	10
	low and red 20	5	64170 Variegated-leaved Dwarf	
64040	Prince Henry. Light yellow,		Mixed. A splendid range of	
44050	marbled scarlet 20		colors of these new striking,	
	Rose	5	variegated-leaved sorts 40	10
64060	Ruby King. Ruby-red, dark-		64180 Mixed, All Sorts.	_
	leaved; fine 20		¼lb. 35c., ½lb. 6oc., lb. \$1 10	5
	Collections, including 12 varieties	Tom Thu	mb Nasturtium\$) 40
	8	"		. 30

TALL, or CLIMBING NASTURTIUM

Tropæolum majus

Besides their ordinary garden use for trailing over fences, trellises, stone walls, etc., these can also be grown as pot-plants for winter-flowering as screens, or as trailers for hanging baskets and vases.

(4250 Inmitted Clant flowered beau C.

64250 Jupiter. Giant-nowered; beau-)z.	Pkt.		U	z.	rkt.
tiful golden yellow\$0	15	\$0 05	64400	Rose \$0	15	\$0 05
64260 Chameleon. Various		5	64410	Scarlet	15	5
64270 Dark Crimson		5	64420	Scheuerianum, Spotted	15	5
64280 Edward Otto. Brownish lilac		5	64430	" coccineum.		
64290 Golden-leaved Scarlet		5		Scarlet - striped.	15	5
64300 hemisphericum. Orange		5	64440	Schillingi. Yellow, maroon-	_	
64310 Heinemanni. Chocolate		5		blotched	15	5
64320 King Theodore. Black		5	64450	Schulzi. Darkest leaved		5
64330 Midnight. Deep brownish red				Striped		5
flowers; foliage dark green		5		Sunlight. Rich golden yellow;		· ·
64340 Orange		5	01170	flowers nearly 3 inches across		5
64350 Pearl. Whitish	15	5	64490	Twilight. Salmon-rose, suffused		J
64360 Prince Henry. Light yellow, red			04400	scarlet		5
marbled		5	(4400			5
64370 Regelianum. Purplish violet		5		Yellow		3
64380 Moltke. Bluish rose	15	5	64500	Vesuvius. Salmon; dark-leaved.	15	5
64390 Moonlight. Immense creamy	,		64600	Fine Mixed		
yellow flowers	15	5		1/4lb. 25c., 1/2lb. 4oc., lb. 75c	10	5

	TALL, or CLIMBING NA	ASTURTIUM, continued
	Oz. Pkt.	64630 Variegated - leaved Mixed. Oz. Pkt.
64620	Ivy-leaved Mixed. Distinct ivy-shaped leaves\$0 30 \$0 10	Beautifully variegated foli- age; distinct and chaming\$0 40 \$0 10
		imbing Nasturtium
	" " 8 " "	" " 30
LOB	B'S AND OTHER CLIMBING N	NASTURTIUM
TROP	(Tropæolum Lobbianum, etc.) PÆOLUM LOBBIANUM. This class is rem	parkable for the in-
	ely brilliant colors of its flowers, which are a	
	e of other sorts. In moderately rich soil, t	hey climb high and
	m brilliantly. Average height, 6 feet.	
64690	Queen Wilhelmina. Queen of the Lobb's varieties. The foli-	
	age is veined and marbled white,	
	setting off the rich rosy scarlet	
	flowers to great advantage. A remarkably beautiful new ac-	
4500	quisitionoz., 40cpkt., 10	
54700	Asa Gray. Yellowish white 5	
64710	atropurpureum. Dark purple,	
64720	dark-leavedoz., 20c 5 fulgens (Brilliant). Bright scar-	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	let, dark-leavedoz., 20c 5	
54730	Roi des Noirs. Black-red, dark-leavedoz., 20c 5	
64740	Lucifer. Very dark scarlet, dark-	
64750	leavedoz., 20c 5 Crown Prince of Prussia. Blood-	A STATE OF THE STA
	red oz., 20c 5	
54760	Geant des Batailles. Sulphur and red	
64770	Primrose. Cream, with brown	
64780	spots	
	Spitfire. Brilliant scarlet.	
(1000	Very fineoz., 20c 5	
34000	Margaret (Princess Victoria Louise). Cream - white,	
	deep scarlet-spotted oz., 20c 5	
64810	Lilly Schmidt (Victoria)	
(4820	Scarlet 5 Chaixianum. Yellow, spot-	
71020	ted redoz., 20c. 5	
64830	Golden Queen. Fine yel-	
4840	low	AND THE REAL PROPERTY.
	Ivy-leaved, Scarlet. Dark	
	green, ivy-like leaves and beautiful, deep scarlet	
	flowers	
4860	Ivy-leaved Mixed. Splendidoz., 30c 10	
64870	Fimbriatum Mixed, Fring-	7
4880	ed sorts mixed oz.,40c 10 Finest Mixture . oz., 20c 5	
4890	Madame Gunther Hy-	
	brids. A French strain	
	noted for wide range of colorsoz., 25c 5	WRIGHT 1908 BY
	Collections, including 12	THORBURN & CO.
	varieties of Tropæolum Lobbianum\$0 50	
	Collections, including 6	
	varieties of Tropæolum	1,1,1,
	Lobbianum 30	THORBURN'S MIXED NASTURTIUMS

PANSY (Viola tricolor. Heart's-ease. hA)
Our strains have never been excelled

our drawns have note. Octor caecate	
The Pansy is a plant that we all delight to grow in plentiful supply for flowers all the year	r For very
early outdoor bedding, the seed is sown from August to October in a coldframe, or in rich, m	
beds, from which the plants can be transferred to a coldframe, setting them 2 to 3 inches apar	rt oo ob wox
before severe winter weather begins. In spring, three-fourths of them can be lifted out for bedd	in a and the
rest left to bloom in the frame. For winter blooming in a frame, set the plants about twice a	
and thin out half of them in the spring. Cover the blooming plants with sashes, adding a covering	g of matting
or straw in very cold weather. In mild weather, remove the mats and tilt the sashes to admit	light, heat
and fresh air. In outdoor beds, raised a few inches above the ground, with a mulch of dry leave	
brush to hold them in place, Pansies will often winter nicely and bloom until midsummer, w	
of young, vigorous plants should be ready to replace them. Spring sowings should be made ea	rly so as to
secure good flowers during the early rains. Seed sown in a cool, moist place in June and Jul	y, and wel
tended, will give good flowering plants for fall. If they come into bloom in the heat of the si	ummer, the
flowers may be small at first, but as the weather becomes cooler, they will increase in size a	
Through summer heat the flowers are finer in a somewhat shaded place, but in almost any situ	
Pansy seed will give fine flowers in spring and fall. Early fall sowings give the finest flowers.	
	Ü
	oz. Pkt.
65550 Thorburn Superb. The richest and most choicely varied mixture possible. It pro-	#
duces only the finest colors, largest flowers and most beautiful forms\$5	00 \$0 25
65560 Bugnot Superb Blotched. An exceedingly large, three-blotched strain, with upper	
petals finely lined; great diversity of finest colors	00 25
65570 Cassier, Finest Mixed. Flowers of grand size, beautifully spotted 4	. 00 25
65580 Masterpiece. Curled, wavy petals, splendid colors; distinct	00 15
65590 Madame Perret. A splendid giant-flowered strain, comprising all shades of red from	
light rose to dark purple, some of them finely striped	50 15
65600 Giant Orchid-flowered Mixed. A splendid and quite distinct race showing remark-	
able combinations of all colors, including shades of chamois, terra-cotta, pink,	
orange, etc	50 25
65610 Parisienne Mixed. Handsome, large-flowering strain	00 15
65620 Fine Large English. All colors mixed	25 10
65630 Mixed. Ordinary strain	75 5
65640 Azure-Blue. Very fine color	25 10
65650 Black-Blue. Dark velvety	25 10
65660 Black (Faust; King of the Blacks). Almost coal-black	25 10
65670 Bronze. Golden bronze I	50 10
65680 Cardinal. Brilliant red; very fine	50 10
65690 Coquette be Poissy. Distinct mauve, shading to white on the petals	00 10
65700 Dark Purple 1	25 10
65710 " " Silver-edged. Margins pure white	25 10
65720 Emperor William. Splendid; ultramarine-blue; very showy	25 10
65730 Fairy Queen. Light blue, with white border	00 10
65740 Fawn Color (Prince Bismarck). Quaint and pretty	25 10
65750 Fire King. Golden yellow, upper petals purple	25 10
65760 Gold-margined. Splendid bright color	
65770 Golden Queen. Pure yellow	50 10
65780 Light Blue. Lovely sky-blue	25 10
65790 Lord Beaconsfield. Deep purple-violet, shading to light blue	25 10
65800 Meteor. Bright vellow and brown; attractively blotched and margined	25 10
65810 Odier. Extra large; blotched; rich colors. Show Pansies	
65820 "Blotched on white background 4	
65830 "Blotched on red background	
65840 "Blotched on yellow background	
65850 Peacock. Large, peacock-blue flowers, edged with white	25 10
65860 President Carnot. Pure white petals, each with a deep blotch	00 15
65870 Rainbow, or Pheasant's Eye (Quadricolor). Very fine strain	25 10
65880 Red Riding Hood. Brilliant shades of red	25 10
65890 Ruby. Splendid strain; richest red shades	00 15
65900 Snow Queen (candidissima). Pure sating white	50 10
65910 Tiger. Curiously striped and mottled	25 10
65920 Victoria A fine deep solid wine-red	25 10
65930 White, with Black Center. Very showy	25 10
65940 Yellow, with Black Center, Splendid	50 10
65950 Vallow Com Pure vellow without eve	50 10
65960 Tufted Pansies. A splendid strain; small, but very fragrant flowers	50 25
TRIMARDEAU GIANT. This strain has remarkably large flowers, carried well above their	leaves,
and generally marked with large blotches; the plants are extra vigorous and compact.	
65964 Giant White	20
65970 "Pure Yellow (Golden Queen)	20
65976 "Bridesmaid. Most beautiful rosy white ground, with dark center blotches	20
65082 " Buby King Dichoet shades of red scarlet orange-scarlet and wine-red	20



THORBURN'S SUPERB PANSIES

I, M. THORBURN & CO., 33 BARCLAY ST., NEW YORK

		PANSY, continued			
65981		Lord Beaconsfield. Lavender and purplepkt.,	20		
659,00	44.0	Striped	20		
65994	4.6	Azure-Blue.	15		
66000	4.4	Black-Blue.			
66004	66				
66008	4.6	Indigo-Blue. Very rich color	15		
66010	4.6	auriculæflora. Beautiful shades	15		
66014	- 66	White, with Dark Eye	15		
66020	66	Mixed	10		
Choice Collections of Pansies or Heart's-ease—					
24 var	ieties	\$1 25 8 varieties	60		
18	4.6	I 00 6 "	50		
12	44	75			

PETUNIA HYBRIDA

(hhA)

Once fairly started, the Petunias grow almost as easily as weeds and furnish a glorious succession of bloom from early summer until frost. The large-flowered strains are very beautiful and of almost endless variety. Seed of the Double and Giant-flowered Petunias is made expensive by the great amount of



SINGLE PETUNIA

labor involved in hand-fertilization, and it is well to handle seed and tiny seedlings with some care. Sow in hotbed, coldframe, or in boxes of fine soil in the sunny windows of a warm room in April or May, and transplant about I foot apart in garden beds. Seed of the double varieties has not so much vitality as that of single sorts and needs a little more care in watering to be sure of germination. We have no better plants than the Petunias for beds and masses, borders, window-boxes, baskets and vases. They will grow in almost any soil and bloom profusely through long droughts. The newer varieties are of brilliant colors. The highest priced sorts produce the finest and hand-somest flowers, and those we offer are from the most carefully selected strains, saved at great expense. Apparently similar sorts offered at lower prices are not to be compared with those we offer.

SINGLE LARGE-FLOWERED. These have flowers 4 or more inches across. Our strains are superb, and the collections offered contain only the finest varieties. Average height, 1½ ft.

66320 White. Clear paper-white flowers of unusual size.....pkt., 25
66324 intus aurea. Large, yellow-throated, crimson flowers 25

66328 Crimson Giant "Midnight." Great flowers of deepest crimson	
66330 Purple King. Royal in color and size.	2
66334 Rose. A charming shade	2
66340 Rainbow. Of richest colors, with yellow penciled throats	59
66350 superbissima. Grand flowers of various colors, with richly tigered throats	51
66360 Thorburn Superb Giant. A strain of surpassing beauty, with flowers extremely large and deep-	
throated; some of them are exquisitely penciled and elegantly fringed	2
66370 Emperor, grandiflora Mixed. Very large, wide-open blossoms, with distinct colorings and mark-	
ings. Some of the crimson blossoms have pink stars, some have pure white stars, and others	
are distinctly striped. Other colors are mauve mottled white, violet and pure white	2
66380 Superb Single Mixed. Offers a grand variety of colors	2
66390 Good Mixed.	I
FRINGED LARGE-FLOWERING. These have deeply cut and fluted margins—	
66394 White, "Snow Storm." Finest white in this section	?
66400 Crimson. A very rich color	2
66410 Titania. Beautiful velvety purple flowers with broad white margins	2,
66420 Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed	51
66440 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most	

beautiful colors. Very valuable 50
66450 Ferfection Mixed. Choicest fringed sorts 25

CATALOGUE OF HIGH-CLASS SEEDS

DOWNER HANDEDA
DOUBLE LARGE-FLOWERING. Our seed will produce flowers large, fragrant, elegantly beautiful either for house, garden, or conservatory. The Double Petunias are great favorites tor pot culture in ordinary windows. Only a small proportion of the double strains bear double flowers. The reason of this is the fact that the seed must be selected from single flowers, the double ones not producing seed. The single flowers must be pollinated with pollen from double ones. Cuttings may be made from double-flowered plants and inserted in light, sandy loam for rooting, thus increasing the percentage of double-flowering plants. 66470 Double Mixed Large-flowering. (250 seeds in pkt.) pkt., 50 followers fringed Mixed Perfection. Flowers large and much beruffled. 75 followers in the Lake. Exquisite flowers of finest size and purest white 75 followers in the Lake. Exquisite flowers of finest size and purest white 75 followers in the Lake and pure white; extremely double; extra-large flowers 75 followers in the Crimson. Gorgeous colors; extra-large flowers 75 followers of Ellesmere. Dark rose, with fine white throat 0z., 50c. 10 followers of Ellesmere. Dark rose, with fine white throat 0z., 50c. 10 followers of Ellesmere. Dark rose, with fine white throat 0z., 50c. 10 followers flowers in the Electronic flowers of star-shaped flowers; 5 to 8 in. 10 followers flowers of Ellesmere. Dark rose, with masses of star-shaped flowers; 5 to 8 in. 10 followers flowers
varieties. 12 varieties Single Large-flowering \$1 25 6 " " 12 " Double Fringed 1 25 6 " " 12 " Large-flowering 1 50 6 " "
PHLOX DRUMMONDII
The annual Phloxes are dazzling in effect, particularly so when sown in masses or ribbon beds of contrasting colors. Few flowers are so easy to grow from seed, so pretty, and compact in habit, so quick to bloom, or give such a brilliant disolay of color for so little cost and care. There are few desirable colors beyond their range, and, if given good soil and plenty of water, they furnish a long supply of delicate flowers for cutting. For pot culture, as trailers, and as an undergrowth for tall, bare-stemmed plants they are also valuable. The first sowings should be made as soon as the frost is out of the ground in spring, later ones in May, either where the plants are to bloom, or in a seed-bed, as the Phlox transplants readily. In transplanting, set the taller kinds about a foot apart; if planted too thickly, they suffer from mildew. Cutting away the flowers and seed-pods makes the plants more bushy and compact, and lengthens their blooming time. Average height, 1 ft. GRANDIFLORA. This section has beautiful, round-petaled flowers, larger than in the older sorts; showy and constant. Our strain is far superior to that ordinarily sold. 66750 alba. Pure white
66784 Isabellina. Yellow



PINKS

PHLOX DRUMMONDII, continued
DWARF VARIETIES. Plants of this
charming section grow only 6 or 8
inches high, and form dense masses
of bloom all summer. They are es-
pecially useful for beds, edgings, pots,
etc.
66860 Surprise. Brilliant vermilion,
with pure white star center;
splendid for groups and edg-
ingspkt., 15 66870 Snowball. Pure white; fine for
pots 10
66880 Fireball. Bright flame-red. Fine
for pots 10
66890 hortensiæflora. Rose 10
66900 Chamois-Rose. Very fine 10
66910 grandiflora nana compacta.
66920 Fancy Mixed oz., \$1.50. 10 STAR PHLOX—
~
66930 cuspidata (Star of Quedlinburg).
• Star-shaped; many colors
.oz., \$1 10
Collection, including—
12 varieties Phlox Drummondii 60

PERENNIAL PHLOX

These hardy sorts make large bushes about 3 feet high and bear large heads of finely colored flowers. 67000 decussata, Mixedpkt., 10

67010 Large-flowered Hybrids, Mixed

PINKS (Dianthus)

In this large and greatly varied genus are some of our most beautiful and bestloved flowers, unsurpassed for color and

fragrance. They are hardy biennials that bloom finely the first season, remaining green all winter and blooming the next year also, if lightly protected. Old plants flower the earliest, but as young ones give the largest, finest flowers, sowings are made every year. Seed can be sown under glass in the spring, or in an open, sheltered bed. The seedlings are easily transplanted and should stand 8 to 12 inches apart; dwarf ones about 6 inches. If especially large, brilliant flowers are desired, a bed of well-mixed, turfy loam, leaf-mold and well-decayed manure should be prepared for them. Average height, I ft.

CHINENSIS (China, or Indian Pinks). The flowers of all are double and showy.
67200 Double White China Pink
67210 "Mixed China Pink. All best colors
67220 "Very Dwarf Mixed (Narcisse)
HEDDEWIGII (Japan Pinks). Unsually large and brilliant; often oddly edged, striped and ringed.
67230 Single Mixed
67240 "Queen of Holland. Splendid pure white Japan Pink
67250 "Eastern Queen. Rose-colored flowers, 2 to 4 inches across; finely striped and stained. 10
67260 "Crimson Belle. Flowers large and handsome; dark red
67270 "The Bride (Little Gem). White, with purple center
67280 Double Mixed
67290 "Mourning Pink." Very large, double flowers, of blackish crimson, fringed white 5
67300 "Fireball." Brilliant scarlet; very compact and floriferous
67310 diadematus (Diadem Pink). Magnificent in color and variety
67320 laciniatus, Salmon Queen. Beautiful rosy salmon; single
67330 "Oriental Beauty. Petals wide, crinkled, richly marked with pink, white, etc 10
67340 "mirabilis fl. pl., Mixed. A Japanese race, quite distinct narrow foliage. Flowers
deeply laciniated; fine for cutting
67350 "Single Mixed. Fringed flowers of all colors
67360 " Double Mixed
IMPERIALIS FL. PL. (Double Imperial Pink). Robust, bushy grower, with large, double flowers.
67370 Double Mixed
67380 " Dark Red. A deep rich color
67390 " Dwarf White. Great snowy flowers; 9 in
67400 " Dwarf Mixed

PINKS, continued	
PLUMARIUS (Sweet May Pinks). These are fine, fragrant perennials of old-time gard still reckoned among the most beautiful for massing and cutting. 67410 Pheasant's Eye. Pretty fringed flowers	l
among the most beautiful for massing and cutting.	
67410 Pheasant's Eye. Pretty fringed flowerspkt., 5	;
67420 Scoticus (Double Scotch Pink). A series of exquisite colors; ours is the finest strain 50)
67430 semperflorens (Perpetual Pink). Double, semi-double and single; of various colors	,
67440 Single Pink, Mixed	
67450 Double Dwarf Erfurt Mixed. Extra fine	;
67460 " and Semi-Double Grass Pinks. Pretty flowers of delicate colors	;
67470 Hybrid Dianthus. A cross between Sweet William and China Pink; very hardy. Beautifully	
colored and marked, and very fragrant	;
Collections of Pinks, including—	
12 varieties Fine China)
8 " " ")
12 varieties Fine China 50 8 """ 40 6 """ 30)
DODDY (D)	
POPPY (Papaver)	

Before tulips are fairly gone, our gardens begin to be gay with Poppies. Few flowers have the same grace of stem, airiness of poise and delicacy of tissue. For beds and borders with a background of green, there is nothing finer; some sorts are admirable for naturalizing in open wooded grounds; others, like the Shirley, are beautiful for cutting. A sandy learn suits Poppies best, and, as their strong tap-roots are difficult to transplant, it is well to sow seed where the plants are to bloom. Sowings made in fall and at intervals in spring, will provide a long succession of flowers. Sow thinly, covering very lightly, as the seed is quite small, and thin the plants to stand about a foot apart. The best plants are those grown from early sowings while the earth is cool and moist.

oz., 50c...pkt.,
Santa Rosa
Strain. Surpasses all
others in the size and
beauty of its crimped
petals. Wonderful new
shades of blue, lavender,
and salmon oz. St

a favorite for cutting.

and salmon . . . oz., \$1.. 15
67860 glaucum (Tulip Poppy).
Striking tulip - shaped
flowers of intensely brilliant scarlet; dwarf.... 5

67870 pavonium (Peacock Poppy)

Intense scarlet, with broad bands of purplish black

67874 umbrosum. Rich crimson, spotted with black..... 67880 lævigatum. Scarlet, with

white marks at petal bases very showy 10
67890 Danebrog. Large, single scarlet, with white cross at base of petals 5

at base of petals......
67900 Mixed Single. All colors
oz., 20c...



POPPY

	10111, AMICAL VARIETIES, COMMINGE
67910 L	oz., 25cpkt., 5
67920	Scarlet
67930 "	zizizizido ziange, winte nowers, attractively riniged with rose 25c
0/740	Cardinal. The immense, scarlet flowers last unusually well. 5
0/730	American Flag. White, bordered with scarlet
. 1700	Carnation-flowered, Mixed. Very double, fringed; colors dazzlingoz., 20c 5
0/9/0	Pæony-flowered Dwarf Fireball. Deep scarlet; very large-flowering
6/980	"Snowball. Pure white; very large-flowering 5
67990 " 68000 "	Mixed. Large, nandsome nowers of many colorsoz., 20c 5
00000	Ranunculus-flowered, Mixed. Flowers small, finely formed, double "20c 5 -flowered, Single White. (Used for opium.) In olden times it was believed to possess
	gical powers, and, with cypress-boughs, hemlock-root and yew, formed part of the witches'
	ular stock-in-trade
	ions of Poppies, including—
12 varieties De	buble Carnation-flowered\$0 40 6 varieties Double Dwarf Pæony-flowered\$0 25
12 varieties D	"Peony-flowered 40 6 "Ranunculus-flowered
	tanancal no meter 123
	PORTULACA
701 t 1	
	ming little annual is unrivaled for brilliancy among plants of low growth, and has the happy
	ishing under almost all conditions, though hot sun and a light, sandy soil suit it best. Nothing
	peds, edgings, rockwork, and for filling up irregular spaces or unexpected gaps in the flower-
	dergrowth for taller plants, it is also valuable. Through the driest, hottest seasons it flourishes peting the ground with a mat of succulent foliage that in the forenoon is hidden by gayest
	seed does not germinate until hot weather, and should be sown late. Beyond the sowing,
	ires little care. It can be transplanted in full flower. Average height, 6 inches.
	RIETIES. Each strong plant will cover a space about 2 feet in diameter.
68140 splend	ens. Crimsonpkt., 5 68160 aurea. Deep golden yellowpkt., 5 68164 Thorburni. Beautiful bright yellow 5
68144 Carnat	ion-striped Rose
68150 Thellu	sonii. Scarlet
68154 albinor	a. Pure white
	RIETIES. The flowers are so full and perfect as to resemble tiny roses; toward the close
	son they will increase in size and beauty. As the full double flowers do not produce seed,
it must b	e saved from the semi-double flowers growing with the full doubles. The product of that
seed will	produce many single flowers. As these bloom earlier, they can be pulled out like weeds.
When the	full doubles appear, cuttings can be made from them and the bed extended indefinitely
sold.	full double flowers. Our strains must not be confused with the ordinary cheap seed usually
	Post of the state
	Rose-stripedpkt., 20 68230 Double Rosepkt., 20
68204 " 68210 "	Scarlet 20 68234 " Golden 20 Yellow 20 68240 " Red-Striped 20
68214 "	Striped 20 68250 " White
68218 "	Bright Red
68220 "	Salmon 20 68260 " Mixed
	ions, including—
	rulaca. Single

RICINUS

(Castor-Oil Plant)

Picturesquely showy and imposing, the Ricinus gives to the garden magnificent semi-tropical effects. Grown as a specimen, it makes a perfect pyramid of gigantic leaves; a dozen plants in a large bed show a glorious mound of glistening colors and may be admired from a long distance; planted thickly, it soon forms a handsome screen or hedge; the lower-growing, dark-leaved sorts are beautiful for dotting here and there among cannas, scarlet pelargoniums, etc. Tall varieties grow from 8 to 10 feet high, with leaves several feet across and beautifully lobed. Half-hardy annuals.

69160	Borboniensis. Violetoz., 20cpkt., 5	69230 Philippinensis. Immense leaves	
69170	Africanus. Bright colors; 8 ft 5	6 ft	5
69180	Gibsoni. Violet-bronze; 5 ft 5	69240 Philippinensis purpureus. Lovely rich	
69190	macrophyllus. Dark purple; 6 ft 5	purple	
	Cambodgensis. Glistening red-maroon;	69250 sanguineus. Red stems and seeds; 6 ft	5
	stems black; 5 ftoz., 25c 5	69260 Zanzibariensis. Finest mixture; 8 to 10	
	hybridus Panormitanus. Cross be-	ftoz., 25c 5	5
	tween Cambodgensis and Zanzibar-	69270 Mixed. Fine sorts	5
	iensis. Huge dark brown leaves, blue-	Collections, including—	
	powdered stem. Upright habit 10	12 varieties Ricinus, choicest sorts 45	5
69220	purpureus. Purple 5	6 " " " " 25	
0,220	parpareas raipicititititititi j		

SALVIA (Flowering Sage)

The Salvia splendens is a standard bedding plant that keeps the garden bright with color until late in autumn. For pot culture, for cutting and for borders, etc., it is very valuable. In this climate, sow seed in window-boxes or frames, in March or April, and set the plants outdoors the latter part of May; or sow outdoors not before June 1, and protect from heavy rains and strong winds. The plants grow and bloom profusely in any light, rich soil. Both the tender and hardy perennial sorts bloom the first year, and all are treated as annuals.

69680 argentea (hP). Silvery-leaved; flowers white; blooms in spring; 3 ftpkt., 5			
69684 farinacea (hA). Light blue flowers in great abundance; forms a neat bush. 3 ft			
69690 patens. A handsome tender perennial, with erect spikes of rich blue flowers in summer 25			
69700 Remeriana (hA). Crimson-flowered; very dwarf and of neat habit			
SPLENDENS. These are the well-known bedders, single plants of which carry hundreds of long, flaming flower-spikes open at one time, keeping up the display until frost			
69710 splendens grandiflora, Scarlet. A rich-flowered bedder; 3 ft			
69720 "Salmon-Rose. A handsome variety of very compact growth and erect habit. The			
flower-spikes are often 1 foot high, the plant itself growing 2 feet high and 2 feet			
in diameter. The color is a soft salmon-rose and the foliage dark green 25			
69724 "Bonfire. Our well-known compact Salvia—the freest blooming of all, seemingly			
on fire all the time with dense, flaming scarlet spikes; $2\frac{1}{2}$ ft			
Dark Scarlet Douquet. Dwarfer than Donnie, with large, dark scarlet nowers.			
Very long spikes standing well above the foliage			
69734 "Scarlet Dragon. Intense scarlet; long spikes of very large flowers			
69740 "Golden Blotched Foliage. Leaves bright green, blotched light golden. Extremely			
floriferous; erect growth, about 20 inches high by same diameter. Splendid 25			
69750 "Silverspot. Rich green leaves elegantly spotted with yellow. The intense bright			
scarlet flowers are large and lavishly borne; neat and compact; $2\frac{1}{2}$ ft			
69754 "Ball of Fire. Very dwarf and compact variety, especially suitable for pot culture.			
The plants are about 2 feet high to the top of the flower-spikes and about the			
same in diameterpkt., 25			
69760 splendens Lord Fauntlerov Only 18			

69760 splendens, Lord Fauntleroy. Only 18 inches high; very compact, with flower-spikes standing clear above the foliage. Fine for bedding in masses or for borders around beds of taller plants; also fine for pots. The earliest flowering of all.

SNAPDRAGON


(Antirrhinum)

The Snapdragon is one of our finest perennials, flowering the first year as annuals. Its bright-colored, curiously formed flowers always excite interest, and among the newer sorts are flowers of a great variety of colors and markings. Their rich spikes are beautiful for cutting, and keep fresh a long time. From seed sown in the open ground, plants will bloom in July and August. For early flowers, sow under glass in February or March, and transplant into beds of warm, dry soil moderately enriched. The Snapdragon, like most perennials and biennials which bloom the first year, is treated as an annual and sown every year. Average height,

TALL VARIETIES— 51590 Atrococcineum. Dark scarlet pkt., 5 51592 Coral Red. Light scarlet; white throat. 5 51600 Fairy Queen. Golden orange; white throat 5 51610 Romeo. Violet-rose, with pale lip 5 TALL LARGE-FLOWERING VARIETIES— 51614 Delilah. White and carmine pkt., 10 51620 Galathee. Crimson and white 10 51624 Striped. Odd and pretty 10 51634 White. Beautiful for cutting 10	I½ feet.	
51592 Coral Red. Light scarlet; white throat. 51600 Fairy Queen. Golden orange; white throat	TALL VARIETIES—	
51600 Fairy Queen. Golden orange; white throat	51590 Atrococcineum. Dark scarlet pkt.,	- 5
throat	51592 Coral Red. Light scarlet; white throat.	5
51610 Romeo. Violet-rose, with pale lip 5 TALL LARGE-FLOWERING VARIETIES— 51614 Delilah. White and carmine pkt., 10 51620 Galathee. Crimson and white 10 51624 Striped. Odd and pretty 10 51630 Firefly. Scarlet and white	51600 Fairy Queen. Golden orange; white	
TALL LARGE-FLOWERING VARIETIES— 51614 Delilah. White and carminepkt., 10 51620 Galathee. Crimson and white 10 51624 Striped. Odd and pretty 10 51630 Firefly. Scarlet and white 10		
51614 Delilah. White and carminepkt., 10 51620 Galathee. Crimson and white 10 51624 Striped. Odd and pretty 10 51630 Firefly. Scarlet and white 10	51610 Romeo. Violet-rose, with pale lip	5
51620 Galathee. Crimson and white	TALL LARGE-FLOWERING VARIETIES—	
51624 Striped. Odd and pretty 10 51630 Firefly, Scarlet and white 10	51614 Delilah. White and carmine pkt.,	10
51630 Firefly. Scarlet and white	51620 Galathee. Crimson and white	10
51630 Firefly. Scarlet and white	51624 Striped. Odd and pretty	10
51634 White. Beautiful for cutting 10	51630 Firefly. Scarlet and white	10
	51634 White. Beautiful for cutting	10



SNAPDRAGON



STOCKS

SNAPDRAGON, TALL VARIETIES, continued
51638 Kermesinum splendenspkt., 10
51640 Yellow. A pure soft color 10
51644 Queen Victoria. Pure white; superb 10
51650 Large-flowered Mixed. Fine 5
DWARF VARIETIES. Plants of this section make
elegant bedders, as they bloom extra profusely
and are about only 6 inches high.
51680 Black Prince. Nearly black pkt., 10
51684 Pink Empress. Beautiful dark rose 10
51690 Picturatum (Blotched) 5
51694 Golden Queen, grandiflora. Yellow. 10
51700 Queen of the North. Pure white; small-
leaved 5
51710 Fine Dwarf Mixedoz., 50c 5
51720 Tom Thumb Mixed. Very dwarf strain.
oz., 75c 10
Collections, including—
12 varieties Snapdragon, Finest Tall 50
6 " " " 30
~~~

### STOCKS

(Mathiola)

From the general make-up of the great Stock family, no desirable quality seems to have been omitted. The plants have good habit, fine leaves, beautiful and fragrant flowers in all refined colors, a long season of lavish bloom, vigor and adaptability to many conditions of culture. Such plants naturally have many uses; we find them unsurpassed for bedding, edgings, pot culture, house or conservatory decoration, and for cutting. For bouquets and floral work, the double white sorts are especially useful. To secure fine early flowers, sow under glass in March or April, transplanting the seedlings when an inch high into other pots or boxes, or into fine soil spread over some discarded hotbed. In showery

May weather, transfer to garden beds of deep, rich soil, setting the plants about a foot apart. Transplanting several times in the early stages of growth tends to give them a more dwarf and compact habit. For later flowers, sowings may be made in the open ground in May. If plants that begin to bloom late are carefully lifted and potted in fall, they will flower finely all winter in a house that is tolerably cool and moist. The blossoms are very lasting. Average height, I to  $1\frac{1}{2}$  feet.

GERMAN TEN WEEKS. These are the favorite half-hardy annuals, all the more prominent qualities of which have been given above. Our seeds are saved from the choicest double varieties.

70760 Dwarf Snowflake Forcing. Flowers 70890 Dwarf Large-flowering Shining Pur-

pure white, unusually large and	
Jacobias and and all and all all all all all all all all all al	_
double; extremely earlypkt., 2	5
70770 Large-flowering Perpetual "Empress	
Augusta Victoria." Delicate silvery	
lilac flowers of great substance, borne	
on long stems. Plants of true pyramidal	
growth attaining a height of 24 inches 2	5
70780 Dresden Perpetual, White. Robust,	
branching; flowers large, pure white, in	
fine rosette shape2	ร์
70790 Dresden Improved Snow-White Giant	
"Excelsior." One enormous spike,	
double, very large-flowered 23	5
70800 Dresden Perpetual Mixed 2	
70810 "Cut-and-Come-Again." The well-	,
known profuse and perpetual-blooming	
double white variety	)
Dwarf Large-flowering. Long, splendid	
spikes; large, double.	
70830 — — White	)
70834 — — Bright Red	
70840 — Canary-Yellow	
70844 — — Crimson	
70850 ——Blood-Red. Very rich 10	
70854 — — Carmine	
70860 ——Rose. Very dainty	
70864 — Light Blue. Exquisite	
70870 — Dark Blue. Beautiful	
70880 ——Violet	
Tiolet	•

saved i	for the choicest double varieties.	
70890	Dwarf Large-flowering Shining Pur-	
	ple-Carminepkt.,	10
70894	———Chamois	10
70900	— Flesh Color, "Souvenir de Nice"	10
70904	— — Violet, "Souvenir de Nice"	10
70910	— —Yellow, "Souvenir de Nice"	10
	— — Mixed	10
	Giant Perfection. Tall, handsome;	
	spikes large, flowers rose-like.	
70930	— White. 1½ to 2 ft	25
70940	—— <b>Mixed</b> oz., \$3	10
70950	Giant Tree. Double large-flowering,	
	finest mixed	25
70960	Good Mixed Stockoz., 75c	5
	Wallflower-leaved. The popular cut-	
	flower variety, with flowers of clearest	
	possible colors, and dark glossy leaves.	
70970	——White	10
70980	——Crimson	10
70990	——Mixedoz., \$3	10
71000	Dwarf German Bouquet Mixed. Flow-	
	er-spikes thickly massed above the	
		10
	Emperor, Large-flowering. Sow in	
	spring for autumn and winter flowers;	
	sow in midsummer for abundant spring	
	bloom.	
71010	——White	25

AUTUMNAL and LATE-FLOWERING SORTS. From seed sown in spring and sheep hardy biennials begin to bloom in fall, and will keep up the display all winter and late into spatial transferred to cool, airy quarters in house or greenhouse. Usually the plants are wintered over an a frame for a grand spring inflorescence. Their flowers have not so many colors as the Ten Weeks, but are larger and carried on longer, bolder spikes. Nos. 71130 to 71150, if started in frames or boxes in early spring, will make a brilliant show in late summer and autumn.  71100 Intermediate, Crimson pkt., 25 71110 "White 25 71120 "Mixed 25 71130 Winter, Crimson 25 71160 "Queen Alexandra of Nice. Pink 25 71140 "White 25 71170 "Mixed 25
Choice Collections of Stocks
Containing Only the Finest Varieties
GERMAN TEN WEEKS         24 varieties Dwarf Large-flowering       \$1 00         18 """       75         6 """       40         12 ""       Wallflower-leaved, Large-flowered       40         6 ""       ALTHANNAL WINTER ETC
6 " Yyramidal, Dwart Large-flowering 65 8 varieties Intermediate German\$0 60
6 " " 60 6 " East Lothian Autumn 60 12 " Dwarf Bouquet 60 12 " Fine Winter 80 6 " " 50
SUNFLOWER
Very stately decorative plants with great masses of yellow flowers. A few plants of the tall sorts can be placed here and there throughout the grounds with telling effect; it is the gardener's art to know how to locate them. Their golden yellow discs are like sunbursts among the shrubbery, and for backgrounds and screens nothing could be finer. Their long stems and wonderful lasting qualities also make them valuable as cut-flowers. Like the eucalyptus, they are said to be good for absorbing the miasma of low grounds. Plant the seed in the open garden in spring and thin the plants to stand 3 to 4 feet apart. The height of the different varieties varies greatly; all those below are hardy annuals. Nos. 71580 to 71610 are fine for cut-flowers.  71540 argyrophyllus (Texas Silver Queen). Has handsome silvery foliage and a profusion of Oz. Pkt. small, elegant, single flowers; 4 ft. \$0.25 \$0.05 \$1550 Henry Wilde. Tall, small-flowered, graceful, single 20 5 \$1550 Primrose-colored. Graceful flowers of a lovely color; beautiful for cutting 20 5 \$1550 Primrose-colored. Graceful flowers of a lovely color; beautiful for cutting 20 5 \$1550 macrophyllus giganteus. Huge leaves and yellow flowers; 5 ft. 20 5 \$1550 cucumerifolius Of pyramidal growth; covered with hundreds of bright orange, small, single flowers; 3 ft. 5 \$1590 "Stella. Handsome large-flowered primrose-yellow. 40 10 \$1590 "Stella. Handsome large-flowered primrose-yellow. 40 10 \$1500 "Orion. A very handsome variety, with petals twisted like those of the best cactus-shaped dahlias; excellent for cutting 50 10 \$1500 "Green-centered. Odd and attractive; 3 ft. 20 5 \$1500 "Green-centered. Odd and attractive; 3 ft. 20 5 \$1500 "Green-centered. Odd and attractive; 3 ft. 20 5 \$1500 "Green-centered. Odd and attractive; 3 ft. 20 5 \$1500 "Green-centered. Odd and attractive; 3 ft. 20 5 \$1500 "Dwarf. Beautiful to grow in masses of six or more plants set about 3 feet apart. Each stem is tipped with a fine dahlia-like flower, 3 inches across 20 5 \$1500 "Dwarf. Beautiful to grow in
SWEET WILLIAM
(Dianthus barbalus. bB)  A splendid old-fashioned plant, producing its large heads of beautifully colored, sweet-scented flowers in great abundance. It is hardy, easily grown and flowers the second year from seed.  73080 White, Single.  73080 White, Single.  73100 Dark Crimson, Single  73110 " " Double.  73110 " " Double.  73110 " " Double.  73120 Auricula-flowered Oculatus marginatus (Hunts' Perfection)  73130 " " Double. Very fine.  73140 Mixed Single  75 5  73150 " Double  Collection, including 6 varieties Sweet William  25

### VERBENA HYBRIDA

In rich oil, single plants of this pretty annual creeper, flowering the first season, will carpet a space to 4 feet in diameter with neat foliage and scores of fine flower umbels. For beds, borders, mounds, vases id window-boxes it is particularly fine, and is frequently used for an undergrowth to tall plants like lilies. I lants raised from seed are not only cheaper, but more vigorous, producing more and larger flowers for a longer season than those grown from cuttings. Moreover, seedling Verbenas are often fragrant, particularly among the white and blue sorts. For early spring bloom, sow the seeds under glass in February; for later flowers, sow in March or April. Soak the seed a few hours in tepid water and sow in seed-boxes filled with light, rich soil; cover one-fourth of an inch deep, press down firmly and water sparingly. When the seedlings are about an inch high, transplant into other boxes. Use a liberal amount of manure in the beds that are to receive them, and plant out 10 to 15 inches apart each way in May. Give a sunny position. The plants bloom from early summer until frost. Our seed is saved from very fine named varieties, and will produce healthy plants, with large flowers of fine colors.

73900 Scarlet. Fine bedder	.pkt.,	10
73910 Defiance. Intensely brilliant scarlet; fine for bedding		10
73920 Black-Blue, White Eye		10
73930 Yellow. Primrose color		10
73940 candidissima. Large trusses of purest white flowers		
73950 auriculæflora. Brilliant flowers of fine size, each with a large white eye		10
73960 Italica striata. Brightly striped		
73970 cœrulea. Bright blue in various shades		
73980 Mixed	6ос	5
73990 Finest Mixed. Extra choice		
74000 Mammoth Mixed. Plants and flowers are unusually large; the strain is extremely flori	ferous	
and the colors splendidoz., \$		
74010 Improved Mammoth Mixed Auricula-flowered. Best of all		25
Collection, including 6 varieties Verbena		50

### LEMON VERBENA, ETC.

### ZINNIA


(Youth and Old Age)

Few flowers are so easily grown from seed sown in the open ground, or bloom so abundantly and continuously through the entire season as this hardy annual. Marvelous improvements have been wrought in the newer strains. During the month of August, Zinnias are almost incomparably bright. We recommend a free use of them for groups, beds, borders, garden lines and summer hedges. Sow seed in the open ground early in spring. Average height, 1½ to 2 feet. The separate colors and collections offered below are very choice. They produce very large flowers and are far superior to the sorts generally sold as Giant-flowering.

TALL DOUBLE. Showy, large-flowered; beautiful	DWARF DOUBLE. These are of compacter and
for borders and groups; 2 feet Oz. Pkt.	neater habit than tall varieties; flowers quite
74900 Genl. Jacqueminot. Dark ma-	as handsome Oz. Pkt.
roon. Splendid \$0 25	75050 Purple\$0 50 \$0 05
74910 Carmine\$0 40 5	75060 Salmon 50 5
74920 Crimson	<b>75070 Crimson</b> 50 5
74930 Flesh-colored	75080 Bright Scarlet 50 5
74940 Lilac	75090 White "Snowball" 60 10
74950 Purple	75100 Yellow, Sulphur 60 10
74960 Rose 40 5	75110 " Golden 60 10
74970 Scarlet	<b>75120 Mixed</b> 40 5
74980 Striped	75130 Tom Thumb Mixed 75 15
	75140 Lilliput, Scarlet Gem 10
74990 Violet	75150 " White 10
75000 White 40 5	75160 " Mixed 10
75010 Yellow, Sulphur 40 5	<b>75170 Mixed Pompon</b>
75020 "Golden 40 5	75180 Haageana. Double mixed; I ft 10
75030 Mixed 30 5	75190 Curled and Crested, Mixed. Long
75040 " Large Robust 10	petals, curled and crested 10
Collections	of Zinnia

# 10 varieties Tall Double. \$0 45 6 " " 30 6 " Dwarf Double. 30

For Greenhouse Flower Seeds and many other rare and valuable Annuals and Perennials, see pages 99 to 120.



SCABIOSA (see page 115)



SUNFLOWER (see page 93)



ZINNIA (see page 94)



SALPIGLOSSIS (see page 114)



Through the skill of specialists, the Sweet Pea has become a much larger and lovelier flower than before it became so popular. The plants are more robust, dwarf, branching and bloom more freely, some varieties showing three to four blooms on a stem. For garden decoration it is now largely grown in clumps, and in separate colors. Many new shades, deep, dark, brilliant and delicately lovely, have appeared in the blossoms, often in indescribable combinations.

There are flowers, too, of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. Our present list contains most of the best kinds introduced to date.

A deep, rich, moist soil is best suited to Sweet Peas, hence a trench should be dug 1½ feet deep and filled with very best loam mixed with bone meal. They are usually grown in double rows, with a wire trellis or a row of brush between. For

each double row make the drills about 6 inches deep, and 9 or 10 inches apart. Sow plentifully covering about 2 inches deep, and, by degrees, as the vines grow up, fill the trenches with soil, and thin out to about 5 or 6 inches apart. Spring sowings should be made just as early as the ground can be prepared; frost does not hurt the little seedlings. The earliest flowers are from seed sown in fall, preferably in a dry situation, and 6 or 8 inches deep, giving them level culture. If the soil is in good rich condition, bone meal is the best fertilizer for Sweet Peas.

### Thorburn's Selected Sweet Peas

Assortn	nent, co	ntaining	1	pkt.	each	of	б0	named	varieties,	OUR	SELECTION	[	\$1	75
66	,	"	1	"	66		40	44	46	66			1	30
66		44	1	44	66	:	20	66	44	66	44			75
66		66	1	66	66		10	46	66	- 66	66			40

### NAMED LARGE-FLOWERED SWEET PEAS

Free by mail or express			
All five cents per packet except where quoted otherwise			
Per oz.	1/4lb.	½lb.	Lb.
71750 Agnes Johnson. Very large; bright pink, shaded cream color\$0 10	\$0 20	\$0 30	\$o 50
71760 Admiration. Self-colored, in a delicate shade of mauve 10	20	30	50
71770 America. Bright blood-red striped; very distinct	20	30	50
71790 Apple Blossom. Bright pink and blush, beautifully shaded 10	20	30	50
71800 Aurora. Flowers extra-large; standard and wings flaked and striped bright			
orange-salmon on white ground	20	30	50
71810 Black Knight. Deep maroon, self-colored	20	30	50
71820 Blanche Burpee. Superb, pure white; immense size, perfect form 10	20	30	50
71830 Blanche Ferry, Extra-Early. Pink and white	20	30	50
71834 Bolton's Pink. Rich salmon pink	25	40	75
71838 Burpee's Earliest White. Pure white flowers borne in great profusion on			
long stems. The earliest white	45	75	I 25
71840 Captain of the Blues. Bright purple and pale blue 10	20	30	50
71850 Christmas Pink. These beautiful sorts, if sown earlypkt., 10c 35			
71860 Christmas White. (continue flowering all winter)pkt., 10c 35			

# SWEET PEAS, continued ber backet except where of

All five cents per packet except where quoted otherwise	e			٠.	
71870 Coquette. Primrose, shaded fawn\$0	oz.	1/4lb. \$0 20	\$0 30	\$o	50 50
71880 Countess of Cadogan. Reddish mauve standard, violet-blue wings		20	30	# -	50
71890 Countess of Lathom. Very pretty cream-pink		20	30		50
71900 Countess of Radnor. Standard delicate lavender; wings dark mauve.		20	30		50
71910 Crown Jewel. Primrose, veined violet-rose		20	30		50
71920 Dainty. White, edged pink		20	35		60
71930 Dorothy Eckford. Fine pure white; large flower		20	30		50
71940 Dorothy Tennant. Standard rosy mauve; wings bluish mauve		20	30		50
71950 Duke of Clarence. Rosy claret; self-colored flowers; extra large	10	20	30		50
71954 Duke of Westminster. Rosy maroon standard; violet-purple wings; fine	10	20	30.		50
71960 Earliest of All. A splendid pink and white variety, resembling the Blanche					
Ferry, but flowering much earlier. It is one of the best for forcing		20	30		50
71970 E. J. Castle. Carmine-rose; standard shaded salmon		35	60	I	00
71980 Eliza Eckford. White, shaded and edged with light pink on standard		20	30		50
71990 Emily Henderson. Splendid pure white; good for forcing		20	30		50
72000 Evelyn Byatt. Brilliant scarlet-orange; medium size; open wings		25	45		80
72004 Firefly. Brilliant fiery scarlet		20	30		50
72006 Flora Norton. Splendid rich lavender		20	30		50
72008 Florist Lavender		20	35		60
72010 Gladys Unwin. Pale rosy pink; superb (Unwin type)		20	35		60
72020 Golden Rose. Light primrose-yellow, striped rosy pink		20	30		50
72030 Gorgeous. Standard bright orange; wings bright orange-rose. Very showy.		20	30		50
72050 Helen Pierce. Bright blue, mottled on pure white; perfect shell-shaped					
gloxinia-like flowers; beautiful		25	45		75
shape; true giant type; handsome and distinct		20	35		60
72070 Hon. F. Bouverie. Standard flesh-pink; wings rosy buff		20			50
72080 Hon. Mrs. Kenyon. A splendid Eckford variety extra-large and of finest	10	20	30		30
form. The deepest shade of primrose found in any variety	10	20	30		50
72090 Horace J. Wright. Standard violet-maroon, wings violet; large size, hooded					
form. Fine	10	20	35		60
72100 Janet Scott. Bright pink and buff; very pretty		20	30		50
72104 Jeannie Gordon. Beautiful bright rose, shaded cream		20	35		60
72108 Josephine Barnard. Rose-self standard; wavy petals (Unwin type)		25	45		75
72110 Katherine Tracy. Soft brilliant pink		20	30		50
72120 King Edward VII. Bright crimson, very large flowers. Splendid sort	10	20	35		60
72130 Lady Grisel Hamilton. Light lavender standard, sky-blue wings; splendid	10	20	35		60
72140 Lady Mary Currie. Orange-pink, shaded rosy lilac		20	30		50
72150 Lord Nelson. Deeper and richer shade than Navy Blue		20	30		50
72170 Lottie Eckford. Rose and white, edged with blue		20	30		50
72180 Lovely. Deep rose standard and wings, shading to pale pink at edges		20	30		50
72190 Maid of Honor. Almost white, with light bluish lavender edge		20	30		50
72200 Majestic. Deep pink, self-colored; very large flowers of finest form		20	35		60
72210 Marchioness of Cholmondeley. Light salmon, buff-cream standards, wing light buff		20	35		60
72220 Mars. Bright red, self-colored; hooded form	10	20	30		50
72230 Miss Willmott. Large, orange-pink.		20	35		60
72240 Modesty. White, tinted pink.		20	30		50
72250 Mrs. Alfred Watkins. Standard pink, shading to buff; wings blush, shad-		_	30		J.,
ing to rose (Unwin type)	15	35	60	ľ	00
72260 Mrs. Dugdale. Beautiful deep rose; unexcelled for cut-flowers	10	20	30		50
72264 Mrs. Eckford. Primrose-yellow. Exquisite		20	30		50
72270 Mrs. Jos. Chamberlain. White, striped and flaked with bright rose	10	20	. 30		50
72280 Mont Blanc. Pure white, of finest form, for forcing. Very dwarf. Seldom					4.5
grows over 2 feet high and begins to flower when I foot high		20	30		50
72290 Navy-Blue. Bluish purple standard; navy-blue wings		20	35 60		60
72310 Othello. Glossy maroon. Self-colored. Elegant		35 20			90
72320 Phyllis Unwin. Light magneta-rose and carmine; large, open wavy form	10	20	30		50
(Unwin type)	10	25	45		75
		Ŭ			

### SWEET PEAS, continued

All five cents per packet except where quoted otherwise				
72330 Pink Friar. Rose-carmine, suffused on whitePkt. 10 cts\$0 72340 Prince Edward of York. Cerise standard and crimson wings. Large, open	20 \$	141b. 1/30 55 \$0	ыь. э 90 #	Lь. \$1 50
form; vigorous vine.  72350 Prince of Wales. Rose-crimson, self-colored.  72360 Princes of Wales. Striped mauve on white ground.  72370 Queen Alexandra. Bright scarlet-red, self-colored; almost true scarlet  72380 Queen of Spain. Soft buff-pink, self-colored, medium size, hooded form.  72390 Queen Victoria. Light primrose-yellow  72400 Royal Rose. Fine deep rose-colored.  72410 Sadie Burpee, White Seed. One of the largest pure white Sweet Peas  72420 Sadie Burpee, Black Seed. Pure white; hardier than the white-seeded  72430 Salopian. Splendid brilliant scarlet; nearly sun-proof.  72440 Senator. Maroon and Violet, striped white  72460 Shahzada. Dark maroon, shaded purple  72470 Shasta. Pure white; very large, open form  72480 Stella Morse. Primrose, flushed pink; very beautiful  72490 Sue Earl. Very pretty primrose, edged with mauve  72500 Sibyl Eckford. Standard light salmon and buff, wings buff; medium large,	10 10 10 10 10 10 10 10 10	20 20 20 20 25 20 20 20 20 20 20 20 20 20 20 20 20 20	30 35 35 35 45 30 30 30 30 30 30 30 30 30	50 60 60 60 75 50 50 50 50 50 50 50 50 50
open form.  72530 White Wonder. Double-stemmed, many-flowered; pure white	10 10	20 25	30 45	50 75
SPENCER VARIETIES				
All 10 cts. per packet				
72560 Burpee's White Spencer. Flowers of enormous size, pure white; waved, crinkled, and fluted standards; wings fully an inch wide.	15	35	60	1 00
72570 Burpee's Primrose Spencer. On same style as above. Color pronounced primrose or creamy yellow throughout	15	35	60	1 00
72590 Countess Spencer. Bright, clear pink, a little deeper at edges; open form, wavy petals. Very large standard and wings	_		90	I 50
<ul> <li>72610 George Herbert. Bright rose-carmine; large, open wavy form</li></ul>	20 15 15	55 55 45 35 45	90 75 60 75	I 50 I 25 I 00 I 25
72660 Phenomenal. White, shaded and edged lilac; very large-hooded; wavy petals		45 35	75 60	I 25 I 00
SWEET PEAS IN MIXTURE				
72720 THORBURN'S SPECIAL MIXED. Comprising the finest Eckford				
and other newest and best large-flowering varieties 72730 Eckford's Mixed. Composed of Eckford's varieties only. 72740 Choice Mixed. 72760 Light Colors, Mixed. 72770 Bush Varieties, Mixed.	10 10	25 15 15 20 20	40 25 20 35 35	75 40 30 60 60
DWARF CUPID SWEET PEAS				
All 5 cts. per packet				
A distinct race of Sweet Peas, growing only about 6 inches high. Of compact flowers as large and fragrant as those of some of the tall sorts. Excellent for pots,	, busł bord	hy habit ers or n	t, and nasses	with.
72810 Apple Blossom. Bright pink and blush; finely shaded	r oz.	¼lb.	⅓lb.	Lb.
72820 Beauty. Rosy white, suffused carmine; very pretty. 72830 Captain of the Blues. Splendid deep blue color. 72834 Countess of Radnor. Delicate lavender standard; dark mauve wings. 72840 Firefly. Dazzling bright scarlet; most effective. 72850 Mauve Queen. Rich mauve on primrose ground. 72854 Pink. 72860 Primrose. Light primrose-yellow. 72880 White. Large, pure white flowers; very floriferous. 72890 Mixed.	10 10 10 10 10	25 25 25 25 25 25 25 25 25 25 25 25	40 40 40 40 40 40 40 40 35	75 75 75 75 75 75 75 75 75 75
PERENNIAL PEAS AND OTHER SPECIES (Lathyr	us lat	ifolius,	etc.)	
These have not the fragrance of Sweet Peas, but bloom through a long seas live for years. They make a beautiful screen for rocks, stumps, fences, etc. Heigh 72930 latifolius Pink Beauty (hP). Blossoms white, yeined, edged and shaded ros	t, 2 tc	8 feet.	Pkt.	Oz.

72930 latifolius Pink Beauty (hP). Blossoms white, veined, edged and shaded rose-pink . . . \$0 10 \$0 40 72940 "White (hP). Valuable for cut-flowers in midsummer . . . . . . 10 50

20 20

# Continuation of Flower Seeds, General List

FLOWER SEEDS DELIVERED FREE BY MAIL ON RECEIPT OF THE STATED PRICE. PRICE PER OUNCE OR POUND FOR THOSE NOT QUOTED, ON APPLICATION

### Explanation of Signs Employed in this List

The asterisk (*) designates ornamental-leaved plants. This mark (‡) prefixed indicates the climbers. The third column presents in figures the COMPARATIVE TIME OF FLOWERING, thus:

r designates early—blooming in spring and early summer. 2 designates interm 3 designates late—blooming in late summer and autumn. 2 designates intermediate—blooming in midsummer.

The fourth column gives the DURATION OF CHARACTER, and HARDINESS.

A represents Annual—lasting but one year.

B "Biennial—lasting two years.
P "Perennial—lasting three or more years.
E Vergreen—retains foliage the entire year.

S represents Shrubs-plants of bushy habit.

g " greenhouse plants.
Bu " bulbous plants.
. designates, in every case, repetition.

As a large number of Biennials and Perennials, if sown early, flower the first season, this distinguish-

ing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic states. Further north or south these designations apply only in a comparative way.

h represents hardy—plants for open border. hh represents half-hardy—plants that require to be forwarded in pots or frames.

t represents tender—requiring protection.

"Customers will find it more convenient to order by number. This will facilitate the filling of their orders and will insure

prompter shipment.''										
NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at  \$ 1 per oz. and over.	Tim of Flower	Hardines and ing Duratio	the	Height in Feet	Price per Packet	GENERAL OBSERVATIONS				
50000 Abobra viridiflora	2	3 tA	green	6	cts.	Bears pretty scarlet fruits.				
50010 Abronia umbellata		hA	rose	trail.	5 5	Elegant trailers. Do best in light, sandy soil. Sow in open ground in May.				
50040 ‡Abrus precatorius		. gP	purple	I 2	5	"Prayer Bean." Pretty climber.				
50060 Abutilon compactum, "Fireball" 50070 Edouard Lagueillon		3 gS	d. red	4	25 25	Free-growing decorative shrubs; bright bell-shaped flowers. Suitable for house,				
		.	mixed		25	greenhouse or garden.				
50100 Acacia dealbata 50106 cultriformis. 50110 decurrens		I	yellow	6	10	Greenhouse shrubs, with graceful branches and fine				
50114         Farnesiana           50118         Baileyana				10	5 5 10	racemes of yellow flowers, richly scented. Soak seeds in hot water before sowing,				
50122         lophantha           50126         melanoxylon           50130         mollissima floribunda				6 7	5 10	then plant in sandy peat in a temperature of 55° to 60°.				
50140         pycnantha.           50160         Fine mixed.			mixed		5	50130 is a very charming, floriferous shrub.				
50190 Acanthus mollis.		3 hP	white purple	3	10	Leaves are ornamental and valuable for decorative purposes.				
50240 Achillea Ptarmica, Double, "The Pearl"		3	white	11/2	25	Free bloomer; fine for florists for cut-flowers.				
50270 Achimines, Best Mixed		2 gP	mixed		25	Saved from finest collection.				
Aconitum— 50290 Columbianum		hP	1.1							
50294 Napellus (Monk's Hood)			blue	3-5	25	Hardy, popular plants, with				
50300 pyramidatum					15	panicles of helmet-shaped flowers.				
50310 Mixed			mixed		10	)				
50350 Acroclinium roseum	•	hhA	v. & ro. white		5 5	Graceful plants, with everlasting flowers, much used for				
50360 —Mixed			mixed		5	winter decorations. Flower-				
50364 — Double Rose			rose white		5 5	heads should be gathered when young, to be preserved.				
50390 Adenophora Potanini		hP	l. blue		25	A fine variety.				
50410 ‡Adlumia cirrhosa		hB	pink	15	10	Beautiful climber.				
50440 Adonis autumnalisoz., 25c.	2	hA	scarlet	- J	5	Attractive, bright flowers.				
50450 æstivalisoz., 25c. 50470 vernalisoz., 30c.		hP.	crim.	11/2	. 5	50470 is a very fine hardy perennial.				
, 300.	•	, 111	Julion	12	3	perenniai.				

NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at \$ 1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
50490 Agapanthus umbellatus 50510 Agathæa cœlestis		tP 	blue		cts. 10 25	African Lily. Beautiful. "Blue Daisy." Winter bloom. See page 66.
50700		hA  †hP    hhA	rose white rose d. red white mixed rose scarlet white scarlet	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	The Rose of Heaven is very free-flowering and easily grown. Fine for beds. The Rose Campion is a perennial species, free-blooming and very pretty. Excellent for naturalizing in dry situations  Bright little annuals of fine habit; require some protection in cold weather. Sow in hotbed, and plant out early in May.
50840 Alsine pinifolia	I 2	hP gP	white yel. & r.	1/2 3	10	Very pretty for edgings.  § 50860 is brilliant yellow, with
50880 Mixed			mixed		10	See Hollyhocks, page 78.
Alyssum. 51240 *Amaranthus Abyssinicus 51244 *bicolor ruber 51250 *cruentus (Prince's Feather) 51254 *caudatus, "Love-Lies-Bleed-	2 3	tA	d. red red d. red	· · · 2 3	5 5 5	See page 67.  Strong-growing, highly ornamental plants. The tricolor varieties are very valuable for bedding, having elegant
ing"  51260 *coleifolius  51264 *Henderi.  51270 *melancholicus ruber  51280 *salicifolius (Fountain Plant).  51284 *tricolor (Joseph's Coat)  51290 *—giganteus.  51294 *—splendens  51300 Fine Mixedoz., 20c.  COLLECTION OF AMARANTHUS. including 12 of the best sorts			cr. & y. red purple red  mixed	4 2½ · · · 6	5 5 5 5 10 5 10 5	ornamental foliage, varie- gated crimson, yellow and green; also well adapted for growing in pots. Of easy cul- ture, doing best in rich, loam soil. For best results, sow in hotbed in April and plant out the end of May. Please note that seed saved from the finest sorts frequently produces inferior plants.
51330 Ambrosia mexicana			pink	2	5	Sweet-scented. See Browallia.
51350 Ammobium alatum		hhP	white	3	5 5	Pretty everlastings of easy cultivation.  For sunny situation. Fine bor-
51390 Anagallis, grandiflora           51420 Anchusa capensis           51430 Barrelieri	2	hhA  hP	mixed purple d. blue	1 ½ 2	10	Very attractive. Fine for cut- flowers and bouquets.
Anemone coronaria— 51470 "St. Brigid" Poppy-flowered. 51474 Japonica rosea 51480 —alba 51484 globosa 51490 sylvestris 51530 Angelonia grandiflora	3		mixed rose white red		25 25 25 10	Beautiful spring flowers, requiring rich, deep soil. 51480 has large, pure white flowers, invaluable for cutting. 51484 is the Red Anemone.  Fine, sweet-scented; for pots.
51530 Angelonia grandiflora 51540 Anthemis Arabica 51550 Kelwayi 51560 Antigonon leptopus Antirrhinum	i 2	gP hA hP gP	purple yellow yellow pink	2-3 diff.	25 5 5 5	Pretty golden yellow flowers. Fine new variety Pretty greenhouse climber. See Snapdragon, page 91.
Aquilegia	I 3	hP	white rose	3 4 1 2	50	See page 67.  1 51950 is "Rock Cress;" 51960  Is a rare species.
51980 Arctotis grandis		hA gS	w. & y.	5	25	Fine for cutting.  [Fine decorative plant, bearing bright coral berries.

	1			1	1	
NUMBER AND NAME  1/4 oz. at oz. rate only on articles quoted at  \$1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
52010 Argemone grandiflora oz., 50c. 52020 —lutea oz., 50c. 52030 ‡hispida		hA hP	white yellow white	2	cts. 10 10	In a large garden the foliage and flowers are effective. 52030 is the Silver Poppy.
50250         ‡Aristolochia elegans.           52060         Sipho.           52080         Arnebia cornuta.           52100         Asclepias Curassavica.           52104         —atrosanguinea.           52110         incarnata.           52120         tuberosa           52150         ‡Asparagus Sprengeri.           52154         plumosus nanus.           52160         —robustus.           52170         scandens deflexus. 15 seeds in packet.           52200         Asperula setosa azurea.           52210         odorata (Woodruff).           Asters.		gP hP hhA gP  hP  gP 	pu. & w. br. & y. yellow orange dk. red rose-p. orange white	20 30 1 3  2 12 1 10	25 25 10 10 10 10 10 10 25	A. Sipho is the "Dutchman's Pipe." A hardy climber. Rich yellow-spotted maroon. Swallow-wort; free-bloomer. Rich crimson. Swamp Milkweed.  Beautiful fern-like foliage; fine for bouquets. A. plumosus nanus is the dwarf variety, with finely cut foliage, now so largely used by florists.  Sweet-scented, long bloomers; for borders or rockwork. See pages 65 and 66.
53390 Aubrietia deltoidea           53394 Eyrii           53400 Græca           53404 Leichtlinii (rosy carmine)           53420 Auricula, Finest Mixed           53430 Azalea hybrida indica	I 3 I	hS	blue carmine mixed	trai.	25 25 10 25 25	Resembling Alyssum in character; fine for rockwork or bedding. A. Eryii has lovely large, dark blue flowers.  { (Primula auricula). Beautiful shades of color.  Seeds from finest varieties.
Bachelor's Button  Balsam Apple and Pear  Balsams.  53640 ‡Balloon Vineoz., 200.  Banana	2 3	hhA	w. & gr.	10	5	See Gomphrena, page 107. See Momordica, page 111. See page 67. (Cardiospermum.) Pretty. See Musa Ensete, page 111. ((False Indigo.) It has beauti-
53660 Baptisia australis         53680 Bartonia aurea       oz., 40c.         53690 —nana       oz., 60c.		hA	yellow	3 1 ¹ / ₂	5 10 10	ful light blue flowers. Golden yellow flowers; very fragrant in the evening.
*Beet, Ornamental— 53710 Brazilian, G'ld'n-v'd.oz., 2oc. 53720 *—Scarlet-veinedoz., 2oc. 53730 *—Crimson-veinedoz., 2oc. 53740 *Chilian Scarlet-rib'd oz., 2oc. 53750 *—Yellow-ribbedoz., 2oc. 53760 *Victoria					5 5 5 5 5 5 5	Beets, having no tubers, but with handsome ornamental foliage of very beautiful, rich colors. Very effective in center of beds, or anywhere in contrast with other plants.
53800 Begonia, Single Tuberous-root'd 53804 Double Tuberous-rooted 53808 Fringed Single Tuberous. 53814 Erfordii. 53820 gracilis luminosa 53824 Limminghi. 53830 metallica 53834 *Rex, Ornamental-leaved 53844 —alba 53850 —Vernon, red, for borders 53860 —Bijou, bright scarlet 53866 —Fol. aureis, yellow-leaved COLLECTIONS, including 12 varieties Tuberous-rooted 6 vars. Tuberous-rooted  Bellis perennis. 53890 Beningasa cerifora		gP	salmon rose mixed rose white red scarlet	1½-2 3 	25 75 50 25 25 25 25 25 25 25 25 25 25 25 25 25	Fine for growing in pots, being perfect in habit, with handsome foliage. 53820 has dark scarlet flowers and reddish brown foliage. 53824 is a fine climbing species, blooming from Dec. to Aug. Excellent for hanging baskets. No. 53866 has scarlet flowers and beautiful golden yellow leaves excellent for edging. B. Erfordi is a free-blooming, rosy carmine variety; fine for groups. Zulu King is a splendid sort, with leaves almost black. 53830 has metallic foliage and rose flowers. For winter blooming.  See Daisy, page 105.
53890 Benincasa cerifera	2 3	hA	yellow d. red	б <b>2</b>	10	Black, wax-like gourd. Showy, like the Calliopsis.

NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at  \$ 1 per oz. and over.	Tir o Flow	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Disa Dattia						cts.	S C4 C
Blue Bottle	2	3	hP	white	4	10	See Centaurea Cyanus, p. 72. Ornamental habit and foliage
53960 Boltonia asteroides		3		flesh	3	25	Tall and leafy plant for hardy border. Profuse bloomer; easily grown.
53980 Bouvardia Jacquini	2	3	gP	scarlet	2	25	Fine greenhouse evergreen.
54000 Brachycome iberidifolia		3	hhA	purple	1	10	(Swan River Daisy.) For edg-
54010 —alba		٠		white mixed		10	ing. Should be started in hotbed.
54020 —Mixed	2	3	hP	buff	2-3	25	Great Tasselwort.
54070 Browallia elata	-	2	gA	blue	2 3	10	(Amethyst.) Elegant green-
54074 —alba				white		10	house annuals; fine for cut-
54080 —Mixed				mixed		10	ting. 54084 has large, lovely
<b>54084</b> Rœzlii (Fine for pots)	:			white blue		25 25	flowers, some white, some pale blue.
54130 Bryonopsis làciniosa erythro-		•		bruc		23	1
carpa			tA	red	5	5	Very pretty ornamental gourd.
54150 Buphthalmum cordifolium			hP	yellow	1	5	Ornamental hardy perennial.
54170 Cacalia coccinea			hA	scarlet	2	5	(Tassel Flower.) Very pretty
<b>54180</b> lutea	٠			orange		5	annuals; easily grown.
<b>54200 Cactus,</b> Mixed			hhP	mixed	diff.	25	Start in greenhouse in moist sand.
54240 ‡Calampelis scabra		3	†hP	orange	6	10	Fine climber for trellises.
54260 Calandrinia Burridgi	2	3	hA	red	$\frac{1}{2}$	5	Brightly colored little plants;
54270 speciosaoz., 3oc.				purple	1	5	fine for edgings; plant in
54280 umbellata			hhP	violet	1/2	10	
Calceolaria hybrida—			-	. ,			with flowers beautifully
54300 Large-flowered, self-colored 54304 —Tigered, or Spotted			gP	mixed	2	25 25	striped, blotched and varie-
54310 —Dwarf Tigered					· · I	25	gated. Our seeds are saved from the finest varieties.
54320 — Tigered and Self-colored					2	25	Special cultural directions
54330 rugosa (shrubby)		٠			I	50	are given on page 64.
54360 Calceolaria pinnata			hA	yellow		15	Excellent bedding varieties.
54370 scabiosæfolia		٠				10	)
Calendula							See page 68.
54500 Calla æthiopica		I	gP	white	2	10	White Calla.
Calliopsis							See page 68.
54670 Callirhoe involucrata	I	3	hP	C. & W.	trail.	10	Free-flowering, of pretty col-
54690 pedataoz., 40c. 54700 Camellia Japonicaoz., 25c.			hA gP	v. & w. mixed	2	5	Grand greenhouse plant.
Campanula		٠	gı	mixed	3	10	See page 69.
54940 ‡Canary-Bird Flower	2	3	hhA	yellow	10	10	(Tropæolum Canariense).
Candytuft		J		,			See page 70.
55180 *Canna, Dark-leavedoz., 4oc.	I	2	gP .	mixed	4	_	(Cannas, or Indian Shot, are or-
55190 *Queen Charlotte		3	g1 .	sc. & yl.		5	namental; much employed
55200 *Crozy's Finest Mixed.oz., 50c.				mixed	31/2	10	in subtropical gardening for groups and masses.
55230 Cannabis gigantea oz., 20c.			hhA		10	5	(Giant Hemp.) For backs of borders.
Canterbury Bells							See Campanula, page 69.
·			L A	11			(Blessed Thistle.) Large, varie-
55250 Carduus Benedictus		2	hA	yellow	2	5	gated leaves; fine for edging. See page 70.
Carnation							(Ornamental plants, with beauti-
55540 Castilleia indivisa	2	3	†hhP	b. crim.	1 1/2	25	ful bracts. Brilliant crimson.
Castor Oil Plant							See Ricinus, page 90.
55560 Catananche alba			†hP	white	2	10	Everlasting flowers. Bright
55570 cœrulea	•	٠		blue		10	colors and free-flowering.
Catchfly					l		See Silene, page 115.

<b>107</b> 3	NUMBER AND NAME  4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tir o Flow	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
	Cedronella cana  *Celosia Huttoni (dark foliage).  *Thompsoni magnifica  *spicata.  Celosia Ostrich Feather  Celosia cristata		3 .	hP tA	purple claret var. r. & wh.	3	cts. 25 15 15 10	Purplish crimson flowers.  Fine for vases; splendid foliage plants.  See page 69. See Cockscomb, page 75.
55990	Centaured		2	hA	yellow	112	.10	See page 72. Pretty little Composite.
56010 56020 56030 56040	macrosiphon.       oz., 3oc.         —albus.       oz., 3oc.         —nanus.       oz., 3oc.         —Mixed.       oz., 3oc.				red white red mixed	1 · · · · · · · · · · · · · · · · · · ·	5 5 5 5	Very pretty free-flowering Annuals, suitable for rockeries and vases.
	‡Centrosema grandiflora		2	gP	red	8	10	"Butterfly Pea." Very pretty.
	Cephalaria tatarica			hP	yellow	6	10	Fine for backgrounds and bees.
56110	Cerinthe retortaoz., 4oc.		3	hA	white vellow	trail.	25 10	Fine edging plants; pretty.
56150	Mixed				mixed		5	Valuable for bees. Decorative.
	Chamæpeuce Casabonæ Chelone barbata coccinea		3	hP thhP	purple	2	10	Fishbone Thistle. Decorative.
56200	—hybrida, Mixed oz., 50c.				mixed		10	Very pretty; bright color.
	Christmas Rose Chrysanthemums Chrysopsis foliosa		3	gS thP	scarlet	3	25	A fine greenhouse plant. See Helleborus niger. See page 72.
56620 56624	Cineraria hybrida— White		I ·	†gB	white blue	2	25 25	Among the most ornamental
56628 56630 56634 56640 56650 56660	Crimson, Large-flowered  Blood-Red, Large-flowered  Splendid Mixed  — —Large-fl'd Half Dwarf  — —Large-flowered Prize  — —Double		2		d. red mixed	I 2	25 25 25 50 50	and useful of greenhouse plants; very beautiful and showy, the colors being distinct and bright. Nos. 56640 and 56650 are magnificent large-flowered prize strains.
56700 56710	stellata (polyantha)			hhP	yellow		25 5 5 10	C. maritima is the "Dusty Miller." No. 56700 has silvery and 56710, white foliage. See page 73.
56890 56900	Clary, Purple-top			hA : :	purple red white	1 ½	5 5 5	(Salvia Horminum.) Odd but pretty flowers.
56930 56934 56940 56944 56950	Clematis— Douglasii (not a climber) Flammula Jackmanni hybrids paniculata Virginiana		3	hP	purple white vars. white	15 10 10-40 15	5 5 10 10	(Virgin's Bower.) Excellent for trellises, verandas, etc. 56930 is the Bush Clematis. C. paniculata is fragrant, rapid-growing, free-blooming. For other sorts, see Tree Seeds.
57000	*Cleome pungens *speciosa		3	tB hA	pink purple	2	10	Curious; very ornamental, on Castor Oil Plant style. Sandy soil suits them best.
57040	Clianthus Dampieri		2	gS · ·	scarlet crim.	3 6	15	Greenhouse plants, with pea- shaped flowers. Soak seeds in hot water before sowing.
57080 57090	Clintonia (Downingia) pulchella ‡Clitoria ternatea —alba	2	3	hA hB	tricolor blue white	15 	25 10 10	Very pretty for edgings.  Beautiful greenhouse and conservatory climber.
57110 57120 57140	‡Cobæa scandensoz., 75c. —alba macrostemma			†tP	purple white violet	20	10 15 25	Rapid-growing; start in the house.
57170	‡Coccinea Indica			tA	red	6	10	Ornamental gourd marked with white lines, turning scarlet.

NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at  *** \$1 per oz. and over.	Ti o Flow	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Cockscomb	2	3	gS	white	5	cts.	See page 75.  Coffee Tree. Very ornamental.  White fl'rs, scarlet berries.
57200 *Coleus. Fine hybrids  COLLECTIONS, including—  12 varieties Coleus  6 varieties Coleus			gP	mixed	2	25 \$1 25 75	Splendid bedding plants, with beautifully colored foliage.  Very useful for decorative purposes.
57280         Collinsia         Bartsiæfolia         oz., 3oc.           57290         bicolor         oz., 25c.           57300         —alba         oz., 3oc.           57310         candidissima         oz., 3oc.           57320         grandiflora         oz., 3oc.           57330         multicolor         oz., 25c.           57340         —marmorata         oz., 25c.           57350         verna         oz., 4oc.           57360         Mixed         oz., 25c.	I	2 2 2	hA	purple p. & w. white blue w. & ro. bl. & p. mixed	I I 1 ½ · · · I · · · · · · · · · · · · · · · ·	555555555	Free-flowering Annuals. If sown in autumn, will stand the winter and flower early in spring. All the species are brightly colored, and excellent for growing in patches or clumps; easily grown in any garden soil.
57390 Collomia coccineaoz., 25c. 57400 grandifloraoz., 25c.	2	3		s. & y. yellow	: :	5 5	Fine for bees; suitable for massing.
Columbine							See Aquilegia, page 67.
57440 Commelyna cœlestis         57450 —alba         57460 *—variegata			hhP · ·	blue white var.	 2	5 10 5	Showy, favorite plants for pots and gardens, where they grow finely.
‡Convolvulus, Tall— 57490 aureus superbus 57500 major, Morn'g-Glory.oz.,15c. 57510 —Double Morning-Glory 57520 Mauritanicus  Convolvulus, Dwarf—		3	hhA hA hP	gold mixed  blue	5 10  trai.	10 5 10	Pretty; fine for baskets; good for screens. 57510 has large flowers in great variety of exquisite colorings and hand- some foliage. For Japanese Morning-Glory, see page 81.
57550 tricolor	:	3	hA   	white purple crim. rose mixed		5 5 5 5 5 5	These are fine Dwarf Morning-Glories for growing in clumps or beds, or for edging, and well adapted for rockeries and hanging baskets; bloom for a long time.
57670 *Cordyline australis		3	gS · ·	white	3 10	10	Beautiful foliage plants for vases or decorations.  See Calliopsis, page 68.
Cornflower							See Centaurea Cyanus, page 72.
57700 Cosmidium Burridgeanum Cosmos		2	hA	orange	2	5	Very showy. See page 74.
57850 Cotton (Gossypium)           57870 Cowslip (Primula veris)           57890 Crucianella stylosa	2	3 1 2	tA hP	yellow mixed cr. pink	$\begin{array}{c} 3 \\ \frac{1}{2} \\ \cdot \end{array}$	5 10 5	Curious; for pots and gardens. Favorite spring flower. Crosswort.
†Cucumis— 57900 erinaceus (Hedge-hog Gourd) 57904 acutangulus (Rag Gourd) 57910 flexuosus (Snake Cucumber). 57920 grossulariæformis (Goose-berry Gourd)	2	3 2 3	hhA : :	yellow 	8  10	5 5 5	Of extremely rapid growth, bearing curious fruits. 57904 is the Rag or Dish-cloth Gourd, the peculiar interior of which is useful in the
57930 odoratissimus (Pomegranate Melon)		3	hhP			5	kitchen when properly pre-
Cucurbita		J			J		See Gourds, page 108.
57970 Cuphea miniata 57974 platycentra 57980 purpurea 57990 eminens 58800 Rœzlii 58804 strigulosa		3 3 3	†hhP	crim. s. & w. purple s. & y. yel. & r. violet	1  	10 25 5 10 25 25	These are very pretty green- house plants, and are also good for the border, being continually in bloom. No. 57974 is well known as
strigutosa	1 .			violet		25	) Cigai Flant.

NUMBER AND NAME  14 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Cyclamen giganteum— 100 sds           58020         —album "Mont Blanc" \$1           58024         —atropurpureum \$1           58030         —Aurora Borealis \$1           58034         —superbum \$1           58040         —lilacinum \$1           58044         —roseum, bright rose \$1           58050         —Salmon \$1           58060         —Mixed \$1           58070         Persicum \$1           58080         —Papilio \$1	· · · · · · · · · · · · · · · · · · ·	gBu	white d. red w. & p. w. & r. lilac rose salmon mixed	হোৰ	cts.  25 25 25 25 25 25 25 25 10 25	Sow seed in small boxes or seed pans, in a compost of well-rotted manure, leaf-mould and sand. Cover lightly with moss, which remove after seed germinates. Prick out into small pots when the plants have two leaves. They flower in 10 or 12 months. 58030 is a beautiful sort, fringed white and pink.
58100 ‡Cyclanthera explodens 58130 Cyperus alternifolius	2 I	hhA tP	yellow apricot	8	10	Beautiful climber.  { Perennial greenhouse or window plant of elegant habit.
Cypress Vine  58160 Dahlia, Double Mixed .oz., 75c. 58170 Imperialis (The Lily Dahlia). 58180 Single Mixed 58190 Cactus, Mixed 58200 "Lucifer" Single (Black foliage) 58210 "Monarch" Cactus 58220 Dwarf Single, fine strain oz., \$1.25 58230 Jules Chretien, dwf. oz., \$1.50 58240 Single Collar (Collarette) 58250 "Fiery Star." Fine COLLECTIONS, including—		†hhP	mixed mauve mixed  dk. red  mixed scarlet varies scarlet	6 10	10 25 10 10 10 10 10	See Ipomæa Quamoclit, p. 79.  All the varieties are fine. "Jules Chretien" is a very dwarf, single strain, growing from 10 to 15 inches high, and flowering the first season from seed. Valuable bedding sort, flowering through the summer from June to October in great profusion. Also fine for pots. 58170 has very large, mauve-colored flowers veined with pink; quite
12 vars. Single Dahlia 6 vars. Single Dahlia 58310 Daisy, Double White 0z., \$3 58320 —Red 58324 —Rose (Longfellow) 58328 —Snowball 58334 —Finest Collection 0z., \$4 58340 —Maxima. Extra large 58370 Daisy, Paris		†hP	white red rose white mixed white		\$1 00 60 10 10 10 10 15 15	distinct. 58210 has flowers over 6 inches across.  (Bellis perennis.) The poet's favorite; very popular flowers. If in open ground, sow in May.  (See Chrysanthenum frutescens, page 73.
Daisy, Swan River	1	111	Willie	3	10	Very large flowers.  See Brachycome, page 102.
58390 Daphne Mezereum  58410 Datura metelloides (Wrighti) 58420 cornucopia 58430 Golden Queen fl. pl. 58440 humilis flava fl. pl. 58450 fastuosa, Double White. 58460 —Double Violet.	I 2	hS hhA 	pink w. & br. w. & pr. yellow white violet		25 5 5 5 5 5 5 5	Early-flowering and scented.  Very showy and large trumpet- shaped flowers. 58420 has immense flowers, beautifully colored. Golden Queen is a splendid double, bright yel- low and showy variety.
Delphinium. Dianthus 58770 Diascia Barberæ. 58780 Dictamnus Fraxinella 58784 —albus 58790 —Mixed		hA hP	rose red white mixed	2	25 10 10 10	See page 75.  See Pink, Carnation, Picotee. Charming Australian annual. Fine herbaceous plants. The leaves, when rubbed, have a lemon odor. Leave undisturbed for years.
Didiscus. Digitalis.  58880 †Dolichos Lablab. oz., 15c. 58890 —albus oz., 15c. 58900 —Mixed oz., 15c. 58904 giganteus. 58910 Japonicus, "Daylight". 58920 Purple Soudan		hA	purple white mixed white purple	10 	5 5 5 10 10	See Trachymene, page 116. See Foxglove, page 77.  ((Hyacinth Bean.) Rapid-growing and free-flowering; good for screens. No. 58910 is a most beautiful large white-flowered variety from Japan. In sunny situations 58920 is good for flower and foliage.

		_				1	
NUMBER AND NAME $460 \times 10^{-1}$ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	0	me of ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
58940 Doronicum Caucasicum	ı	2	hP	yellow	2	cts.	Large yellow flowers.
58950 *Dracæna Draco		2	gP	white	10	25	See Cordyline. Ornamental
58954 *indivisa lineata					3	10	greenhouse plants, with ele- gant leaves; very rich and desirable.
58970 Dracocephalum Moldavicum		3	†hP	blue	2	5	Ornamental.
58980 Echeveria secunda.           58984 metallica.           58990 agavoides           58994 purpusi (splendid).		2	gP · · · hP	yellow · · red	1 4 	25 25 25 25 25	Interesting greenhouse succulents; largely used for "carpet" bedding. E. purpusi is a hardy species; flowers red, with orange center and foli-
58998 Echinacea hybrida	2	3	hP	mixed	3-4	25	age white-powdered.
59000 ‡Echinocystis lobata		2	hP	green	12	5	(Wild Cucumber.)
59010 Echinops Ritrooz., 5oc.				blue	2	10	Fine for bees.
59020 Elsholtzia cristata			hA	lilac	1 1/2	10	Fine for bees.
59030 Emmenanthe penduliflora	_	2		yellow	1:	25	"California Golden Bells." Free-blooming, like Heath.
59040 Epacris hybrida superba 58950 Eremurus himalaicus	1	2	gS hhP	mixed white	div.	50 25	Strikingly handsome.
59060 Erica (Heath), Finest Mixed			gS	mixed	2	25	Charming evergreen shrubs.
59070 Erigeron aurantiacus	1		hP	orange	1	10	"Double Orange Daisy." Fine.
59080 Erinus alpinus		2		blue	1/4	25	Beautiful for baskets.
59090 Eryngium cœlestinum           59094 giganteum	2	3			1 ½ 4	10	Beautiful sky-blue flowers. No. 59094 is the Silver Thistle.
59100 Erysimum Arkansanum.oz.,3oc. 59110 Peroffskianumoz.,3oc.		2	hA	yellow orange		5 5	Free-flowering; of bright colors and neat habit.
59120 Erythrina crista-galli	2	3	gS	scarlet		10	{(E. crista-galli) is the Coral Tree; fine greenhouse shrub.
Eschscholtzia							See page 76.
59250 Eucharidium grandiflorum 59260 Breweri		2	hA · ·	rose		5	Graceful little plant. Fine for edging and pots. Showy.
59280 Eupatorium Fraseri		3	†hP	white		10	Fine for cutting.
59300       *Euphorbia marginata oz., .3oc.         59306       heterophylla         59310       pulcherrima (Poinsettia)         59320       *robusta	2	3	hA  gS hP	w. & gr. carmine ver. red w. & gr.	2  2-6 I	5 10 25 25	Very pretty. Showy. 59320 is the Mountain Spurge.
59340         Eutoca multiflora           59350         viscida           59360         Wrangeliana           59370         Mixed	I	3	hB hA	pink blue mixed		5 5 5	Are good serviceable flowering plants for bedding; free-blooming.
59390 Fenzlia dianthiflora	1	2		rose	1	25	For ribbon gardening or pots.
59400 Ferns, Mixed			gP			25 \$1 25	Sow in fine sifted sandy, peaty loam, covering the pots with pieces of glass.  See Matricaria, page 111.  See Linum, page 110.  See page 76.
59600         Four O'clock, Hybridoz., 20c.           59610         longiflora albaoz., 25c.           59620         Variegated-leavedoz., 20c.           59630         Tom Thumb, White.oz., 30c.           59640         Mixed.oz., 30c.           Collections, including—         10 vars. Four O'clock		3 2 3	hA  	mixed white mixed white mixed	2   I	5 5 5 5 5 45 30 25	(Mirabilis.) Called Four O'clocks because they open their blossoms at that hour in the afternoon. They are also known as "Marvel of Peru." Handsome, free-flowering, sweet-scented; blossoms variegated, striped and various colors.
Foxglove	I	<b>2</b> 3	hP gBu	yellow white	trai.	10	See page 77.  Beautiful scarlet fruit.  Very sweet-scented flowers.

						1	1 1	
## 1	NUMBER AND NAME 4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tim of Flowe	F	Hardiness and Duration	Color of the Flower	Height In Feet	Price per Packet	GENERAL OBSERVATIONS
59760 59764 59770 59780 59790	Fuchsia procumbens (for vases) triphylla. Dark-leaved hybrida. Finest Mixed Single Finest Mixed Double Double and Single Mixed COLLECTIONS, including 12 best varieties, 10 seeds of each		3	gS 	blue scarlet mixed	div.	cts. 25 50 50 50 50 \$1 25	("Ladies' Eardrop.") Well-known greenhouse plants. They require a firm, rich soil and a shady location.
59954 59970	Gaillardia Galega officinalis —alba Gamolepis tagetes	ı	2 I	hp  hhA	blue white yellow	3	5 10	See page 77.  Tall, ornamental plants, suitable for borders or cutting.  Fine for beds.
59990 60010 60020	Gardenia Thunbergii	2 I	3 2 3 2	gS  hP  tP	white p. yel. w. & r. scarlet yellow	2 4 3 1 2 2	25 10 10 10	Flowers very fragrant. Cape Jasmine.  Very effective in clumps.  Ornamental and free-flowering
60064 60070 60080	Gentiana acaulis  Bigelovii  cruciata  Andrewsii  Geranium (Zonale)oz., 75c.	2 2 I	1 3 1 3	hP  gP	d. blue blue pur. bl. scarlet	1 3 4 1 	10 25 10 50	Showy, hardy plants. Valued for their beautiful flowers. 60064 wonderfully floriferous. 60080 is "Bottle Gentian." The most popular of bedding
60110 60120 60130 60140	Double Scarlet			hP	pink purple	I	50 25 25 25 25 25	plants. See, also, Pelargo- nium, page 112. Quite distinct. Cranesbill. Distinct. Scarlet Transvaal Daisy.
60180 60190 60200 60210	Gesneria macrantha		1 2	gP  hP	mixed scarlet	1 1 1 2	25 25 15 10	Beautiful greenhouse plants, with long-tubed flowers. Blooms freely for a long time, Fine for bouquets.
60240 60244 60250 60254 60260 60264	Gilia achilleæfolia         —alba         —rosea         capitata         —alba         laciniata		2	hA 	blue white rose blue white		5 5 5 5 5	Free-blooming annuals; fine for beds. Will bloom in any situation, look well on lawns
60270 60276 60280 60290 60300	liniflora (for borders)				tricolor rose mixed	I	5 5 5 5 5	in beds, are good for rock- eries, and can be planted at any season.
60350 60360	Glaucium luteum.  Burbank's Hybrids Globe Amaranth. Globularia trichosantha	•	3 ·	†hP	yellow vars.	4 · · · · · · · · · · · · · · · · · · ·	5 10	(Horned Poppy.) Gray foliage. A fine mixture. See Gomphrena below. A very handsome plant.
60384 60390 60394 60400	Gloxinia hybrida, Mixed	*	3	†gP	mixed  scarlet spotted		50 50 50 50	Greenhouse plants. They grow well in a light, rich soil. "De- fiance" is of an intense, glowing scarlet. "Cyclops" and "Goliath" are fine va- rieties. If started inside in
60404 60410	Gigantea, "Cyclops" "Goliath"  Godetia  Golden Feather	•		 	car.& w v. & w.		50	February, will bloom in summer. See page 78. See Pyrethrum, page 114.
60594 60598 60600 60604 60610 60620	Gomphrena globosa.  —alba .  —carnea .  —variegata .  —nana compacta rubra .  — — —alba .  —Mixed .		3	hA  	white pink striped v. red white mixed	1	5 5 5 5 5 5 5	The Globe Amaranths are among the most popular of the Everlastings. Their round heads of flowers are also called "Bachelors' Buttons." An old favorite for winter bouquets. The best
60624		٠			orange		30	soil is a mixture of sandy loam, stable manure and some silver sand.

NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at  ** 1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
60690 Gourd, Mock Orange         60694 Apple-shaped         60700 Pear-shaped         60710 Hercules' Club         60714 Sugar Trough         60720 lagenaria (Bottle Gourd)		tA	yellow  	15 10 	5 5 5 5	Excellent for covering verandas or trellis-work, and for training over arbors, fences, etc. Of very rapid growth, with curious fruits and highly ornamental foliage. Culti-
60724 Dish-cloth		hhA		8	5 5 5	vate the same as melons or squashes. No. 60724 is the Chinese Luffa; the interior is useful as a sponge.
60780 Grammanthes gentianoides 60790 Grevillea robustaoz., 75c 60800 Gunnera manicata 60804 scabra	I 2	gS hP	orange red	5 6 4	10 10 25 25	For edging, pots, or baskets. (Silk Oak.) Graceful foliage. Decorative lawn plants, with leaves 7 to 8 feet long.
60820 Gypsophila elegans oz., 30c 60830 —rosea oz., 30c 60834 cerastioides 60840 muralis oz., 50c 60850 paniculata oz., 40c		hA hP hA hP	white rose white pink white	2  \frac{1}{2} 	5 10 10	Fine for bouquets. Free bloomers for rockwork or shrubbery; will grow in any soil. 60834 is a pretty white, dwarf, perennial species.
60880 Hawkweed, Bearded	3	hA	yellow red white mixed		5 5 5 5	(Hieracium.) Showy plants, of free growth; varied colors.
60910 Hedysarum         coronarium           60914 —album         —           60920 Mac Kenzii         —		†hB hP	red white br. rose	3	5 5 10	So - called "French Honey- suckle," but no relation to that vine. Not a climber. No. 60920 is Sweet Broom.
60940 Helenium Douglasii		hA	yellow  white	2	5 5 5	Free-flowering. Composite, with yellow flowers. ("Eternal Flowers.") The flow- ers are greatly admired being
60960 —atrosanguineum nanum 60964 —atrococcineum nanum 60970 —Mixed 60974 monstrosum, Double COLLECTIONS, including— 12 vars. Double			d. red d. scar. mixed	1	5 5 10 10	large and the colors bright. They are highly prized for winter bouquets. Flowers intended for drying should be gathered when partially unfolded, and suspended with their heads downward
6 vars. Double		hhP	gol. yel.	2-3	30 30	in a cool shed. Succeed best in rich, loamy soil.  Early. Excellent for cutting.
61030 Heliotropium Peruvianum		gP	purple white mixed white vpur. d. pur. mixed	2	10 15 10 25 10 10	(Heliotrope.) These well-known greenhouse and bedding favorites are highly valued for their scented flowers. Should have light, rich soil. No. 61050 has black stems and bronze-green foliage, almost black.
12 best varieties	2	tA	yellow white	I	90 50 5	Resemble Helichrysum, and are useful in the same way.
61160 Helleborus niger. 61164 —Hybrids. Hesperis.	I 2	hP	pink mixed		5 10 25	(Christmas Rose.) Very desirable; spring-flowering See Rocket, page 114.
61180 Heuchera sanguinea         61184 —splendens         61190 cristata macrantha	2 3		crim. d. red white		15 25 50	Nothing more beautiful for cut- flowers. 61190 has beautifully crimped and crested leaves.
61210 Hibiscus Africanus       oz., 25c         61220 Syriacus, Double       oz., 20c         61224 Crimson Eye          61230 Golden Bowl          61234 moscheutos roseus          61240 Mammoth White		hA hS hA	yl. & br. w. & p. w. & cr. l. yel. rose white	6  4 3 3 ¹ / ₂	5 5 10 10 25	No. 61220 is the Rose of Sharon. No. 61230 has very large flowers of sulphur color, with purple center. 61240 has crimson eye; flowers 6 inches and over in diameter.

# 1	NUMBER AND NAME  4 oz. at oz. rate only on articles quoted at  \$1 per oz. and over.	Tin o Flow	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
61270	Hollyhock		3	†hB	purple	2	cts.	See page 78.  Pretty. Curious silvery silicles. See Glaucium luteum, page 107.
61284	Humea elegans —albida	ı	3	†hhP · · · tA	rose	5	15	Sweet-scented. Should be kept in pots the first season.
61310	—variegatus	. 2	3	hA	green  yellow	15-20	10	(Climbing Hop.) No. 61310 has beautiful variegated foliage.  Large, showy flowers; fine.
	Hyacinthus candicans			hBu	white	2-3	5	A fine summer Hyacinth.
61360	Hypericum elegans		3	hP	yellow	1 1/2	10	Green leaves; large flowers. See Candytuft, page 70.
	Ice Plant (Mesembryanthemum crystallinum)oz., 3oc.		3	tA	white	1/2.	5	Covered with watery vesicles resembling pieces of ice. See also Mesembryanthemum.
61390 61394 61400	Impatiens       glanduligera         Holstii       —         —hybrida       —				purple vred mixed	1 ½ 2	25 25	(Touch-me-not.) Beautiful. 61394 resembles 61404 but grows quicker and flowers
61404 61410 61414	Sultani, scarlet		3 .	gP : :	scarlet rose mixed		25 25 25	are larger. 61404 is good for house culture. 61400a splendid mixture of finest colors.
61440 61444 61450	*Incarvillea Delavayi grandiflora variabilis		2	hP 	r. car. d. pur. rose	1-2	25 25 10	Trumpet flowers. Very beautiful. Fine hardy perennials.
61470	Inula glandulosa grandiflora	2	3		orange		25	Splendid hardy perennial.
61480	Ionopsidium acaule Ipomœa	1	3	†hhP	lilac	1	10	(Diamond Flower.) Exceed- ingly pretty little plant. See page 79.
61750 61754 61760 61770	Ipomopsis elegans —aurantiaca —sanguinea Mixed	2 I	3 3	tB hB	scarlet orange scarlet mixed	3 1½ 1½ 3	10 10	Showy and beautiful; colors very bright. Seeds should be started in the house.
61790 61794 61800	Iris Kæmpferi lævigata Sibirica		2 I	hP 	blue l. blue	2 1 3	10 10	No. 61790 is the beautiful Japan Iris. 61794 and 61800 are hardy herbaceous perennials.
61830	Jacob's Ladderoz., 25c. White				blue white		5 5	(Polemonium.) Beautiful hardy, old-fashioned flower.
61850 61854 61858	Jacobæa, White Senecio Purple Senecio. Mixed. COLLECTIONS, including 6 varieties Dwarf Double			hA 	purple mixed		5 5 5	The Senecios are all free-flow- ering plants, good for the border and for pots.
	Job's Tears		3	tA	red	21/2	5	See Coix lachryma, page 118. See Amarantus, No. 51284.
61890 61894	Kaulfussia amelloides —atroviolacea		2	hA	blue	ı	10	Fine for edging; good habit
61900 61910	-kermesina		:		d. v. v. red mixed		10	and color. The high colors are best for pots.
61930 61934 61940 61944	‡Kennedya cœrulea Marryattæ rubicunda Comptoniana	I	2 3 2	gP 	blue scarlet d. red purple	12 4 	10 10	These are fine, profuse bloomers for the greenhouse. Do best in sandy loam.
61960	Kochia trichophylla			hA	green	$2\frac{1}{2}$	10	Improved Summer Cypress. Beautiful decorative bush.
61980	‡Kudzu Vine	2	3	hP	purple	40	10	$\begin{cases} (Pueraria & Thunbergiana.) \\ & \text{Japan climber.} \end{cases}$
61990	Lantana, Fine Mixed	1	3	gS	mixed	2	5	Rapid-growing plants, forming small, bushy shrubs.
	‡Lapageria rosea Larkspur		2	gP	rose	15.	50	Beautiful greenhouse climber. See Delphinium, page 75.
62020	Lasthenia Californica Lathyrus	1		hA	yellow	I	5	Pretty yellow Composite. See Sweet Peas, page 96.

		T				
NUMBER AND NAME	Time of	Hardiness and	Color of the	Height In	Price per	GENERAL OBSERVATIONS
\$1 per oz. and over.	Flowering	Duration	Flower	Feet	Packet	
62040 Lavatera trimestris	2	hA	red	2	cts.	Showy and free-flowering. L.
62050 —alba			white		5	arborea variegata has beauti-
62060 —Mixed			mixed	: :	5	fully mottled foliage. Form
62064 arborea		gP	p•-red red	3-5	5	decorative plants first season from seed started indoors.
62090 Layia elegans		hA	y. & w.	3		Pretty yellow and white flower.
62110 Lemon Verbena		gP	white		10	
	2 3		white	I	10	Fine; lemon-scented foliage.
62120 Leontopodium alpinum	3	hP	white	1/2	15	(Edelweiss.) From the Alps.  [Beautifully formed flowers and
62130 Leptosyne maritima		hhA	golden		10	elegant foliage. 62134 has large golden flowers.
62150 Leptosiphon aureus	2	hA	orange	$\frac{1}{2}$	10	)
62154 androsaceus			blue	I	5	
62158 —albus			white		5	Fine for edging or rockeries;
62160 carmineus			carmine blue		10	blooms in masses. L. car- mineus has very beautiful
62168 —albus			white		10	carmine flowers.
<b>62170</b> hybridus			mixed		10	
<b>62180</b> Mixed					5	
62190 Liatris pycnostachia	3	hP	purple	3-4	15	Kansas Blazing Star. Pretty.
62210 Limnanthes Douglasi	2 3		w. & y.		5	Free-flowering and fragrant.
62230 Linaria bipartita alba	2	hA	white	I	5	Snapdragon-shaped flowers;
62234 —splendida	2 3		purple	1 2	5	desirable for edging, and
62238 Maroccana		hP	rose . violet	trai.	5 10	very good for rockwork.
62260 Linum flavum		thhP	vellow	34		
62270 grandiflorum rubrum oz., 20c		hhA	crim.		5	(Flax.) Free-flowering plants,
62280 Lewisii variegatum oz., 6oc.		†hP	li. & w.	3	10	of easy cultivation.
62300 Loasa aurantiaca (lateritia)		hhA	orange	6	10	Elegant foliage, and flowers of
<b>62310</b> tricolor		hA	tricolor	2	10	curious structure.
Lobelia						See page 8o.
62490 Lophospermum scandens		tP	d. rose	8	10	Trumpet-shaped flowers.
62510 Lotus Jacobæus	1	tA	d. & br.	2	10	Pretty and interesting bedding
62514 peliorhynchus	2 3	gP	red		15	plant. 62514 is brilliant red. Fine for hanging baskets.
						{(Amarantus caudatus.) Grace-
62530 *Love-lies-Bleedingoz., 20c.		hA	crim.	3	5	ful and ornamental; tall habit.
62550 Love-in-a-Mist, Double oz., 25c. 62560 White Double oz., 25c.			blue white		5 5	
62564 Miss Jekyll			blue		10	(Nigella.) Curious and orna-
62570 Blue Spanish oz., 25c.					5	mental; fennel-leaved; easily grown and hardy. Also
62580 White Spanishoz., 25c.			white		5	called "Devil-in-a-bush."
62590 Mixed Spanish oz., 25c. 62600 —All sorts oz. 25c.			mixed		5	
62640 Lupinus Cruikshankii			blue	3	5	)
62644 Hartwegii					5	A large genus of ornamental
62650 —albus			white		5	annual or perennial plants. 62680 grows 5 or 6 feet high;
62654 hirsutus			blue	2	5	has immense racemes of
62660 —albus			white rose		5 5	lovely dark blue flowers.
62670 mutabilis			var.	3	5	Some varieties are charming,
<b>62674</b> nanus	1 3		blue	3 1 2	5	having spikes of highly colored flowers, silver foliage
62680 polyphyllus		hP		5	5	and good habit. Rich loam
62690 —Mixed Perennialoz., 35c 62700 tricolor elegans			mixed o. & ro.		5 5	will produce the finest plants
62704 arboreus albus (Snow Queen)			white	3 6	15	and flowers. Dwarf species
62710 Mixed Annual oz., 250		hA	mixed		5	make best bedding plants. All are free-flowering, attrac-
Collection, including 12 best						tive, bright, easily grown.
varieties					45	
62760 Lychnis Chalcedonica		hP	scarlet	2	5	Brilliantly colored border plants; 62780 is a superb va-
<b>62764</b> —alba			white		5	riety, the original of the
62770 — Mixed oz., 40c 62774 alpina			mixed		5	Haageana hybrids. Fine for
62774 alpina		tP .	pink scarlet	$\frac{1}{2}$	10	rockeries or carpet bedding.
62790 Haageana hybrida		hP	mixed		10	62774 is an exceedingly pretty
•	1		1	1		J miniature species.

	NUMBER AND NAME	Tit		Hardiness and	Color of	Height	Price per	GENERAL OBSERVATIONS
490	4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	1 -	ering		Flower	Feet	Packet	GENERAL OBSERVATIONS
62830	†Machaeranthera latifolia		2	hP	v. & yl.	1/3	cts 25	Violet Aster. Large and showy.
62850	Madia elegansoz., 30c.		٠	• . •	yellow	. 2	5	Handsome flowers; should be in a shady position.
62870 62874	Malope grandiflora rosea		3		rose white		5	Mallandila dansar
62880	—rubra		:		red		5 5	Mallow-like flowers; very pretty. Sow early.
62890	—Mixed			· ·	mixed		5	
62904	Malva miniata		•	tA †hP	scarlet rose	4 2	5	M. miniata advertised as "Sunset Plant." 62904 and 62910
62910	—alba		٠		white		10	are fine, hardy perennials.
62940	‡Mandevillea suaveolens			gP		10	10	Beautiful greenhouse climbers, very fragrant.
63160	Marigold  Martynia Craniolaria			hhA	w. & sp.	1 1/2	-	See page 80.
63170	proboscideaoz., 30c				vio. sp.	12	5 5	Curious and very handsome plants for the border. Also
63180 63190	lutea				yellow 		5 5	used for pickling.
00170	Marvel of Peru		•				3	See Four O'clock, page 106.
63210	Mathiola bicornis			hhA	white	$\frac{1}{2}$	5	Very fragrant at night, but closing during the day.
63230 63240	Matricaria eximia plena			hA	white	2	5	(Feverfew.) Pretty and neat;
63250	capensis plena				yellow	1 1 1 4	5	small double flowers.
	‡Maurandya antirrhiniflora		3	†gP	purple	10	10	Abundant bloomers, and very
63284 63290	Barclayana				blue white		10	desirable climbers for the
63294 63300	Emeryana rosea				rose		10	greenhouse and garden. Should be in every col-
63310	purpurea grandiflora		•		purple mixed		10	lection.
63340	${\bf Meconopsis}\ {\bf heterophylla}$		1	hA	or. red	2	10	Poppy-like flower. Native of California.
	*Melianthus major		3	gP	brown		10	Has very ornamental foliage.
	Melilotus cœruleaoz., 3oc.		3	hP hhA	blue l. blue	11/2	5	Ornamental; like the Lotus.
	‡Melothria scabra		. 2	tA	tricolor	10	5	Tropical vine.  Beautiful dwarf edging plants;
63404	—album				white		5	flower profusely in dry and
63410 63420	cordifolium variegatum crystallinumoz., 35c.	2	3	tP tA	yellow white		15	sunny situations. Fine for pots. 63420 is the "Ice Plant."
	Mignonette							See page 81.
	Mimosa pudicaoz., 5oc.		٠		pink	34	5	(Sensitive Plant.) Very odd.
63664	Mimulus cardinalis	I	3	†hP hA	scarlet mixed	1½	10	(Monkey Flower.) Showy, musk-scented and free-flow-
63670 63680	Rœzlii		3		yellow	$\frac{1}{2}$	25	ering. Hardy kinds are well
63690	tigrinus		3		spotted		25	suited for borders. Any soil suits. See Musk Plant.
63720	‡Mina lobata			tA	wh. & r.	15	10	Curious; free bloomers.
63740	Molucella spinosa	2	3	hA	rose	7	10	A splendid Shell-flower, with very fine foliage.
63760				hhA	yellow	10	5	Handsome ornamental gourds.
63770 63774	Charantia						5 5	63760 is the Balsam Apple, 63770 the Balsam pear, 63774
63780	involucrata						10	J is the Squirting Cucumber.
	Moon-Flower							See Aconitum, page 99. See Ipomæa Mexicana, p. 79.
	Morning-Glory							See pages 79 and 81. See Scabiosa, page 115.
	‡Mukia scabrella		3				20	Handsome ornamental gourd.
	Musa ensete100 seeds, \$1.50	I	2	gP	y. & br.		25	(Abyssinian Banana.) Splendid tropical plant.
63850 63856	Musk Plant	I	3	tA	yellow	1 1 3	10	Musk-scented Mimulus.
	Myosotidium nobile. (Beautiful) Myosotis	ı	2	hP	b. & w.	3 2	25	New Zealand Forget-me-not.
64970	Nasturtium			gP	var.	1/2	0.5	See Forget-me-not, page 76. See page 82. Beautiful greenhouse plant.
	G, ~	*	,	5-	, a.i.	2	25	Deadthar greenhouse plant.

NUMBER AND NAME  NUMBER AND NAME  Note: 1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
64990 Nemesia compacta alba		hA : :	white ro. & br. var.	11/2	cts. 5 5 25	Very pretty and neat-flowering plant for edging. 65000 is a very beautiful variety.
65038 discoidalis			w. & pu p. blue purple blue white bord. spotted		5 5 5 5 5 5 5 5 5	This genus consists of very pretty annuals of easy growth; they deserve extensive cultivation; are good in pots and for edgings, in rock-
65080 Mixed			mixed	diff.	30	eries, or in the garden.
65140 Nertera depressa		gS gP hhA	white	cr.	25 5	Oleander. Ornamental shrub. Plant bearing coral berries.  Species of tobacco; valuable
65174 colossea 65180 Sanderæ 65190 sylvestris 65210 Nirembergia gracilis		hA 	mixed white w. & li.	3	25 10 5	as decorative plants; deli- ciously fragrant flowers.  Handsome flowers; fine for
65220 frutescens	2		b.w.&.y.	2	5	hanging baskets or edgings. See Love-in-a-Mist, page 110. Very showy when in flower,
65254 — alba		hhA	white b. & v. mixed lilac	I	5 5 5	and should be planted in the border; fine trailing plants.
65300 Capensis		hP	white	diff.	10	Pretty dwarf plant.  See Evening Primrose, p. 114.  Fine open-ground species.
65380 Orobus         lathyroides           65390 niger            65410 Oxalis         Valdiviana	2 3	  tP	blue purple yellow	$1\frac{1}{2}$ 3 $\frac{1}{2}$	10 5 10	These deserve a place in gardens; fine pea blossoms. Charming little plants.
65450 Pæonia officinalis		hP	red. mixed	3	5 10	Beautiful hardy plants, with large, handsome flowers.
65490 Palafoxia Hookeriana	2 3	hA hhA	blush	11/2	10	Very good Everlasting. Pretty rose flowers. See page 84. See Chrysanthemum frutescens.
66120 ‡Passiflora cœrulea 66130 edulis. 66134 gracilis 66140 incarnata.		hhP hhA hhP	blue white  pink	25 10 25	10 15 10	Called "Passion Flower" on account of a resemblance in the flower to the appearance presented at Calvary.
Peas, Sweet         66160 Pelargonium, Fancy           66170 Odier (superb)         66170		gP	mixed	2	25 50	See page 96. Perennial Peas, see page 97. Beautiful greenhouse plants.
66190 Pentstemon Murrayanus grand- iflorus		hP	scarlet w. & b.	3	15	Beautiful herbaceous perenni- als; very hardy and free-flow-
66202 Digitalis	2		white mixed	$1\frac{1}{2}$ $2$ $\cdot$ $\cdot$	5 10 10	ering; fine for bedding. 66204 is a fine large-flowered strain.
66260 *Perilla Nankinensis oz., 20c. 66270 *laciniatis oz., 20c. 66290 Persicaria, Red	· · · 3	hhA  hA	purple red	1½ · · ·	5 5 5	Ornamental-leaved; for ribbon gardening and beds. Showy for backgrounds.
66294 White Petunia 66600 Phacelia congesta	2		white		5	See page 86. Excellent for bees. 66666 is a
66666         Parryi           66670         tanacetifolia           66680         campanularia cæsia			d. blue blue bl. wh.	 	5 25	lovely, rich, deep blue. 66680 is a beautiful new sort; very early flowering.

<b>4</b> 1/2	NUMBER AND NAME  4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tin of Flowe	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
66710 66720	†Phaseolus Caracalla multiflorus papilio	2	3	gA hhA	lilac w. & ro.	5 15	cts. 10 10	Curious fragrant flowers. (Butterfly Runner Bean.) See page 87.
67050	Phormium tenax			gP	white	6	5	New Zealand Flax.
67070	Phygelius capensis				scarlet	3	25	Showy greenhouse perennial.
67090	Physalis Francheti			†hP		2	10	(Chinese Lantern Plant.) From Japan.
	*Physostegia Virginica alba $\dots$			hP	white	3	25	Obedient Plant.
67120	-rosea		•	hhP	rose w. & sp.		25 50	From show varieties. Rich
67160	Yellow Ground				y. & sp.		50	and beautiful; finely per-
67170	Extra Fine Mixed  Pink (Dianthus)		٠		mixed		50	J fumed; very attractive.   See page 88.
67550	Pittosporum undulatum	1	2	gP	white		10	Handsome greenhouse shrub.
	Platystemon Californicum	2	3	hA	yellow	1	5	(California Poppy.)
67594	Platycodon (see also Campanula) grandiflorum		2	hP	blue	2	10	(Large Chinese Bell-flower.) Very fine flowering plants.
67600	—album				white		10	P. Mariesi is a fine dwarf,
67610 67614	Mariesi				blue	1 2-3	10	dark blue. 67614 blooms in a few weeks from seed.
67630	Podolepis chrysantha	2	3	hhA	yellow	$-\frac{1}{2}$	5	Curious and pretty. Does well
67640 67650	affinisgracilis				red		5 5	exposed to the sun.
0,000	Polemonium		•		100		3	See Jacob's Ladder, page 109.
	Polyanthus	1	3	†hP	mixed		10	(Primula.) Fine varieties. 67690
67690 67700	Finest Mixed						25	from named sorts.
	Poppy							See page 89.
69340	Portulaca			hP	10	-1		See page 90.
68350	Mixed			nP	purple mixed	1 1/2	10	Showy, hardy border plants.
68370 68374	Primula cortusoides		3		red	. ;	10	
68380	Cashmeriana Japonica				rose mixed	1 4 I	25	These are the hardy Primroses.
68384 68400	farinosa (Bird's eye Primrose) Forbesi			†hP	rose lilac		25 25	P. Japonica is called the "Queen of Primroses." P.
68404	English Yellow Primrose			hP	yellow	1/2	10	Forbesi has pretty rosy lilac
68410 68420	obconica grandiflora alba — —rosea		2	†hP	white rose		25	flowers, and is fine for pots.  P. obconica, if started in
68424	— —carminea				carmine		50	frames, will begin to bloom
68430 68440	——hybrida, Mixed ——Fringed Mixed				mixed		25	in May. No. 68450 is a very beautiful and rare species.
68450 68460	sikkimensisverticillata			hP	l. yellow yellow	I	50	
00100	Primula stellata (Star Primula	•			Jenow		25	
68480	Chinensis)			gP	white		50	
68484	—King of the Star	١.		gr	crimson		50	House or conservatory plants;
68490 68500	—Salmon Pink Star —Improved Blue Star		:	: :	salmon blue		50	floriferous and long-bloom-
68520	— — White Star		·		white		50	ing. Cut-flowers are valuable for table decoration; keep
68524 68528	—Crimson Star —Purple Star				crimson purple		50	fresh in water many days.
68530 68534	—Carmine Star				carmine		75	
00331	—Mixed Star	:	:		rosy mixed		50	
68540	Primula Sinensis fimbriata rubra		3		fr. red	34	25	From <i>primus</i> , first, referring to their early-flowering. The
68560	— —alba				white		25	Chinese Primroses (Primula:
68570 68574	— — coccinea		:		b. red white		25	Sinensis) are fine for winter and spring blooming; are
68580 68584	— —punctata atropurpurea . — —cœrulea				pur. sp.		2.5	free-flowering, and especi-
68590	— — kermesina splendens	١.	:		blue crim.		25	ally valuable for cut-flowers or for house and window cul-
68594	Orange King	l, •-	•-	, .,	orange	1	5,0	ture; a cool place suits them.

NUMBER AND NAME  14 oz. al oz. rate only on articles quoted at  \$1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Primula Sinensis, continued—  68598 ——Mixed  68600 ——filicifolia alba  68610 ——rubra  68620 ——Mixed  68630 ——globosa rubra  68650 ——globosa alba  68660 ——Mixed  68670 —Giant Mixed  68670 —Giant Mixed  68670 ——fimbriata plena alba  68684 ——Mixed  COLLECTIONS, including—  12 vars. Chinese Fringed  8 vars. Chinese Fringed  6 vars. Chinese Fringed	3	gP	mixed white red mixed red white mixed red white mixed	344	cts.  25 25 25 25 25 25 25 25 20 50 50 1 00 75	best. The seed is saved from the finest colors and largest flowers. Seed should be sown in light soil, but for the final potting a richer soil is necessary, consisting of two parts loam to one each of well - decayed manure and leaf-mold. They require to be well ventilated, well watered and slightly shaded throughout the summer. Collections here offered contain finest varieties grown.  68594 is a new sort, distinct as to color, extremely free flowers and of salvardid hebit.
68780	2 3 1 3 2 3 1 3 2 3	hA hB tA hA hP hhP tA	purple yellow rose white mixed purple dk. sc. mixed white yellow rose-pu. white r. & w. white mixed r. & w. puro.	2 1 4-5 ½	1 25 5 5 5 10 10 25 25 20 10 10 25 25 20 10 10 25 25 20 10 10 25 25 20 10 10 25 25 20 10 10 25 10 10 10 10 10 10 10 10 10 10	ering and of splendid habit.  (Enotheras are fine, free-flowering plants, best for backgrounds or shrubbery border; E. acaulis has large shining white flowers, quite transparent. E. Drummondii is of rich sulphur color; profuse-flowering.  (Kudzu Vine.) Japan climber.  No. 68914 for poor soils. 68920, Golden Feather, is fine for edging. 68930 is a beautiful fern-leaved sort. 68910 is a splendid variety, flowers often 4 inches in diameter on long stems; fine for cutting. Free-flowering; of easy culture.  (Ornamental Rhubarb.)  Very beautiful, delicate-looking Everlastings, much prized for winter bouquets. Superb climber.
69150 Rhododendron volume hyb Ricinus  69370 Rivina humilis  69400 Rocket, Sweet oz., 20c. 69410 White oz., 20c. 69420 nana candidissima  69440 Romneya Coulteri  69470 Rosa multiflora nana  Rose Campion  Rose of Heaven  Rose of Sharon  69494 bicolor superba  69500 fulgida variabilis  69564 coccinea  69570 Emperor (superbissima)  69580 Dwarf Mixed oz., 60c. Collections, including—  8 vars Salpiglossis, Tall  8 vars Salpiglossis, Dwarf	2 3	hS gP thP hhP thP	white w. & pu. white mixed  yellow mixed blue scarlet mixed	3 	25 10 5 5 10 15 10 10 25 10 10 10 15 10 10 40	Grand evergreen shrub.  See page 90. Ornamental in fruit.  (Hesperis.) Free - blooming and very sweet-scented.  California Tree Matilija Poppy Flowers first season from seed.  See Agrostemma coronaria, page 100.  See Agrostemma Cali-Rosa. page 100.  See Hibiscus Syriacus, p. 108. (Cone-flower.) Showy, large yellow flowers, with brown cone.  The Usambara Violet. Lovely.  These annuals have showy, large, funnel-shaped flowers, mottled, veined and self-colored; fine for beds. They require a rich soil, and will well repay liberal treatment.  No. 69570 is a splendid large-

NUMBER AND NAME  1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tir o Flow	f	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Salvia		2	hP	yellow • •	1½-2	5 5	See page 91. Valuable for its distinct foliage; used for large specimens in shrubberies or as a carpet bedding plant.
69800 Sanvitalia procumbens fl. pl		3	hA		1/2	10	Beautiful. Fine for beds or borders; flowers all summer.
69810 Saponaria Calabricaoz., 40c.         69820 —alba			hP	red white scarlet red		5 5 5	Pretty dwarf bedding plants. Should be cultivated for their beauty and long blooming.
69860 Saxifraga, Mixed Perennial		2		mixed	34	25	Curious little plants; especially adapted for rockwork.
69890 Scabiosa candidissima fl. pl 69900 ——Snowball 69904 Black Purple (Mourning Bride) 69910 minor aurea fl. pl 69920 Caucasica (splendid) 69930 Mixed Tall			hA  hP hA	white purple golden lilac mixed	2½	5 5 5 5 10 5 5 5 35 30 35 30	All very showy border plants, with beautifully variegated flowers. Succeed in ordinary garden soil. 69910 is a beautiful golden yellow variety.
70050 Schizanthus Grahami 70054 pinnatus 70060 papilionaceus 70070 retusus 70080 —albus 70090 Wisetonensis. Fine pot plant. Mixed			hhA	s. & o. p. v. bk.eyd. r. & o. white vars. mixed	2 1½  2 1½ diff.	5 5 5 5 5 25 5 30	Elegant and free-blooming annuals. Large, beautiful flowers of many colors, fine for bedding. Grown in pots in early spring in greenhouse, become fine foliage plants with masses of blossoms. 70090 is a long-flowering, light-colored variety.
70180 Schizopetalon Walkeri 70190 Scotanthus tubiflorus 70210 Sedum acre 70220 cœruleum 70230 Maximowiczii 70240 Mixed		2 3 2 3	hA tP hP hA hP	white yellow blue yellow mixed	1514	15 20 10 15 10	Cannot bear transplanting. Handsome ornamental gourd. (Stonecrop.) Showy little plants, excellent for carpet beds. Plant in sandy soil.
Senecio   70280   Sensitive Plant   0z., 50c.   70300   Silene Armeria   70310   —alba     20c.   70320   —Mixed   0z., 20c.   70334   —Double Rose     70340   —ruberrima     70350   —Bonnetti, dark stems     70360   —Mixed     0z., 20c.   70380   orientalis			tA hA	pink red white mixed red rose dk. pur. mixed d. rose	2-3  I	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	)
70410 Sinningia Regina 70440 ‡Smilax (Myrsiphyllum asparagoides)oz., 6oc.			gA gP	p. v.	3 4	50	(Christmas Berry.) Beautiful gloxinia-like plant.  For table and house decoration. Fine for florists.
Snapdragon	2	3	tA	scarlet striped blue purple yellow white purple white lilac	3 2 4	5 5 5 10 10 10 15 40	The Solanums are very ornamental fruit-bearing plants, and thrive best in light, rich soil. All are highly decorative and well worth cultivating. S. giganteum is the largest and handsomest of all, having flowers 3 inches in diameter. No. 70530' is a fine variety of climber with drooping racemes of a delicate lilac color.

NUMBER AND NAME 解 ¼ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Floweri	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
70590 Sphenogyne speciosa	3		yellow	1	cts.	Pretty showy annuals.
70610 Spraguea umbellata	2 3	hhA	rose	1/2	25	Fine for rockwork or edges.
70640 Stachys lanata	3	hP	striped	2	5	Silver-leaved, fine perennial for edging or borders.
70650 Statice Bonduelli	2		yellow	I ½	. 2	
70654 sinuata	2 3	: :	blue white		5 5	(Sea Lavender.) Beautiful for winter bouquets. Pretty lit-
70664 Suworowi, bright rose			rose		10	tle flowers which ought to
70670 incana hybrida		hP	mixed	11/2	5 5	be in all gardens.
70700 Stenactis speciosa			purple	2	10	Showy purple Composite.
70720 Stephanophysum longifolium		hhP	scarlet	1 1/2	25	An acanthaceous plant, with
70740 Stevia serrata	2	_	flesh		10	Fine for bouquets; scented.
Stocks, German Ten Weeks		8-				See page 92.
71480 Stokesia Cyanea	2 3	hP	blue	2	10	("Cornflower Aster.") Pretty.
Streptocarpus— 71500 Veitch's Hybrids	1 2	. gP	mixed			Very ornamental, profuse- blooming greenhouse plants.
71520 Styrax Japonica	1 2		white	6	50	Bell-shaped flowers, followed
Sunflower (Helianthus)	,	115	winte	0	10	by white berries. Fine. See page 93.
71720 Swainsonia alba grandiflora	1 3	gP		2	25	Fine greenhouse plants, easily
71730 Ferrandi carminea			carmine		50	grown in sandy, peaty soil.
Sweet Peas						See page 96.
Sweet Sultan						See Centaurea, page 72. See page 93.
73200 ‡Tacsonia Van Volxemii	2 3		scarlet	10	25	Beautiful greenhouse vine.
73220 Tagetes lucida (Sweet-scented).	2		yellow	1	5	Pretty, and fine for edging.
73230 signata pumila	2 3				5	See also Marigold, page 80.
Tassel Flower		αP	lemon	6	25	See Cacalia, page 102. Flowers lemon, flushed orange.
73270 ‡Thunbergia alata	I 2	gP hhA	buff	5	25	Very ornamental climbers and
73280 —alba			white		10	abundant bloomers. They
73290 — aurantiaca			orange white		10	are also very effective as bedding plants if a little pains
73310 — Fryeri			orange		10	be taken with them. Thrive
73320 —sulphurea			sulphur		10	best in a rich compost of fibrous loam and sand.
73360 Torenia Fournieri		tA	purple	2	25	For borders and baskets. 73380
73370 — "White Wings"			white yellow		25 25	sis golden yellow, deep red throat. 73360 is fine for pots.
73420 Trachelium cœruleum			blue	1 2	10	Useful; border or greenhouse.
73440 Trachymene cœrulea (Didiscus)		hA			5	Fine long-blooming annuals.
73470 ‡Trichosanthes colubrina 73480 coccinea	3		white yellow	10	10	(Snake Gourd, or Serpent Cu- cumber.) So called from the
73500 palmata	3	1	white	15	10	shape of its fruit.
73530 Trifolium suaveolens	2	hP	purple	trai.	5	An ornamental clover.
73560 Tritoma uvaria grandiflora 73570 MacOwani	2 3	hhP	orred r. & yel.	1 ½	10 25	((Red-Hot-Poker Plant.) Has showy spikes of bloom.
73590 Trollius hybrid mixed	1 2	hP	mixed		10	(Globeflower.) For beds or borders.
73620 ‡Tropæolum canariense. oz., 5oc.	2 3		yellow	10	5	73620 is the Canary Bird Flower. The others are fine for pot
73630 pentaphyllum		gP	or. & y. or. & br.		25	culture. See, also, Nastur-
73660 Tunica saxifraga	2		white	ı	5	tium, pages 82 and 83. Pretty for rockwork.
73680 Tydæa hybrida grandiflora		gP	mixed		50	Popular greenhouse plant.
73700 Valeriana alba	1 2		white	3	5	1
73710 rubra			red mixed		5	Fine border plants; sweet-scented flowers.
73740 Venidium calendulaceum		hhA			5	Beautiful for borders or pots.
	2 3	IIIIA	orange	1	5	Flowers the entire season.

NUMBER AND NAME  NUMBER AND NAME  1/4 oz. al oz. rate only on articles quoted at  \$1 per oz. and over.	Tim of Flower		Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
73760 Venus' Looking-Glass oz., 25c. 73770 White		2	hA · · ·	blue white blue	3 4 · · ·	5 5 10	(Specularia.) Pretty edging plant. 73780 gives about 50 per cent of double flowers.  A handsome border flower. Easily grown.
73820 Verbascum pannosum		2	hP	yellow	5	10	Decorative plant. Woolly lvs.
Verbena hybrida		3	gP hP	white mixed	3 1 2	10	See page 94. (Lemon Verbena.) Scented lvs. Pretty for borders; fine colors.
<b>74130 Vicia</b> Gerardii		3	hA ·	violet d. red		5 5	Pretty pea-shaped flowers.
<b>74180 Vinca</b> alba (pure white) <b>74190</b> rosea <b>74200</b> —alba			tP	white rose ro. & w.		10	Fine for conservatory, parlor windows and borders or
<b>74210</b> —Mixed	1	2		mixed blue		10	beds; very pretty.  (Viola.) All have great beauty
74250 The Czar				white purple		10	and fragrance. Seed takes a long time to germinate.  Fine and early-flowering. See
74280 — Mauve Queen			hA	white red	  I	10	Violet.
74310 Whiteoz., 25c. 74320 Crimson Kingoz., 25c.				white crim.		5 5	(Malcolmia maritima.) Early flowering and fine.
74330 Mixed	2	3		mixed sc. & w. rose	1 ½ 3 4	5 5 5	Abundant blooming, hardy annuals, very effective in
74380 —cœrulea				blue white mixed		5	massing. They are easily grown, and succeed best in light, rich loam.
<b>74440 Wallflower,</b> Brownoz., 3oc. <b>74450</b> aurora	I .	3	tP	brown cham.	1 ½	5 5 5	I I I I I I I I I I I I I I I I I I I
74460 White Gem				sul. wh. yellow golden		5 5 5	
74490 Mixedoz., 3oc. 74500 —Tom Thumb 74510 —Tall Double Branching				mixed	 I	5	(Cheiranthus Cheiri.) Favorite sweet-scented flowers, of fine
74520 Double Dwarf Branching Golden Yellow				yellow	1½ 34	25 25	colors; useful as spring bedders. No. 74560 is most valu-
74530 — — — Dark Brown				brown mixed	1½	25 25 25	able, flowering the first season from seed.
74560 Paris, Single Annual COLLECTIONS, including— 12 vars. Double German			hA			5	
8 vars. Double German 6 vars. Double German						\$1 00 80 65	
Wax Gourd				purple		5	See <i>Benincasa cerifera</i> , p. 101. Pretty bell-shaped flowers;
<b>74650</b> —albaoz., 4oc. <b>74660</b> gloxinioidesoz., 4oc. <b>74700</b> Worms (Scorpiurus)	١.	. 3		white b. & w. scarlet	· ·	5 5 . 5	free-flowering.  Seeds are very curious.
<b>74740 Wigandia</b> Vigieri			†tP	red violet	4	10	Fine tropical leaves.
74780 Xeranthemum annuum 74790 —album 74800 —multiflorum 74810 ——album. 74820 ——Mixed			hA 	purple white white	2	5 5 10	One of the oldest Everlastings; the flowers retain their color and form longest of all.
<b>74820</b> — — Mixed		3	hP	gr. & w.	3 4	10	Very showy, attractive plants for the subtropical garden; many large white flowers.
Zinnia		T A	TOF	OD II			See page 94.

### MIXED ANNUALS FOR WILD GARDEN

Bright-colored, summer-flowering, easily grown hardy annuals in the greatest variety for sowing broadcast. Per oz., 10 cts.; ½lb., 30 cts.; ½lb., 55 cts.; lb., \$1, postpaid.

### **ORNAMENTAL GRASSES**

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

NUMBER AND NAME  *** 1/4 oz. at oz. rate only on articles quoted at  \$1 per oz. and over.	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
75290 *Agrostis nebulosa	2	hA	apet.	ı	cts.	Very fine for vases and bou-
75300 pulchella					10	quets. The plumes of A. nebulosa are very delicate.
75320 *Andropogon argenteus	3	hP		3	10	Silky flowers, white hairs.
75340 Arundo Donax				10	10	Subtropical plants of stately
75350 *—fol. variegatus					10	growth; ornamental habit.
75360 Avena sterilis	2 3	hA		3	5	(Animated Oats.) Curious.
75400 gracilis					5	(Quaking Grass.) No. 75410 is
75410 maxima				1 1 2	5	very pretty for bouquets.
75440 Brizopyrum siculum				34	5	Dwarf species of Spike Grass.
75470 Bromus brizæformis oz., 20c. 75480 macrostachys oz., 20c.				3	5 5	No. 75470 is very fine for winter bouquets. To this genus
75490 madritensis					5	J belongs the Cheat Grass.
75520 Chloria barbata yara				. :	10	Dwarf; very fine for edgings.
75540 Chloris barbata vera					5	For groups and for baskets.  Pretty for edgings.
75570 Coix lachryma.oz., 15c., lb., 500				11/2	5	(Job's Tears.) Seed resembles
75590 aurea zebrina					5	a tear-drop.
75610 Cryptopyrum Richardsoni	2			2	10	Very fine Grass.
75630 Elusine barcinonensis	2 3			I	5	(Crab, or Yard Grass.) E.
75660 Indica					5 5	Indica is the Wire Grass.
75680 Eragrostis elegansoz., 20c.	2				5	(Love Grass.) Pretty Grasses,
<b>75690</b> • amabilis					5	growing about a foot high. and characterized by their
75710 maxima					5	beautiful dancing spikelets;
<b>75720</b> suaveolens					5	J fine for bouquets.
75740 Erianthus Ravennæ	2 3	hP		6-8	10	(Plume Grass.) Very stately.
75760 Eulalia Japonica			: :	5	10	Among the most beautiful of the tall-growing grasses.
75800 Festuca glauca				2	15	(Fescue Grass.) Ornamental.
75820 Gymnothrix caudata					5	Grown chiefly as curious and
<b>75830</b> Japonica	1 : :			2-3	5	ornamental grasses.
75880 *Gynerium argenteum					10	(Pampas Grass.) This is the
<b>75890</b> *—fol. variegatis					25	noblest of the tall-growing
75900 *—roseum		: :		: :	5	grasses, and bears magnifi- cent plumes.
75940 Hordeum jubatum	1	hA		2	10	(Squirrel-tail Grass.)
75960 Isolepis gracilis		tP		1/2	20	Very pretty rush-like grass.
Job's Tears						See Coix lachryma, above.
75980 Lagurus ovatus oz., 20c.		hA		2	5	(Hare's-tail Grass.)
75990 Lasiagrostis argentea		hP		3	5	Fine for winter bouquets.
76000 Panicum sulcatum		hA			15	Very showy and hardy.
76010 Pennisetum villosumoz., 25c. 76020 Ruppellianum			crim.	1½ 3	5 <b>5</b>	Ornamental grass. 76020 has beautiful crimson plumes.
76040 Poa amabilis			apet.	2	10	Pretty for bouquets.
76050 Setaria alopecuroides nigra					5	Graceful black spikes.
76060 *Stipa pennataoz., 5oc. 76080 elegantissima		hP			10	(Feather Grass.) Grown for its very graceful plumes.
76090 Tricholæna violacea	2 3	hA			10	A very pretty grass.

NUMBER AND NAME  ### 1/4 oz. at oz. rate only on articles quoted at  \$1 per oz. and over.	of	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
76100 Zea Japonica		hA 	apet.	3 6	cts. 5 5 5 5	Ornamental varieties of Corn. Nos. 76100 and 76110 have beautifully striped leaves.
Mixed Ornamental Grasses—           76150         Mixed Talloz., 20c.           76160         Mixed Dwarfoz., 30c.	: :	: :		4 2	5 5	These mixtures contain all the standard sorts.

### Collections of Ornamental Grasses

					each\$o 80	
12 varieties	Ornamental	Grasses, on	e packet	of	each 50	0

### PALM SEEDS

Imported direct from approved sources in Australia, New Zealand, South America, Central America and the West Indies, and are unexcelled in quality and purity. Fresh seeds arrive throughout the year, as the various species mature, but the greater number come during the spring and summer. The seeds are slow in starting and the germinating period varies, according to the variety, from three weeks to three months. The young plants should be potted in 3-inch pots in a compost of rotted sods, leaf-mould and sand, and well watered. They grow slowly. As soon as the roots begin to crowd, the plants should be lifted into larger pots, special attention being given to secure good drainage. The plants do well in partial shade, and to keep the sod cool and to prevent it from quickly drying out, it is well to cover the surface with sphagnum moss. They must be kept in an even temperature. Customers are invited to let us book their orders, to be sent from time to time as fresh shipments arrives.

from time to time as fresh shipments as	rrive.	100			100	5		
	Pkt.	seeds	•	Pkt.	see	ds		
Areca lutescens12 seeds, \$	0 25	\$1 25	Geonoma gracilis 10 seeds,	\$0 25	\$2	00		
Brahea filifera (Washing-	·	ŭ	Kentia Belmoreana15 "	25	I	25		
tonia)25 "	10	30	Canterburyana (Umbrella	-3		-3		
robusta	10	50	Palm)	25	1	25		
Chamærops elegans argentea12 "	10	60	Forsteriana	25		50		
excelsa25 "	10	30	Latania Borbonica10 "	10		50		
humilis20 "	10	40	Musa Ensete (Abyssinian	10		5-		
Cocos australis12	25	I 25	Banana)15 "	25	т	50		
Bonnetti	25	1 50	Oreodoxa regia (Royal	23	-	20		
campestris	25	1 50			-			
comosaio "	25	2 00	Palm)	25		25		
Weddelliana	25	2 00	Panuanus utinis (Screw Fine) o	15	I	50		
Corypha australis (Cabbage			Phoenix Canariensis15	10		40		
Palm)12 "	10	60	dactylifera (Date Palm) . 8 "	10	I	00		
Dracæna australis20 "	15	50	recimata	10		00		
indivisa25 "	10	25	rupicola	25	I	50		
indivisa lineata 20 "	15	50	tenuis	25	2	00		
Draco12 "	25	1 00	Seaforthia elegans 8 "	10	I	00		
Collection of 10 varieties of Palm seeds, by names, our selection, \$1 each								

Throughout the year we have Cycas revoluta stems (Sago Palms) in various sizes direct from Japan. Lb. 15 cts.

# CHOICE COLLECTIONS OF FLOWER SEEDS Free by mail at prices quoted

100	Annuals,	Biennials	and	Perennials	\$	4	00	25 Choice Greenhouse Seeds\$4 c	00
50	"	"	66	"		2	00	12 " " " … 2 5	50
25	ec /	"	66	"		I	00	50 Choice American Seeds for European Cul-	
12	66	**	66				50	ture 4 c	00
25	More Ra	re Annual	s			2	00	25 Choice American Seeds for European Cul-	
10	66 66					1	00	ture 2 C	00
20	Choice H	lardy Bier	nnials	s and Peren	nials .	1	00	12 Annuals for Bees 5	50
								All strictly our own selections	

### LIST OF FLOWERS SUITABLE FOR BOUQUETS

Abronia umbellata Ageratum Mexicanum Alyssum maritimum Amarantus tricolor Ammobium alatum Aquilegia chrysantha Aster and Balsam Cacalia coccinea Calliopsis lanceolata Callirhoë pedata Candytuft Carnation Centaurea
Centranthus macrosiphon
Chrysanthemum inodorum
Collinsia bicolor and verna
Cosmos and Cuphea
Dahlia, single
Dianthus Chinensis
Digitalis, assorted
Gaillardia
Gaura Lindheimeri
Gilia tricolor
Globe Amaranth

Godetia, assorted
Gypsophila
Impatiens Sultani
Kaulfussia amelloides
Leptosiphon
Looelia Erinus
Malope grandiflora
Marigold
Mignonette
Pansy
Phlox Drummondii
Reseda odorata

Salvia splendens Scabiosa Sanvitalia procumbens Silene, Mixed Statice, assorted Stevia serrata Stocks, Ten Weeks Sweet Peas Verbena Viscaria oculata Zinnia, all varieties

# **GLADIOLI**


Gladioli are very easily grown. Any good soil suits them. Plant as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches a Jart. By planting at intervals up to the first of July, these fine flowers can be had in bloom all through the summer and fall—the later flowers being the best. About the end of October, when the leaves begin to wither, the bulbs should be taken up, dried in the open air, and then stored in a dry place, free from frost, for planting next spring.

*Those so marked are used extensively for forcing.

### NEW YELLOW GLADIOLI

Primulinus. Very rare species from Victoria Falls, South Africa; grows 3 to 4 feet tall and is very vigorous. The flowers are of good size and are a





GLADIOLI

Primulinus Hybrids, continued

species and choice garden varieties. Extremely vigorous and healthy growers blooming in July and August. Grow 3 to 5 feet high, with long spikes of richly colored blooms, varying in color from clear yellow to crimson, the latter with large soft orange or golden throats. 20 cts. each, \$2 per doz., \$12 per 100.

### VARIOUS MIXED GLADIOLI

6 of a kind at dozen rates, 25 at 100 rates, 250 at 1,000 rates

Mixed	Varieties of Red and Do	Z,	. 10	00	1,00	00
	Scarlet\$0	40	\$2	00	\$14	00
66	White and Light. Stan-					
	dard selection	45	2	25	17	00
* 66	White and Light. Extra-				•	
	fine for florists' use	50	3	00	23	00
66	Striped and Variegated	50	3	25	25	00
66	Pink and Rose. Extra-fine	45		25	17	00
66	Yellow and Orange	70	4	50	38	00
"	Hybrids. All colors	40	2	00	14	00
"	Groff's Hybrid Seedlings		2	00	14	00
"	Lemoine's. Fine bright color	-			-	
	ing and odd markings	40	2	00	14	00
"	Childsii. Superb large-				·	
	flowered	50	3	00	24	00

### FINE NAMED HYBRID GLADIOLI

6 of a kind at dozen rates Amalthee. Pure white, large violet-red Each blotch; ground of the corolla velvety violet, lower petals slightly tinged .....\$0 15 \$1 25 Andre Leroy. Deep cherry, flamed and striped darker; white blotch and Astarte. Compact spike of large flowers, 25 65

pale rosy lilac streaked with rose	15	I	25
Augusta. Beautiful pure white, with blue	- 3		- 5
anthers	06		65
AUTUMN GIANT. Very brilliant orange-			
yellow and scarlet, deep golden yellow			
throats. Splendid spike often 3 feet			
long, grows 4 to 6 feet high. Blooms			
from late August until October if			
planted early. Fine for cutting	20	2	00
Baucis. Fine spike, with large flowers			
of rose, slightly tinged salmon; blotch			
dark amaranth-red	15	1	25
BLUE JAY. Rich deep blue. The only			
real blue Gladiolus on the market.			
Hardy	20	2	00
Brenchleyensis. Bright vermilion-scarlet.			
per 100, \$2.50	05		50
Calypso. Flesh-colored rose, streaked			
with rose and blotched carmine	TE	т	25

with rose and proteined carmine	1.5	1	25
Carnation. Flesh-white, tinged carmine	_		
at the edges, the lower petals blotched			
purplish carmine	15	I	25
*Ceres. Pure white, spotted with purplish			
rose	06		65

FINE NAMED	н	YBRID	GLADIOLI, continued		
Chicago. Compact spike. Dark car- Each	h i	Doz.	Michigan. Tall, compact spike, large, Each	Do	oz.
mine-red, with almost black stripes,			cherry-red flowers, white blotch \$0 15	\$r	50
large white blotch and center band\$0 1	r	1 25	Mr. Jansen. Large rosy carmine, edged		•
Christopher Columbus. Large, rosy car-		3	and streaked violet-red, with cream-		
mine, flamed red, violet-red blotch on			colored blotch 15	1	25
lower petals		1 50	Mrs. Francis King. Light scarlet; lovely. 10	I	00
Crepuscule. Splendid spike; flowers lilac-	. 3	1 30	Neron. Tall spike; dark crimson, suf-	_	
rose, flushed carmine, with violet on			fused with dark blood-red and violet 15	т	50
the edges of the petals	-	I 25	Norma. Pure white, occasionally very	_	50
Diamant. Extra-large flowers, flesh-	. 3	1 23	slightly suffused with pale lilac 20	2	00
white, with ivory-white throats, blotched			Octoroon. Beautiful salmon-pink 10		00
and streaked carmine		2 00	Ophir. Dark yellow, purple blotch 10		00
Escarboucle. Dark carmine-red, pure	.0	2 00	Pactole. Yellow, tinged with rose at the	*	
white band and blood-red blotch	_	1 00	edges; blotch of a darker shade 15	т	25
*Eugene Scribe. Fine tender rose, blazed	.0	1 00	Phoebus. Brilliant red, pure white blotch 15		50
carmine; very large and wide flowers		1 00	Potentat. Carmine-rose, blotched scar-	_	50
		1 00	let, edged yellow 20		00
Feu Follet. Well-opened flowers with				~	-
ivory-white throat, richly tinted and		T 00	PRINCEPS (Amaryllis-flowered Gladio-		
striped with carmine at the edges I	.0	1 00	lus). Rich crimson, with broad white		
Fra Diavolo. Bright orange-rose, flushed		T 05	blotches across the lower petals 20	2	00
violet-red at edges; pale yellow blotch. I	5	1 25	Proserpine. Large, cherry-red flowers,		
Gen. Phil. Sheridan. Fiery red, with			banded with slate color; tall spike 15	I	50
white line running through each petal;			Reine Blanche. Pure white, dark car-		,
blotched white	LO	75	mine blotch o6		60
Grandesse. Large, well-opened flower;			Rossini. Dark amaranth-red, streaked		
petals flesh white, slightly suffused		- 05	and blotched white	I	50
with lilac. Carmine blotch		1 25	*Shakespeare. White, slightly suffused		
*Isaac Buchanan. Very fine yellow I	10	1 00	carmine-rose; large rosy blotch 15	1	50
*Lamarck (de). Large flowers, cherry,			Suffren. Flowers fresh, bright cherry-		
tinted orange, blazed red, stained	-6	6=	rose, carmine blotch, with violet		
white	50	65	center stripe; very pretty 10	I	00
Le Phare. Brilliant fiery red; very fine I	5	1 25	SULPHUR KING. Clear sulphur-yellow.		
Leviathan. Tall spike of enormously large			One of the finest of the yellows 25	2	50
soft bright rose flowers, flamed and striped carmine; amaranth blotch on			Surprise. Rose-amaranth; very late-		
		- FO	blooming variety	I	00
creamy white ground	15	1 50	Thalia. White, streaked carmine 10	I	00
	-6·	60	Thermidor. Large, salmon-red flowers,		
per 100, \$3.50 o  Madame Poiret. Large spikes of coppery	50	00	flushed and edged slaty gray 15	I	25
rose-colored flowers, with slight golden			Tigridia. Flowers salmon-yellow, flamed		
		T 50	with rosy carmine	; 1	50
Marechal Vaillant. Very brilliant scarlet,	15	1 50	Titania. Beautiful tall spike, creamy		
		T 50	salmon, flamed cherry 15	; I	25
with large, pure white blotch	15	1 50	Van Dael. Large flowers of a delicate		•
<b>Matador.</b> Fine spike, flowers brilliant carmine, striped and blotched white		T 50	salmon-rose at the center, streaked		
*May. Fine pure white, flaked rosy crim-	15	1 50	with blood-red at the top of the petals. 15	; I	50
son; superb spike. One of the best for			WILD ROSE. Very bright rose or blush	, -	5
forcing in greenhouse per 100, \$3.50.	26	60	tint. Exceedingly delicate and pretty 30	2	00
ioreing in greenhouse per 100, \$3.50.	00	00	thit. Exceedingly deficate and pretty 30	3	00

### GIANT CHILDSII GLADIOLI

MELROSE. White, flaked pink; crimson center. Very large and fine.....

Nezinscott. Blood-scarlet, with deep, velvety crimson-black blotches and Brilliant. Orange-red, with carmine and white throat ..... Columbia. Light orange-scarlet, blotched and penciled bluish purple..... 10 white mottlings in throat ..... Deborah. Dark red, tinged amaranth .. 10 Oddity. Amaranth-red, throat mottled Dr. Sellew. Large spike; deep rich rosy crimson, penciled darker..... 10 red and white ..... 10 I 00 Florida. Deep dark red; very early.... 10 I 00 Gracilis. Dull red, margined slate-blue. Large flowers ...... 10 Little Blush. Dwarf habit; compact spike of blush-white..... 15 I 25 ful clear light pink...... 15 I 25

Note.—We beg to draw special attention to our very fine Primulinus type and hybrid Gladioli on page 120, introduced by us recently, and to the several new named hybrid sorts and Giant Childsii, listed in larger type, new last season. All are worthy of extensive cultivation.

# DAHLIAS (Double)

6 of a kind at dozen rates

CACTUS	^	DECORATIVE É:	ich	Do	oz.
Cannel's Crest. Very dark crimson; Each	Doz.	C. W. Bruton. Large, clear yellow \$0	20	\$2	00
large flowers\$0 20	\$2 00	Claribel. Purple, tipped soft rose; low,			
Capstan. Yellow, becoming apricot-sal-		profuse grower; flowers carried well			
mon toward center; low grower; pro-		above the foliage	15	I	50
fuse bloomer	1 50	Frank L. Bassett. Royal purple shading to blue. Of dwarf, branching habit,			
long petals; medium height; profuse		profuse bloomer; bears large, well-			
bloomer. Sometimes three or four flowers		formed flowers	TE	т	50
open on one branch at the same time 25	2 50	MRS. ROOSEVELT. Delicate pink, shad-	-3	-	5-
Dr. Gates. Beautiful shell-pink, shading		ing to clear pink. Immense, perfectly			
to blush at base of petals; long stems 20	2 00	double flowers. Fine for cutting	25	2	50
Earl of Pembroke. Bright plum 15	1 50	Nymphæa. Pink and white; beautiful			50
Ernest Glasse. Magenta, partially flamed		Opal Queen. Difficult to describe, but			
and tinted lilac 20	2 00	may be said to be a light sulphur color,			
FLORODORA. Glistening scarlet-crim-		overspread and shaded with a tinge of			
son; flowers of fine cactus form, full to		pink. Strong, erect grower	20	2	00
center, with fine pointed petals; good		Sylvia. White, shading to pink on outer			
size; profuse bloomer	2 50	petals; flowers 4 to 6 inches in diameter; early and profuse bloomer	20	0	00
Gloriosa. Splendid crimson 20	2 00	Wm. Agnew. Intense dazzling red			00
Harmony. Yellow and carmine, blended in the inner petals and tipped deep		Xanthia.' Very large deep maroon flowers,	20	2	00
crimson 15	1 50	tipped crimson; low grower	20	2	00
J. H. Jackson. Deep maroon, almost	1 30	Zulu. (The Black Dahlia.) Very dark		-	-
black. Splendid	2 00	maroon, almost black	15	I	50
John H. Roach. Light yellow 20	2 00				5
KING EDWARD VII. Soft bright red,		SHOW AND FANCY			
suffused with scarlet; petals long and		A. D. Livoni. Clear pink; fine sort	15	I	50
narrow. Fine 25	2 50	Arabella. Pale primrose, tipped and			
Kriemhilde. Shell-pink, shading to white		shaded old rose and lavender; a pro-			
in center 20	2 00	fuse bloomer, producing large flowers of			
Libelle. Finest purple, long petals; pro-		perfect form	15	J	50
fuse bloomer; long stems. Splendid 20	2 00	Crimson Ball. Bright crimson purple			
Lord Brassey. Delicate rosy pink; ex-		flowers of perfect form	15	I	50
quisite	2 00	<b>Dr. J. P. Kirtland.</b> Dark crimson, flushed maroon. Produces very large blooms			
Major Weston. Dark velvety maroon;		on long stems. Splendid	20	2	00
large flowers	1 50	Enchantress. Pure white; fine form; free-		-	-
to ochre	2 00	bloomer	20	2	00
Mrs. Chas. Turner. Finest of the yellows;	2 00	Lemon Ball. Canary-yellow, tinted lemon.			
large flowers, with long, pointed petals;		Full round flowers of medium size;	20	2	00
perfect form. Bright lemon-yellow 15	1 50	Lucy Fawcett. Sulphur-yellow, striped			
Mrs. H. J. Jones. Salmon-red, tipped pure		carmine; free-flowering		I	50
white. Narrow twisted and pointed		Maid of Kent. Cherry-red, tipped white	15	I	50
petals. Very fine 20	2 00	Miss Browning. Pure yellow, tipped snow-			
Mrs. J. H. Luscombe. Lavender and lilac		white; sometimes solid yellow; very fine			50
flowers of good size. Very strong grow-		Oakfield. Purple and maroon			50
er, of dwarf habit	2 00	Penelope. White, flaked lavender			50
Mrs. J. P. Clark. Long, incurved petals, various combinations of color from		Pride of Orange. Rich yellow, tipped red	15	1	50
soft reddish apricot to pink and white.		Purity. Fine white, of dwarf, branching habit; very profuse bloomer	20		00
Splendid for cutting	1 50	Storm King. White; very early; profuse	20	2	00
Pride. Beautiful crimson, with rosy pur-		bloomer, producing large, perfect-shaped			
ple sheen. A good bloomer 15	1 50	flowers on long stems. Fine for cutting.	20	2	00
Rosenhagen. Splendid rose-pink, shaded		Sunset. Yellow; large, full and deep; good			
lilac; long petals 20	2 00	grower	20	2 (	00
Royal Purple. Deepest shade of purple; fine					
flowers 20	2 00	SINGLE			
WINSOME. Pure white; large flowers on		20th Century Seedlings. Assorted colors,			
long stems; fine form. Prolific 25	2 50	profuse bloomers, on long stems	20	2	00





# **Dwarf Large-Flowering French Cannas**

6 of a kind at dozen rate, 25 at 100 rate

These fine ornamental plants produce bold and striking foliage of dark metallic hues, as well as the various shades of green. The flowers range in color from yellow and orange to scarlet and deep crimson, and the plants bloom continuously from the time of planting until cut down by frost.

CROZY TYPI	E.					
Alphonse Bouvier. 5 to 6 ft. Ea	_	De	oz.	10	00	Shenandoah.
Large, clear crimson flowers,						pink flower
luxuriant green foliage\$0	15	\$1	25	\$8	00	Souvenir d'Ar
Charles Henderson. 3 to 4 feet.	0		0			Intense so
Brilliant crimson-scarlet flow-						flowers. B
ers, with yellow flame in throat;						age. A favo
green foliage. Fine bedder	15	1	25	8	00	
Coronet. 4 ft. Golden yellow	15	1	25	8	00	ORCH
Egandale. 3 to 4 ft. Rich bronze-						Allemannia.
red foliage, deep currant-red						bordered w
flowers; an early and constant						Austria. 4 to
bloomer; one of the best bedders.	15	Ι	25	8	00	with small
Explorateur Crampbell. 5 to 6 ft.						throat
Dark green foliage; flowers car-						America. 5 to
dinal, speckled darker	15	1	25	8	00	large orang
Florence Vaughan. 4 to 5 ft. Sulphur-						California. 4
yellow flowers, spotted red.						Indiana. 5 f
Green foliage	15	1	25	8	00	heavy texti
KING HUMBERT. 5 ft. Bears im-						Parthenope.
mense brilliant orange-scarlet						scarlet, so
flowers with red splashes and						mon
markings. Foliage bronze, with						Pennsylvania
brownish green stripes. A massive		_				of the best
sturdy grower of stately habit  Madame Crozy. 3 ft. Brilliant ver-	30	3	00	20	00	
milion-scarlet flowers edged						
yellow. Bright green foliage	15	т	25	8	00	Grand Rouge
Mlle. Berat. 5 ft. Carmine-pink	15	1	25	0	00	reddish bro
flowers of a distinct shade. Rich						red flowers
green foliage. Fine bedder	10	т	00	6	00	King of the
President McKinley. 3 ft. Bright	10	•	00	Ü	00	broad, bro
crimson flowers, with scarlet						pearance; r
shadings; bright green foliage	15	1	25	8	00	Musafolia. 5
Queen Charlotte. 3 ft. Rich scar-	- 5		- 3			best foliag
let flowers, with wide, irregular						green folia
border of yellow, spotted red on						der of bro
the yellow. Clear green foliage.						but has sm
A splendid variety	15	I	25	8	00	it does

# 4 ft. Bronze foliage; Each Doz. 100 ers .....\$0 15 \$1 25 \$8 00

Antoine Crozy. 3 to 4 ft. scarlet, golden edged Broad, deep green foliorite sort..... 15 I 25 8 00

CROZY TYPE, continued

ORCHID-FLOWERE	D	T	ΥP	E	
Allemannia. 4 to 5 ft. Orange-red, E	ach	D	oz.	I	00
bordered with yellow\$0	15	\$1	25	\$8	00
Austria. 4 to 5 ft. Large yellow,					
with small specks of dull red in					
throat	10	I	00	6	00
America. 5 to 6 ft. Bronze foliage;					
large orange, shaded red, flowers			25		
California. 4 ft. Rich orange	15	I	25	8	00
Indiana. 5 ft. Orange flowers of					
heavy texture	15	I	25	8	00
Parthenope. 6 to 7 ft. Orange-					
scarlet, sometimes shaded sal-					
mon	10	I	00	6	00
Pennsylvania. 6 ft. Solid red; one					
of the best of this type	10	I	00	6	00

**				
FOLIAGE TYPE				
Grand Rouge. 5 to 6 ft. Dark Each	Do	oz.	I	00
reddish bronze foliage; bright				
red flowers\$0 15	\$1	25	\$8	00
King of the Bronzes. 7 to 8 ft.				
broad, bronze leaves of fine ap-				
pearance; red flowers 15	I	25	8	00
Musafolia. 5 to 6 ft. One of the		_		
best foliage sorts, with bright				
green foliage, and narrow bor-				
der of bronze; seldom blooms,				
but has small red flowers when				
it does	I	25	8	00

ALL THE ABOVE ARE DORMANT ROOTS

# **PAEONIES**


Double Pæonies are too well known to require description. Their present popularity is due to the great improvement them in recent years, their easy culture, the handsome appearance of the plant, and the brilliant and striking effect of their massive, finely formed and richly colored flowers. The attention given to them, in Europe and in America has resulted in the pro-duction of many notably fine new varieties. Among hardy, herbaceous perennials, the Chinese Pæonies rank about first for lawn or flower-border, or shrub-bery decoration. They are all hardy.

Our assortment includes the best and most distinct sorts, new and old. There are many kinds, including varieties showing but trifling variations, which we omit.

### Herbaceous Chinese Paeonies

(Paeonia chinensis)

6 of a kind at dozen rates





HEBACEOUS PEONY

### Japanese Tree Paeonies

(Paeonia arborea)

These are very beautiful and free-flowering, and bloom two or three weeks earlier than the herbaceous sorts. We are importing an assortment of the following fine named varieties.

### \$1.50 each

Comtesse de Tuder. Rosy white; very double.
Guillaume Tell. Bright carmine; large flower.
Mont Vesuve. Bright cherry; splendid.
Rubra odorata plenissima. Rose and wine color; very double.

Triomphe de Gand. Bright rose, with white border; large flower; very early.

### Paeonia Tenuifolia

Very elegant plants, with narrow-leaved feathery large foliage.

Each Doz.

Double-flowering. Rich crimson.....\$0 40 \$4 00

Eingle-flowering. Rich crimson......25 2 50

### Paeonia Officinalis

Anemonæflora.	Crimson;	anemone- Ea	ach	Do	oz.
flower shape		\$0	45	\$4	50
Atro-rubra plena.	Dark red		30	3	00
Mutabilis plena.	Rose, passi	ng to white.	.35	3	50
Splendens. Dark	red; half d	louble	45	4	50

# JAPAN IRIS (Iris Kaempferi)

### SUPERB COLLECTION OF LARGE-FLOWERED SORTS

We have imported from Japan a large supply of the following eighteen of the best of these magnificent Irises, which excel in size, perfection of form and richness of color. These are most valuable for cut-flowers and table decoration—as handsome as orchids. Flowers should be cut in the early morning or after sunset. They come in large clumps. The descriptions given are those jurnished us by the growers in Japan.

### 25 cts. each, \$2.50 per doz., \$18 per 100

Datedogu. Rich claret-red, orange, blue and white. Gakka-no-nami (Waves on Moonlight). Dense pure white, yellow blotches.

Shishi-odori (Dancing Lion). Purple and white. Kumoma-no-sora (Sky Amidst the Cloud). White, sky-blue and yellow.

Kumo-no-obi (Band of Cloud). Purple and yellow. Ho-o-jo (Ho-o-castle). Ruby crimson, primrose blotches.

Hana-aoi (Hollyhock). Gray, yellow and navy-blue. Hana-no-nishiki (Floral Embroidery). Brilliant claret-red, penciled white, orange blotches.

Yomo-no-umi (Boundless Sea). Gray, blue and yellow.

Senjo-no-hora (Angel's Den). Vinous purplespeckled, gray, primrose blotches. Komochi-guma (Bear with Young). Violet, double; several blooms coming close together at the head.

Shirataki (White Waterfall). White and primrose; a delicate and pleasing combination.

Kagaribi. Brilliant ruby, yellow blotches.

Shimoyo-no-tuski (Frost Moonlight). Gray-lavender, yellow blotches.

Tora-odori (Dancing Tiger). Gray, overlaid with lavender-blue; yellow blotches.

Shichiukwa. Ruby-crimson and white; primrose blotches.

Shippo (Cloisonné). Rich Tyrian blue, edged purple and feathered white; yellow blotches.

Taiheiraku (Peace). Rich purple, yellow blotches, tipped blue.

# LILIES

Lilies are easily grown and require little care. They do best in a light, well-drained soil. Some peat or leaf-mould may be used to advantage. They also prefer partial shade, and the taller sorts must have protection from high winds. L. auratum cannot bear manure, but thrives in ordinary light soil.


Auratum (Golden-banded Lily). The grandest of all ha dy Lilies; flowers white, spotted with maroon, having a bright yellow band through each petal.

Prices and Sizes of Lilium auratum 8 to 9 inches...per 19 to 11 inches ...per 19 to 13 inches ...per 19



LILY

Trees and bizes of Lindin adiatum	CII	DC	12.
8 to 9 inchesper 100, \$8\$0	12	\$1	25
9 to 11 inches per 100, \$12	20	2	00
11 to 13 inches'per 100, \$22	35	3	25
Auratum macranthum. A splendid va-			
riety of the above, with much larger			
flowers. 5 to 8 feet per 100, \$24	35	3	50
Auratum pictum. Beautifully spotted dark			
crimson	60	5	50
Auratum rubro vittatum. Enormous flow-			
ers, sometimes measuring 10 inches			
across; pure white, beautifully spotted			
and with a deep crimson stripe through			
center of each petal; very fragrant.			
7 to 9 inches			00
9 to 11 inches	00	9	00
Auratum virginale. Large, pure white			
flowers, with yellow banded petals	-		50
Batemanni. Bright apricot	30	3	00
Brownii. Flowers of immense size,			
creamy white inside, shaded chocolate-			
purple outside. A splendid pot-plant	70	7	00
Chalcedonicum (True Scarlet Turk's-cap			
Lily). Brilliant scarlet, recurved flow-			
ers. 3 feet	70	7	00
Colchicum. Citron, spotted black. A			
aplandid Lily	60	6	00



JAPAN IRIS

8 to 9 inches ...per 100, \$12...

9 to 11 inches ...per 100, \$16...

LILIES, continued	
GIGANTEUM. A magnificent species, Each Doz.   Speciosum rubrum Melpomene. Very Each	Doz.
growing 6 to 10 feet high; color white dark crimson-spotted flowers of	
with purple throat; extra-large, large size.	
choice bulbs	\$1 75
HENRYI (Orange-yellow Speciosum). 9 to 11 inchesper 100, \$16 25	2 50
Tall-growing sort; deep orange-yel- Speciosum album Krætzeri. Beautiful	
low flowers; very beautiful and strik- pure white flowers of large size; one	
ing	
Krameri. White, slightly tinged with Lilies we have. 2 to 4 feet high.	
red; sweet-scented	2 00
Leichtlinii. Orange-red, with crimson 9 to 11 inches	3 00
spots. 2 to 3 feet	
LONGIFLORUM. Beautiful for garden mon, spotted black per 100, \$5 10	1 00
culture. 6 to 8 inches. per 100, \$6. 10 1 00 Tigrinum splendens. Beautiful rich	
7 to 9 inchesper 100, \$8. 12 1 25 scarlet, with black spots; finest of	
Speciosum rubrum. White, shaded all Tiger Lilies	1 50
rose, spotted deep red. Tigrinum flore pleno. Double Tiger	

### **AMARYLLIS**

Lily; bright orange-red, with black

spots. 4 to 5 feet .....

25

2 50

I 75

2 50 1

20

The most suitable soil is good loam, with one-fourth part of leaf-mold or pulverized manure, and some sand. Good drainage is very important. The growing season is from early spring until September. Manurewater during this time is almost essential.

_	
Aulica (Lily of the Palace). Large flow- Each Doz.	Josephine (gigantea). Fine scarlet flow- Each Doz.
ers, crimson, shaded green\$1 25	ers in immense umbels. Extra-size
Belladonna major. Violet and white;	bulbs
in large umbels; fragrant 25 \$2 50	Longifolia rosea. Rose; hardy 25 \$2 50
Crocea grandiflora. Bright orange,	" alba. White; hardy 30 3 00
white stripe 2 50	Orientalis. Fine rare variety 4 50
Formosissima (Jacobæan Lily). Pretty	Prince of Orange. Bright orange 3 00
scarlet flowers; may be planted out-	Reticulatum striatifolium. Violet,
side in the springper 100, \$15 25 2 50	striped white; very beautiful and de-
Graveana. Dark orange 1 75	cidedly distinct 3 00
Johnsoni (Spice Lily). Large, beautiful	Mixed Hybrids (hippeastrum). Beauti-
flower, crimson, striped white. Large	fully colored; large bulbs 70 7 00
bulbs 60 6 00	Mixed Vittata Hybrids 70 7 00

### TUBEROUS-ROOTED BEGONIAS

Splendid pot-plants for the house or for bedding. For bedding they should be started in hotbed in March and April. The hollow end of the bulb should be uppermost and but slightly covered. Water sparingly until the plants are growing.

	Ea	ch	Doz.	1	00		Each	Doz.	100
Single	Crimson\$0	10	\$0 65	\$3	75	Single Mixed	\$0 10	\$0 65	\$3 75
"	Scarlet	10	65	3	75	Double White	15	1,00	6 50
	Rose								
66	White	10	65	3	75	" Rose	15	1 00	6 50
"	Yellow	10	65	3	75	" Scarlet	15	1 00	6 50
66	Pink	10	65	3	75	"Mixed	15	1 00	6 50

### BEGONIA CRISPA (Single Fringed Begonias)

These new Begonias have beautifully shaped, gracefully frilled and crested flowers, borne above the foliage on long and erect stems. An exceedingly fine strain. RED, ROSE, WHITE, YELLOW and SALMON. 15 cts. each, \$1.50 per doz.

Wish to state that lily bulbs purchased of you last fall gave the best of satisfaction. I can simply say they were the finest I ever raised.—Ed. B. Roberts.

### **CRINUMS**

The most suitable soil is a compost of turfy loam, cow-manure and sand. They should be grown in large pots or tubs, about three-fourths of the bulb being out of the soil. In late fall, remove to a coolhouse and allow to rest till new leaves begin to appear in February. If placed outside when warm weather begins, they will flower through the summer, making splendid lawn or veranda plants.

Giganteum, Giant White. Immense bulbs; Each
large, white flowers; blooms all summer; very
fragrant; they should be watered plentifully
while growing\$2 00
Amabile, Giant Pink. Extra large, bright pink,
with white stripe; splendid flower; enormous
bulb. This and the Giant White are unsur-
passed for growing in tubs, blooming pro-
fusely outside all summer 2 00

-	
Kirki. Large umbels of beautiful pure white Ea	ch
flowers, with purple stripe in center of each	
petal; very fine\$0	85
Powelli. Produces long stems, bearing at the	
top five to eight large, dark rose, bell-shaped	
flowers, 3 to 4 inches long, of great beauty	45
Powelli album. Pure white; a very beautiful	
sort	70
To 111 1 4 11 T 1 1 .	00

### **MONTBRETIAS**

Hardy, summer-flowering, bulbous plants that are becoming more popular every year. They should be planted in groups and left undisturbed. Ordinary garden soil and a sunny position suit them.

Bouquet Parfait. Large, bright Each Doz.	100
vermilion flowers, with deep	
yellow centers\$0 05 \$0 40	\$2 00
Crocosmiæflora. Large, bright	
orange, tinted scarlet 05 40	2 00
Elegans. Bright yellow outside,	
streaked with vermilion; fine 05 40	2 00
Etoile de Feu. Bright vermilion, with	
deep yellow center; large flowers. 05 40	2 00

I	ach	Doz.	100
Golden Sheaf. Bright yellow \$0	05	\$0 40	\$2 00
Potsii. Orange and scarlet; very	7		
free-flowering	05	40	2 00
Soleil Couchant (Sunset). Golder	ı		
yellow	05	40	2 00
Sunbeam. Rich yellow, spotted	l		
brown; large flowers	. 0.5	40	2 00
Mixed Seedlings	05	30	1 50

# TIGRIDIAS (Ready in April)

These very handsome summer-flowering bulbs should be planted in the spring. They will flower profusely all summer. The plants grow about 2 feet high, with large and finely colored flowers.

Canariensis. Very handsome, Ea	ch	Do	oz.	10	00
light yellow, with brown spots. \$0	06	\$0	60	\$4	50
Conchiflora. Yellow, spotted red.	10	I	00	6	00
Grandiflora alba. Large-flowered;					
white, spotted crimson	06		60	4	50
Immaculata alba. Pure white, un-					
spotted	06		60	4	50

Immaculata lutea. New. Pure Ea	ch	De	oz.	10	00
yellow; a handsome and strik-					
ing variety\$0	10	\$1	00	<b>\$</b> 6	00
Lilacea. Lilac-purple; white spots					
in center	08		7.5	5	00
Speciosa pavonia. Bright crimson,					
mottled vellow	08		75	2	00

# **MISCELLANEOUS BULBS AND ROOTS**

ACIDANTHERA bicolor. Gladio- Ea	ch	Do	oz.	I	00
lus-like bulb. Pure white,					
sweet-scented flowers, with					
black blotch in center\$0	35	\$3	50		
ANEMONE, Caen Mixed (Poppy-					
flowered Anemone)	05		30	\$1	50
Blue, Double Mixed	05		40	.2	50
" Single. Light colors	05		30	2	00
Scarlet, Single Mixed	05		30	Į	50
" Double Mixed	05		40		50
White, The Bride. Single	05		30	1	50
Double. All colors mixed	05		30	I	50
Single. All colors mixed					
2 for 5 cts			20	I	00
ANOMATHECA cruenta. Crim-					
son flowers; dwarf habit;					
fine for window garden	05		30	I	50

I	ANTHOLYZA, Mixed. Like Gla- Ea	ch	Do	oz.	10	00
	dioli. Take up in fall\$0	15	\$1	25	\$7	00
	ARUM Dracunculus	15	I	50		
	Cornutum (Red Calla)	20	. 2	00		
	maculatum	10	1	00		
ı	BESSERA elegans (Coral Drops)	08		60	4	00
I	CALADIUM esculentum	25	2	50		
ĺ	CALLA, Yellow, Spotted Leaf.					
ı	Dark green leaves, spotted					
i	silvery white. Blooms out-					
	side all summer. Take up					
Ì	in fall like Gladioli. 2 ft	20	2	00	12	00
l	Elliottiana. Yellow, spotted					
ı	leaf. On same style as the					
	preceding, but the color is a					
1	deeper yellow. Both are ex-					
1	ceedingly desirable	45	4	50		
Ī	0 7	1 2		4		

MISC	EL	LA	NEC	US	BU	LBS	ANI
CAMASSIA Cusickii. Large leaves	s Ea	ach	Γ	oz.	I	00	Her
and pale blue flowers, in ra-			_				_
cemes 2 to 3 feet long	50	20	\$2	00		1	S
esculenta. Pretty violet-blue					dh	1	HY
flowers; fine for cutting		05		35	\$2	00	INC
CHLIDANTHUS fragrans. Gol-					,		MA
den yellow		10	I	00			MII
CINNAMON VINE, Roots		06		50	3	00	NE
DICENTRA spectabilis (Bleeding							14151
Heart). Hardy perennial;							C
also forcer		20	Ι	60	ΙΙ	00	fl
EUCHARIS Amazonica. Fine							- 11
greennouse plant		75	8	00			F
GLOXINIA, Red		Ι2	1	00		00	F
Spotted		Ι2	_	00		00	_
White		I 2		00		00	S
Blue		12	1	00		00	
Mixed		10		85	5	50	u
HÆMANTHUS albiflos. White.		00					
coccineus. Scarlet; for pots	2	50					PAI
puniceus. Orange-red; for		~ =					C
pots		25					n
tigrinus. Crimson; for pots	2	50					
HELLEBORUS niger (Christmas							PEI
Rose). Hardy; valuable		40		00			ant
forcer		40	4	00		1	SPI
HEMEROCALLIS, Apricot. Dis-		0.0					•
tinct rich apricot		-	3	80			ja
flava. Clear yellow		10		00			ja
fulva. Coppery orange, shaded		10	т	00			J.
crimson		10	1	00			



SPOTTED LEAF CALLA LILY (see page 129)

	ROOTS, continued					
Heme	rocallis Kwanso fl. pl. Cop- E	Cach	D	oz.	1	00
I	pery orange double\$o	15	\$1	50		
Sie	boldii. Reddish orange	10	1	00		
	CINTHUS candicans	10		75	\$4	50
	RVILLEA Delavayi. Fine.	25	2	50		
MAD	EIRA VINE, Roots	08		75		
MILL	A biflora. Pure waxy white	06		60	3	50
NERI	NE corusca. Brilliant scar-					
1	et I	50				
cris	spa. Scarlet 1	00				
	uosa. Bright crimson,					
	inged orange	40				
	hergillii. Bright scarlet 1	25				
	hergilli major. Intense					
	niensis (True Guernsey	75				
	Lily). Brilliant crimson	65				
und	lulata. Rosy purple, wavy	- 3				
f	lowers	00				
PANC	RATIUM Illyricum	80	7	00		,
	athinum (Basket Flower)	20		00		
	ritimum (Sea Daffodil)	25	2	25	15	00
	CLANDIA miniata. Beauti-	J		5	J	
	ul crimson flowers	25	2	50		
	ÆA astilboides floribunda.	- 5	Ī	5		
	Pure white plumes; prolific.	15	I	50	8	00
jap	onica, Washington. Extra-	5		0		
. 1	arge flowers; fine forcer	20	I	75	9	00
jap	onica, Queen Alexandra, Pink. A new pink variety,					
	in habit similar to					
	in habit similar to Gladstone, but flow-					
	ering three weeks					
	later. Beautiful	60	6	00		
	palmata. Crimson.					
	Strong clumps	15	Ι	50	9	00
	TRITOMA Pfitzeri. Large					
	spikes of intense					
	flame-colored flowers. Plant in spring	20		60	II	00
	uvaria grandiflora (Red-	20	1	00	11	00
	Hot Poker Plant).					
Carlot I	Half-hardy	15	I	50	9	00
	TROLLIUS Caucasicus.					
	Golden yellow	40		00		
HS A. III	Europæus. Yellow	20	I	75	12	00
**	giganteus. Yellow japonica excelsior. Or-	25	2	50		
Tight.	ange; semi-double	35	3	50		
	TRITONIA crocata. Mixed.	10	0	75	4	50
4.0	TUBEROSES, Dwarf			, 5	,	
100	Double	06		40	. 2	00
	Albino. Pure white;	_				
$\gamma$	single	08		50	3	00
	VALLOTA purpures (See	08		50	3	00
	borough Lily)	40	4	00		
1	WATSONIA ardernei	40	4			
	(O'Brieni). Large,					
	beautiful, snow-white					
	gladiolus-like blooms					
10.	over 3 inches in di- ameter. Fine forcer or					
	for planting outdoors					
	in spring	30	3	00		
	ZEPHYRANTHUS can-	J	()			
	dida. White, greenish			0		
	base	10		80	5	50
	atamasco. Pure white.	15	Ì	50	9	00

### **Insecticides and Remedies for Plant Diseases**

If by mail, add postage at the rate of 16 cts. per lb. ALL NET CASH

Antipest

Non-poisonous and harmless to vegetation. Mixed with water as follows, it is effectual against—greenfly, I pt. to 10 gals. of water; mealy bug, I pt. to 1½ gals.; red spider, I pt. to 2 gals,; ants, wireworms and slugs, I pt. to I gal. Qt. 60 cts., ½gal. can \$1, gal. can \$2.

### APHINE

Has no equal for the destruction of green, black or white fly, thrips, red spider, mealy bug, caterpillars, scale, and other insects and blights. Used one part to forty parts of water. Does not injure the most tender growths of plants. Qt. \$1, gal. \$2.50.

### **Bug Death**

This is a fungicide, insecticide and plant-food combined. It is non-poisonous, and is extensively used for cabbage and tomato worms, potato and cucumber bugs. Apply with duster, bellows or powder gun, about 12½ lbs. to the acre. 1-lb. pkg., 15 cts.; 3-lb. pkg., 35 cts.; 5-lb. pkg., 50 cts.; 12½-lb. pkg., \$1; 100-lb. pkg., \$7.50.

### Copper Solution, Ammoniated

Prevents black and brown rot, mildew and other grape diseases; pear and apple scab, leaf blight, tomato rot, potato blight, melon blight, etc. Dilute 1 part to 100 parts of water; spray lightly. Qt. 50 cts., gal. \$1.50.

Fir-Tree Oil

For greenhouse and house plants. Destroys all insects without injuring the plant. The best insecticide for scale, aphis, red spider, etc. Dilute 1 pint to 20 gallons of water. Apply with vaporizer or syringe. ½pt., 40 cts.; pt., 75 cts.; qt. \$1.25, ½gal., \$2.25; gal., \$4.

### Fir-Tree Oil Soap

This is the same as the Fir-Tree Oil, but in soap form. It is useful for the same purposes. Mix at rate of r ounce to a gallon of water, and apply with bellows or syringe. ½-lb. tin, 25 cts.; 2-lb. tin, 75 cts.

### **Dalmation Insect Powder**

Effective against almost all kinds of insects. Per 1-lb. box, 30 cts.; per 1-lb. box, 50 cts.

### Gishurst's Compound

A certain remedy for greenfly, scale, mealy bug, etc. scellent for greenhouse use. Full directions for use Excellent for greenhouse use. Full on each box. Per 1-lb. box, 50 cts.

### Hammond's Grape Dust

For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. pkg., 35 cts.; 10-lb. pkg., 60 cts.; 100 lbs., \$5.

### Hellebore, Powdered

An excellent protection from currant worms, grape slugs, caterpillars, etc. May be applied dry or mixed in water—1 oz. to 3 gals. 2-lb. box, 35 cts.; 1-lb. box, 20 cts.; ½-lb. box, 12 cts.

### **Kerosene Emulsion**

For cabbage worms, scale on trees, caterpillars, melon louse, rose bugs, greenfly, etc., either on plants or animals. Dilute 25 to 50 parts. Qt. 40 cts.; gal., \$1.

### **Bordeaux Mixture, or Fungiroid**

For all fungous diseases, such as mildew, and the various rots of the grape. Full directions on label. Dry, 1-lb. box, 20 cts.; 5 lbs. and over at 18 cts. per lb.; 50 lbs. for \$7; liquid, 1 qt., 40 cts.; 1 gal., \$1.25.

### Lemon Oil

For destroying scale, caterpillar, mealy bug, etc., and for exterminating fleas, and curing mange on dogs and other animals. Directions on can. Dilute with and other animals. Directions on can. Dilute with water 30 to 50 parts. ½pt., 25c.; pt., 40c.; qt., 75c.; gal., \$2.

### "Nico-Fume" Tobacco-Paper

For fumigating greenhouses. It is the strongest Tobacco paper on the market; does not injure blooms. Packed in special friction-top tins and sold as follows: 24 sheets, 75 cts.; 144 sheets, \$3.50; 288 sheets, \$6.50.

Nico-Fume Liquid

For spraying or fumigating. Effective against greenfly, mealy bug, etc. Does not stain or injure blooms, and leaves no disagreeable odor. For spraying, I to 2 teaspoonfuls to a gallon of water. 4pt., 50 cts.; pt., \$1.50; ½gal., \$5.50; gal., \$10.50. Lamps, 50 ets. each.

### Nicoticide

For fumigating or spraying. For greenfly, mealy bug, etc. Does not damage foliage or flowers. Sold in cans as follows: No. 1 (1 pt.), sufficient for 32,000 cubic feet of space, \$2.50 each; No. 2 (½pt), sufficient for 16,000 cubic feet of space, \$1.25; No. 3 (½lb.), sufficient for 8,000 cubic feet of space. 70 cts.; gals., \$15; ½gal., \$8.25 each; qts., \$4.50 each. Fumigators, 50 cts. each.

### Paris Green

Mixed at the rate of 1 pound to 200 gallons of water. Effective against all chewing insects. Per 1-lb. can, 35c.; ½-lb. can, 20 cts.; ¼-lb. can, 12 cts. Fluctuates in price.

### Sterlingworth Weed Killer

In powder form; dissolve in water. Destroys weeds, briars, thistles, poison ivy, etc. I gal. covers 3 to 4 sq. yds. Directions on package. I-lb. pkg., making I5 gals., covering 45 to 60 sq. yds., 50 cts.; 3-lb. pkg., making 45 gals., covering I30 to I80 sq. yds., \$1.25; 5-lb. pkg., making 100 gals., covering 300 to 400 sq. yds., \$2.

### Slug-Shot (Hammond's)

Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant-worms, etc. Prepared ready for use. 5-lb. pkg., 30 cts.; 10-lb. pkg., 50 cts.; 100 lbs., \$4.50

### Sulphur, Powdered

Valuable for protecting against mildew on grapes, roses, etc. Lb., 10 cts.; 10 lbs., 60 cts.; 100 lbs., \$4.

### Sulpho-Tobacco Soap

Dissolve in proportion of 2 ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, greenfly, bark-lice, etc. 3-oz. box, 10 cts.; 8-oz. box, 20 cts.; 10-lb. box, \$3.

### **Tobacco Dust**

Ordinary Kind. For dusting. Lb., 10 cts.; 5 lbs., 35 cts.; 10 lbs., 60 cts.; 100 lbs., \$2.75.
Stoothoff's "Black Stuff." For dusting. 50 lbs., \$2.25;

stoothoff's "Fumigating Kind." For burning. 50 lbs., \$2.25; 100 lbs., \$4.

### **Tobacco Stems**

For fumigating plants infested with greenfly. Per bale of about 100 lbs., \$1.50; 200 lbs., \$2.75; 400 lbs., \$4.50.

### "Rose Leaf" Tobacco Extract

A pure concentrated extract of tobacco, effective against insects and scale. Pt., 30 cts.; qt., 50 cts.; gal., \$1.25.

Tree Tanglefoot

A sticky substance applied directly to the bark. For protecting trees against climbing insect pests in a simple economical and effective way. One application remains sticky, fully exposed to weather, three months. One pound will make a band 7* to 8 feet long. 1-lb. can, 30 cts.; 3 lbs., 85 cts.; 10 lbs., \$2.65, 20 lbs., \$4.80.

### Whale-Oil Soap

For washing trees and destroying all insects on the bark. Excellent for San José scale. Mixed at the rate of 1 pound to 4 gallons of water, it will rid cabbage, rose bushes, peach trees, etc., of aphides. 1-lb. box, 15 cts.; 5 lbs., 50 cts.; 10 lbs., 90 cts.; 100 lbs., \$7.

### Worm Eradicator, "Radix"

1 lb. makes 30 gals; directions on can. Lb., 50 cts.

### X. L. All Liquid Insecticide

For spraying. English preparation; purely nicotine; harmless to very delicate plants; kills mealy bug, red spider, and all insect pests. Pt. 65 cts.; qt., \$1; ½gal., \$1.75; gal., \$3.50.

FOR REMEDIES FOR SAN JOSÉ SCALE AND COOPER'S TREE SPRAY FLUIDS, SEE PAGE 140

# **High-Grade Fertilizers**

ALL NET CASH

### Thorburn's Complete Manure

Guaranteed to contain ammonia, 3 to 4 per cent; available phosphoric acid, 6 to 8 per cent; actual potash, 6 to 7 per-cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, potatoes, peas, beans and early vegetables, and is especially suited for grain crops. Use 1,200 to 1,500 pounds to the acre.

In 167-lb. bags, per ton\$4	.0	00
Single bags of 167 lbs	4	00
Per bag of 100 lbs		
50 lbs		
25 lbs		
10 lbs.		50

### Thorburn's Lawn Fertilizer

Guaranteed to contain ammonia, 6 to 7 per cent; available phosphoric acid, all soluble, 8 to 10 per cent; actual potash, 5 to 6 per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows, as a top-dressing, imparting to grass a rich green color and vigorous growth Apply broadcast at rate of 1,000 to 1,500 pounds to the acre.

In 167 lb. bags, per ton	\$50	00
Single bag of 167 lbs	5	00
Per bag of 100 lbs	3	25
50 lbs		
25 lbs	1	25
10 lbs.		75

### Acme No. 1 Potato Manure

Guaranteed to contain ammonia, 4 per cent; available phosphoric acid, 6 per cent; actual potash, 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the potato crop, and is also adapted for sweet potatoes, vines and fruit trees, and all leguminous plants. Use broadcast, about 1,500 lbs. to the acre.

In 167-lb. bags, per ton	\$44	00
Single bags, of 167 lbs	4	50
Per bag of 100 lbs		
50 lbs	I	75
25 lbs	Ι	00
10 lbs.		50

### Thompson's Vine Manure

Unrivaled for vines, tomatoes, cucumbers, fruit trees and all foliage, flowering and fruit-bearing plants; also for vegetables and outdoor plants of every description. Splendid for lawns, tennis courts, putting greens, etc. The result of many years' practical experience. Per cwt. (112 lbs.), \$7; ½cwt. (56 lbs.), \$4.

### Clay's Celebrated Fertilizer

One of the best manures for all horticultural purposes, either in greenhouse or garden. Splendid for mixing with potting soil and as a top-dressing. Notwithstanding its apparently high price, it is quite economical.

### PRICES IN BAGS

	cwt. (																		
$\frac{1}{2}$	cwt. (	56	lbs.	) .														4	00
1	cwt. (	28	lbs.	) .														2	25
1/8	cwt.	14	lbs.	) .														1	25

### **Bowker's Ammoniated Food for Flowers**

The best dressing for potted plants. Excellent for use on house plants, being entirely odorless. Small pkg., 15 cts. each, by mail, 25 cts. Large pkg., 25 cts. each, by mail, 45 cts.

### Canada Hard-Wood Ashes

Highest grade, extra-screened, unleached. For top-dressing lawns, especially if the soil is inclined to be stiff or sour, there is nothing better. 1½ to 2 tons to acre. Price, in bags of 100 lbs., \$1.50; ton, \$22.

### **Agricultural Salt**

For asparagus beds, etc., in barrels of about 400 lbs., \$2.50 per bbl.; about \$10 per ton. Not less than one barrel sold.

### Bon Arbor (Liquid)

A highly concentrated plant-food. 1 gal. makes 100 gals. by simply adding water.

ı-gal.	keg.				٠,																	. :	\$2	00
2-gal.	keg.																						4	00
5-gal.	keg.						•				•	•	•	•	•	•	•	•	•	•			9	25

### Bonora

A	iertilizer	а	n	α	I	)1	a	n	t-	1	00	)(	1.										
ậlb.	package.																					\$0	25
ı-lb.	package																						50
5-lb.	package																					2	50

### Pulverized Sheep Manure

A rich, pure, natural manure. Excellent as a top-dressing for lawns. Its effect is immediate and lasting. There is nothing better for mixing with the soil for greenhouse plants—one part manure to six parts soil. It is recommended for the vegetable garden, promoting a steady and rapid growth. It makes a rich and safe liquid manure—I pound to 5 gallons of water.

5-lb. package\$o	
10 lbs	50
25 lbs	
50 lbs	25
100 lbs	00
200 lbs	7.5
Ton32	00
1 1 1 1 1	

500 pounds and up at ton rate.

# Bone Fertilizers Prices subject to change

Pure Ground Bone Meal, No. 1. Finely pulverized; excellent for rose-culture. It decomposes very rapidly, and is more quickly effective than the coarser grades. It is excellent for mixing with the soil for potting. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 25 lbs., 75 cts.; 50 lbs., \$1.25; 100 lbs., \$2.25; ton, \$32.


Ground Bone, No. 2. Coarser than the above, suitable for general purposes, for top-dressing for lawns, and for garden and field crops. 100-lb. bag, \$2.25; ton, \$37.

Ground Bone, No. 3. A little coarser than No. 2. 100 lbs., \$2.75; ton, \$40.

### Other Fertilizers

### PRICES FLUCTUATE

Tankage Blood and Bone Fertilizerper 100-lb. bag, \$2.75; per 200-lb. bag, \$5; per ton, \$40
Imported Scotch Soot. In 100-lb. bags only
Mitrate of Soda5-lb. pkg., 30 cts.; 10-lb. pkg., 50 cts.; 25 lbs., \$1.25; 50-lb. bag, \$2; 100 lbs., \$3.75
Muriate of Potash



# Horticultural Implements and Garden Requisites

The numbers correspond to the illustration numbers on page 133 HOES, Scuffle, Dutch, or Push. 4 to 10 in. Each Each ASPARAGUS BUNCHER, Acme.... ...\$2 50 (Fig. 31) ......50 cts. to \$0 80 ASPARAGUS KNIVES, English (saw blade)... 1 00 Granite State (Fig.  $14\frac{1}{2}$ )..... BELLOWS-Woodason's Double Cone Powder (Fig. 22). 3 00 Single Cone. Large size (Fig. 23)2 00 Gem Graduating, for 3-inch hose ...... Small size (Fig. 24)1 00 HOSE NOZZLE, for Power Sprayer, 1-inch Atomizer. Large size (Fig. 25). 2 00 connection.

HOSE MENDERS, Cooper's. \(\frac{3}{4}\)-in.. doz., 75c.

HOSE BANDS, for hose couplings. doz., 75c.

HOSE END, No. 1. For connecting hose with ..... I 25 Small size..... TO BILL and BRUSH HOOKS, for heavy pruning. 2 75 IO CANES, Japanese Bamboo. 6 ft. long, \$1 per 100, ordinary faucets..... \$8 per 1,000; 8 ft. long, \$1.50 per 50 HOSE HOLDERS, Burton's...
HOSE, RUBBER, "Cascade," "Three-ply." 100, \$12 per 1,000. Not less than 20 100 sold. CARNATION SUPPORTS, Model Ex-3-inch, per foot, 15 cts. "Polar" " " 12 cts.
"Wallabout" " " 15 cts.
"Triton" " " 18 cts.
"Electric" " " 20 cts. tension (Fig. 45). 2-ring, 50 cts. per doz., \$3 per 100; 3-ring, 60 cts. per doz., \$3.50 per 100. Each DIBBLES. All iron (Fig. 34)......\$0 35 Fertilizing. For transplanting, HOTBED SASH. Best quality. Packing at cost. and also for inserting fertilizers Unglazed. 3 x 6 feet ..... per doz., \$12.. 1 10 DAHLIA POLES. See under Plant Stakes EXTENSION POLE GRIPS ... KNIVES-FLOWER VASES, POT SAUCERS and ROLLING STANDS. See Saynor's Celebrated English. Best make. No. 938, Pruning (Fig. 7) ..... 1 75 No. 196, "2 blades (Fig. 8). 2 25 Fig. 45 page 136. 17 FORKS, Digging or Spading .......\$1 to 1 25 " No. 187, (Fig. 9)..... 1 50 66 Hay, or Stable ..... ...... 50 cts. to 75 " (Fig. 10)..... 1 50 No. 312, Ladies' Short-handled, or Strawberry Forks. English Strawberry Forks..... 66 Manure, Long and Short-handled . . . . 85c. to 1 25 66 " Asparagus. English (saw blade) (Fig. 14) . 1 00 Granite State (Fig. 14½) .... 50 gating with tobacco stems (Fig. 39). No. 1 holds ½ peck stems..... 1 50 Grass Edging, English (Fig. 15) ....\$1.75 to 2 25 LABELS, Wooden, Pot and Garden-- PLAIN - - PAINTED-FUMIGATING LAMP, "Defiance." 1,000 100 100 1,000 4 -inch ......\$0 15 \$0 70 \$0 15 \$0 90 (Fig. 60). For nicoticide, nico-fume liquid, etc. No glass; burns ...... 15 80 20 I 00  $4\frac{1}{2}$ 15 00 20 I IO 20 I 00 25 I 35 50 4 00 8 " 3 50 6 00 feet, 50 cts... 45 GARDEN REELS, for above; of wrought iron (Fig. 46).....75 cts. and 1 00 GARDEN PENCILS, Wolff's Indelible Black. 15 GLAZING POINTS, The Tiger. 70c. per 1,000. 12 75 24-in. (for garden).. 2 50 Wooden Notched Tree-10 70 3½-inch ..... 15 Galvanized Staples .....lb. box, 30 cts...

GLAZING PUTTY, Twemlow's Old
English. Can be used with ma-6 " ...... 25 2 25 30 2 75 3½ " (cop. wired). 20 1 20 25 1 50 Tree, Water-proof Flexible. Copper wired. In Tree, Water-proof Flexible.

boxes of 100 only, \$1.50 per box.

LAWN RAKES. See page 135.

LAWN SWEEPER, "Model No. 1" \$12.

LAWN SWEEPER, "Of. 40 cts., ½gal. chine or bulb. 1, 2 and 3 gallons at \$1.35 per gal.; 5- and 10-gallon buckets at \$1.20 per gallon.

GLAZING PUTTY BULBS (Scollay's). MASTICA. For glazing. Qt. 40 cts., ½gal. 70 cts., gal. \$1.25.
MASTICA GLAZING MACHINE (Fig. 48) \$1 each; by mail, \$1.10. Fig. 46 GLOVES, Gardener's Goatskin. \$1 per \$1.25 each. MATS, for Covering Sashes. Made of Fig. 48 pair. GRAFTING WAX. In 1/4-, 1/2-, and 1-lb. packages. jute, stitched through; hemmed with Per lb., 30 cts.

GRASS BORDER SHEARS. See Shears. canvas and thickly padded; size, 76 inches by 76 inches; one mat covers GRASS EDGING KNIVES (English)..\$1.75 to \$2 25 two sashes (Fig. 49). GRASS HOOKS, or SICKLES, Best English, No. 1. Both sides jute. \$1.50 welded back ...... 50 cts. to each, \$16 per doz. HEDGE SHEARS. See Shears, page 135. No. 2. One side jute, the other side water-proof duck. \$1.80 each, \$21 HOES, Draw, or Corn. 45
Grub. 85 cts. to 1 25 Triangular (Fig. 32) ..... per doz. Fig. 49

MOLE TRAPS— Each	SCYTHE SNATH, or HANDLE, Patent Loop Each	
Olmsted's Improved (Fig. 40)	Heel	0
Little Giant. Short trap; self-setting 75	SCYTHE STONES, Round Dressed Talacre doz., \$1.50 1	5
MOSS, Sphagnum. Per 3 barrel bale 2 00	77	0
OIL CANS. Brass bottom	SEED SOWER—	
PEAT, Rotted. Per 1-barrel bag	Little Giant (Fig. 61). 1 5	
PINCERS. For glazing points. 50	Cahoon	5
"PLANET JR." DRILLS. See page 140.	LITTLE GIANT Perfection Pruning (Fig.	
PLANT DUSTER, Dickey's	r). The best made.	
" "Norton's	No. 1. 6½ inches 1 7	5
2 feet	No. 2. $7\frac{1}{2}$ " 2 o	0
3 " 60 4 00	No. 3. 8½ " 2 5 Fig. 61 No. 4. 9½ " 3 0	0
4 " 85 5 50	Watch-spring English	
5 " Extra heavy	Pruning (Fig. 2)	Q
Heavy, Square, Tapering, Painted Green.	Wiss' Solid Steel, Hand-pruning. Two sizes. 9 inches	. 5
2 feet\$0 30 \$1 75	10 " 2 5	0
3 " 55 3 50	German Pruning. Brass contact spring	
4 " 75 5 °°   5 " 1 °° 7 °°	8½ inches	
6 " 1 25 8 50	German Pruning, Ordinary	
Dahlia Poles, Painted Green, White Tops—	3 feet I 2	25
2 feet	" English 2 7	5
3 " 80 6 00 4 " 1 00 8 00	Waters' Long-handled Tree Pruners. See under Pruners.	
5 " 1 25 10 00	Hedge, English (Fig. 3). 8-, 9-, and 10-inch	
6 " 1 50 12 00	blade	00
Galvanized Wire, for Roses, etc.— 2 feet	Hedge, Saynor's, with fly-nut. 8-inch, \$2.50;	
3 " 40 2 50	9-inch, \$2.75; ro-inch	00
4 " 50 3 00	thinning the bunches90 cts., \$1.25 and 1 5	(0
5 " 60 3 50	Flower Gatherer, English (Fig. 5). \$1.25 and 1 5	,0
PRUNERS, Waters' Long-handled Tree— Each 4 feet	" "Kelly's 7	7 5
6 " 80	Grass Border, Best English (Fig. 6). 8, 9 and 10 inches\$2.50, \$2.75 and 3	00
8 " 1 00	Spring Grass, English. For trimming grass. 1 2	
IO " I IO	" " American. 7 inches I o	
Extra Blades		75
Saw, Cast Steel Socket. 18-inch	SHOVELS, Ames' Best Cast Steel. Square and	
RAFFIA, for tying (Fig.	diamond-pointed; long or short handles. I 5 SPADES, Ames' Best Cast Steel	
51). Per lb., 20c.; 5	SPRAYERS. See pages 137 and 138.	, -
lbs. 90c.;10 lbs.\$1.75. RAKES—	SPRINKLERS, all for \(\frac{3}{4}\)-inch hose.	
"Automatic Lawn"	Scollay's Rubber (Fig. 37). By mail, \$1.10 1 c	
(Fig. 43). 26-teeth	Angle-neck Rubber by mail, \$1.10. 1 c	00
Fig. 51 size, 90c. each; 38-teeth size, \$1.15 each.	Lawn, Peck's Improved (Fig. 42). Standard. 4 feet high.	
The "Lawn King." Teeth very close. Will	4-arm sprinkler 3 c	00
not tear sod as other lawn rakes do. 26- Each	8-arm sprinkler 3 5	50
teeth size, 45 cts. each; 38-teeth size\$0 60	Twin Comet. See page 137 5 c	
Steel Wire, for lawns. "The Hustler." 60 Wooden, for lawns	Fountain No. 1, Saucer-shaped Bottom 4 c Brass Fountain, nothing to rust or get out of	OC
Wooden, for lawns 35 English, or Daisy (Fig. 44) \$3 to 3 50 Steel Garden for teath to x8 tooth for the	order 1 0	00
beer darden. To-teeth to 18-teeth 50c. to 70	Water Witch, No. 3 7	75
Hay, 3-bow (Wood)	100. 4	
break or wear out.		50 10
No. 10, for 100 feet 3-inch hose 2 85	", " (on wheels) 1 5	50
No. 20 for 150 feet \(\frac{3}{4}\)-inch hose \(\ldots\) 3 15	Columbia 1 5	
No. 30, for 500 feet \(\frac{3}{4}\)-inch hose 5 00 <b>ROLLERS.</b> See page 142.	Rainbow	25
RUBBER HOSE. See Hose,		0
page 134.	THERMOMETERS-	
SAWS, Pruning, Double Edge.	Oxidized Metal Scale, Polished Back (Fig. 16)	
Sizes, 16-, 18-, 20- and 22- inch		75
SCISSORS, Grape. See Shears.	10 " " I O	
Flower Gatherer \$1.25 and 1 50	Oxidized Metal Scale, Carved Back (Fig. 17).	3
SCYTHES, English Lawn.		5
Cast steel, 30 to 38 inches.	10 " "	
91.40 10 1 /3		100

THERMOMETERS, Self-Registering, Polished Each Back (Fig. 18). 10-inch size\$2 00 12-inch size	FLOWER POTS. The best make. Of sizes 12 inches to 3 inches we do not sell less than 100 of a size, and of larger sizes not less than a dozen. We pack carefully and in the most approved manner, but will not be responsible for breakage in transit. There is often some delay in getting pots from the jactory, and we would therefore ask as much time as possible to fill orders. (Fig. 71.)  Size, height and width, inside  12 inches.  13 inches.  14 100 110 120 110 1100 1100 1100 1100 1
Hotbed, New Style, copper-sheathed\$2 oo Copper, Red Spirit. 8-inch	2 "
8-inch size\$3 00 10 "" " 3 50 12 " " 4 00  TOMATO SUPPORTS, Wire. doz., \$1.50. 20 TORCH, Asbestos. For burning caterpillars.  Small, 25 cts.; large\$0 35	41
TREE SCRAPER. 5-inch	*** *** *** *** *** *** *** *** *** **
TROWELS. Solid shanks, cast steel (Fig. 33). 6-inch, 50 cts. each; 7-inch,	No. Diam. Depth Each o 8 inches, 13 inches \$0 60 i 5½ " 10 " 50 2 4½ " 9 " 45 3 4 " 6 " 35 Fig. 55 FLOWER-POT SAUCERS, INDURATED
60 cts. each.  Transplanting. 25 and 50 cts. each.  TWINE, Green Smilax. 50c. per lb. Florists' Linen, on spools. \$1.25	WOOD-FIBER. Very light and durable. Not porous, and will protect tables on which the plants stand.    Each   Doz.   Each   Doz.     6-inch
per lb.  VEGETABLE SCOOP, Wire, for handling potatoes, apples, etc. \$1.60 each.  WATERING POTS, French Model. Brass joints; two copper-faced roses. (Fig. 53.)	FLOWER TUBS, COLUMBIA (Fig. 58). Made of cypress timber. Natural varnish finish. Diam. Height Each
6-quart\$2 25 10-quart\$2 75 8 " 2 50 12 " 3 00 The "Philadelphia," with brass joints and two copper-faced roses. 6-quart 2 00 8-quart 2 25	18       "       16½       "       2 00         21       "       18½       "       2 50         24       "       20½       "       3 00         NEW YORK STYLE TREE TUBS (Fig. 59). Made of cedar timber, painted green.
10 2 50 12 2 75  WEEDERS, Lang's (Fig. 26) 25 Excelsior (Fig. 27) 15  Magic. Short handle, 25 cts.; long handle 50 New Hand (Fig. 28) 15 Cleveland Lawn (Fig. 29). Can be used	No.       Diam.       Height       Each         I       1 2 inches $10\frac{8}{9}$ inches       \$1 15         2 13 " 12\frac{1}{2}" 15       1 50         3 14\frac{1}{2}" 14\frac{1}{4}" 185       1 85 $3\frac{1}{2}$ 16\frac{1}{2}" 15\frac{1}{4}" 245       2 45         4 19\frac{1}{2}" 15\frac{1}{4}" 25       2 65         5 22\frac{1}{2}" 18\frac{1}{2}" 3 45
easily and without stooping	
14-in, 4 casters. 90   20 in., 4 casters 1 50   16-in, 4 casters. 1 00   22-in., 5 casters 1 70	Fig. 58 Fig. 59



### Knapsack Spray Pump for vineyard, orchard and field service

Made entirely of brass and copper, with ba valves and metal plunger all easily accessible. The discharge is at the bottom and the pump can be entirely drained of the liquid. It should be carried on the back with the straps crossed in front. The reservoir is made of heavy copper and will hold about five gallons.

Price complete, as shown in cut, with  $3\frac{1}{2}$  feet of  $\frac{3}{8}$ -inch discharge hose, Vermorel nozzle and lance for degorger, \$15. Special agitator, 75 cts. extra.

### Myers' Bucket Spray Pump

Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle, and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cents extra. This pump is also valuable for washing windows. Price, \$4.

### Myers' Improved Barrel Spray Pump

Has bronze ball valves and brass seats; the plunger is brass, fitted with hemp packing. Will handle hot, cold or any caustic mixture. The cylinder and discharge pipe are all brass. The air-chamber is 30 inches in length, enabling the pump to throw a uniform, constant and elastic spray. It has good leverage, is very powerful and easily operated. Price, complete with 5 feet of  $\frac{1}{2}$ -inch three-ply discharge hose and graduating Vermorel nozzle, \$9; 8-foot iron pipe extension, 60 cts. extra.

### Columbia Sprinkler

A revolving three-arm Sprinkler on legs. About 18 inches high. Price, \$1.50.


### **Brass Fountain Sprinkler**

Very simple in construction. Cannot rust or get out of order. Will not injure the lawn. Requires only ordinary pressure of water. Price, 75 cts. each.

### "Twin Comet" Lawn Sprinkler

The globe, or body, of the sprinkler is made in two parts, and, by means of the swiftly revolving arms and intermediate gears, the upper half is made to revolve slowly, carrying the hose nozzle from which a full stream of water is thrown out beyond the

sprinkle of the arms. With an ordinary pressure of water—
20 pounds or upwards—it will thoroughly sprinkle an area of
80 feet in diameter. Price, \$5.



MYERS' BUCKET SPRAY PUMP



**Ladies' Syringe**, with One Spray Rose. Length of barrel, 12 $\frac{1}{2}$  inches; diameter, 1 5-16 inches. No. 1, \$3

Ladies' Syringe, with Jet and Two Spray Roses. The two roses, when not in use, are screwed on the side of the barrel. Length of barrel, 14½ inches; diameter, 1 5-16 inches. No. 2, \$4.50.

Best Plate Valve Syringe, large size, with One Stream and Two Spray Roses, with side pieces on the barrel. Length of barrel, 18 inches; diameter 1½ inches. (See Fig. 35, page 133.) No. 3, \$6.50.

Best Conical Valve Syringe. Large size, with One Stream and Two Spray Roses, which are placed, when not in use, in the handle of the syringe. The handle is strongly mounted with a solid brass cap and ring. Length of barrel, 18 inches; diameter, 1½ inches. No. 4, \$7.

Best Conical Valve Syringe, large size, with One Spray Rose and Gooseneck Angle Joint turning in all directions, for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length of barrel, 18 inches; diameter, 1½ inches. (See Fig. 36, on page 133.) No. 6, \$8.

Scollay's Rubber Sprinkler. For florists' use and window gardening. \$1.

Scollay's Angle-Neck Rubber Sprinkler. For spraying under leaves. \$1.

Woodason's Atomizer. For the application of all liquid insecticides. \$1.25 and \$2.

Faultless Sprayer. 75 cts. and \$1.

Pneumatic Sprayer. Reaches under the foliage. \$1 and \$2.

Lenox Sprayer. 50 cts.

Fountain No. 1 Sprinkler. Saucer-bottom; does not injure the turf; is moved from place to place by a rope. An excellent sprinkler, and one that is highly recommended. \$4.





LEGGETT'S CHAMPION POWDER DUSTER

### Leggett's Champion Powder Duster

For distributing dry insecticides and fungicides such as Paris For distributing dry insecticities and tangicities such as ratis green, hellebore, sulphur, tobacco dust, fungiroid. Without tubes it is 27 inches long, but when the four tubes are attached it is 10 feet long. An invaluable machine for use in orchard, garden or field. The regular outfit consists of six nozzles, two straps, oilcan and four tubes. Price, complete, \$7.50.

### Leggett's Brownie Powder Duster

Built on the same plan as the Champion; smaller, and with only one nozzle. Price, \$3.50.

### Jumbo Powder Gun

Suitable for persons having only a few plants to treat. It is 4 inches in diameter, holds 4 ounces of powder, and serves its purpose admirably. Price, 25 cts.

### "Auto-Spray" Pump

A self-operating sprayer of simple construction, durable, easy to carry and to work. Made of galvanized iron or solid brass, with 4-ply rubber hose. For spraying trees, shrubs, cleaning windows, etc. A perfect pump. Price, with brass tank and stop-cock nozzle, \$6.75; galvanized iron tank and stop-cock nozzle, \$4.50. Brass extension pipe, 2 feet, 45 cts. extra. Fitted with "Auto-Pop" nozzle,



Water Barrel Truck

### (Combined Sprinkler, Leaf-Rack and Hand-Cart)

The barrel is easily disconnected from the .ruck, either while full or empty. The following extra attachments can be furnished if required: "AUTO-SPRAY" PUMP (1) Box with trunnions and spring catch, forming a dumping hand-cart. (2) Sprinkler for watering walks and lawns. (3) Leaf-rack.

Truck and barrel, 2\frac{1}{2}-inch tire .........\$11 00 Hand-cart box.... Leaf-rack. Extra trunnions. Per pair ..... 50



PATENTED.

WATER BARREL TRUCK If truck and trunnions are wanted without barrel, deduct \$2.25 from price of truck and barrel.

USED AS A LEAF-RACK

CART 0 20

### Rubber Hose

We offer the following standard high-grade brands in 25- and 50-foot lengths.



Cascade. 3-ply, \(\frac{3}{4}\)-inch	15	USE	D	AS	A	HAN	D-0
Triton. 3/4-inch	18						
Electric. 3/4-inch							.\$

Lowell Fountain Compressed-Air Sprayer

RUBBER HOSE Galvanized steel, aluminum finish; capacity three gallons. Tree attachment and galvanized funnel with brass strainer put in with every machine. The simplest compressed air sprayer made. One charge sufficient to expel entire contents of tank. Price, \$6. Additional brass extensions for tree attachment, 2 feet long, 50 cts.

Polar. 5-ply, \(\frac{3}{4}\)-inch .....

Wallabout. 3-ply, 3-inch .....



CLARK'S DOUBLE-ACTION CUTAWAY HARROW

### Clark's Double-Action Cutaway Harrow

Per foct

...\$0 12

This Harrow will cut and reduce the toughest sod to plant food without the aid of a plow. It will cut from 28 to 30 acres, or will double-cut 15 acres in a day. Drawn by two horses, it will move 18,000 tons of earth 1 foot in a day. It can be set so as move the earth but little, or at so great an angle as to move all the earth I foot. It keeps the surface true and the machine runs true in line of draft. It is by the intensive cultivation effected by this Harrow that the late Mr. George W. Clark raised the large hay crops that made him known as the "Grass King." Price, \$31, net, f. o. b. factory (Conn.).

CUTAWAY GRADING, OR SMOOTHING AND LEVELING HARROW

### Cutaway Grading, or Smoothing and Leveling Harrow

With this tool any field can be made as smooth as a floor and the soil pulverized fine enough for a flower-bed—makes a most perfect onion bed. Will smooth an acre as true as a mill-pond in twenty minutes. This Harrow is also a great road-maker. One man with team can make a perfect trotting track of any road. It is adjustable with a lever, by which the entire action is controlled by the driver, and he can remove at will all the earth possible for the team to haul, taking it from hills or uneven places and putting it into hollows to level up the field. For one horse, 6 feet wide, \$13.50. For two horses, 8 feet wide, \$15.50, f. o. b. factory (Conn.).


### The Norcross Hand Garden Cultivator

Made of first-class material, the teeth forged from a solid steel rod. Can be entirely taken apart, every piece being detachable. Works between the rows, or center tooth can be removed to straddle the row. Does the work easier and faster than a wheel-plow. Price, \$1. each.

### Stevens Hand Fertilizer Sower

Sows all kinds of lawn dressing and other commercial fertilizers, wood-ashes, lime, etc., in large or very small quantities. Also excellent for sifting wood- or coalashes, sawdust or dry sand on icy walks; by removing two blades will also sow damp sand. The hopper is 34 inches long and holds one and

and holds one and one-half bushels. Price, \$12.




STEVENS HAND-FERTILIZER SOWER

A revolving fan with metal teeth creates an air current which carries into the canvas basket all leaves, dead grass, stones, etc., that the rake encounters. It straightens up crab grass and other running weeds so that they may be

The Gem Lawn Cleaner

cut by the lawn mower. It combines strength and durability with light construction. Price, \$16.



THE NORCROSS HAND GARDEN CULTIVATOR

### Lawn Sweeper, Model No. 1

Designed for use on ordinary lawns, small parks, tennis courts, etc. It is 25 inches wide over all, weighs 28 pounds, and carries a

LAWN SWEEPER, MODEL NO. I

21-inch brush. The brush is fan-shaped, and revolves very rapidly in the same direction as the drive wheels, throwing the litter backward from the under surface Immediately behind the brush, and paral-


behind the brush, and parallel with it, a thin shoe passes along over the ground, with its upper surface inclined. If sticks or stones are encountered, the shoe does not allow them to pass under it, but provides a passage over it into the hopper. Price, \$12.



THE GEM LAWN CLEANER

# The Apollo Lawn Sweeper

The machine consists of a revolving brush which throws the sweepings forward into the large grass box attachment, which, when full, is dumped by merely pulling a cord. It removes all cut grass, leaves, twigs, etc., and by setting it low it is excellent for taking out crab grass. It is also valuable for sweeping garden walks, stables, etc Price, 20-inch sweep, \$12 each; 28-inch, sweep, \$14 each.



# "Planet Jr." Farm and Garden Tools

Illustrated catalogue describing fully many other "Planet Jr." tools mailed on application. Prices are quoted net f. o. b. New York.

"PLANET JR." No. 4. Combined Hill and Drill Seeder and Wheel-hoe, Cultivator and Plow-It sows all kinds of garden seeds in hills or drills; hoes, cultivates, plows, throws earth to or from the rows and is a weed exterminator of the highest order. It is the best implement in the world for the market-gardener. The hopper holds two quarts of seed, which can be sown in continuous rows or dropped in hills, 4, 6, 8, 12 or 24 inches apart. It covers seed the right depth and rolls down the soil. The flow is instantly stopped by automatic device. The price with all attachments, \$11; as a seeder only, \$9. "PLANET JR." No. 11. Double Wheel-hoe, Cultivator, Rake

and Plow. It has 11-inch wheels, which can be set at four different distances apart. The handles are adjustable at any height, and, being attached to the arch, are undisturbed in making changes of adjustment in frame, wheels, or tools. "PLANET IR." NO. 4 Seven pairs of tools go with the complete wheel-hoe. All the blades are of tempered and polished steel. Price, \$9.

"PLANET JR." No. 12. Double Wheel-hoe, Cultivator and Plow. Identical with No. 11 Wheel-hoe, except that it has fewer attachments, and is sold at a correspondingly less price. Price, \$7.

"PLANET JR." No. 13. Double Wheel-hoe. Same as No. 12, but hoe only. \$4.75. "PLANET JR." No. 16. Single Wheel-hoe, Cultivator, Rake and Plow.
Wheel-hoe has a very full set of tools, such as have been found to work in the very best manner. It has 11-inch wheel, with broad face; is light, strong and easy running. It has adjustable handles and quick-change frame. The tools are a well-shaped plow, a pair of shield hoes and three all-steel patent cultivator teeth; also a set of two rakes, just the thing for preparing ground for the seed drill. A practical leaf-guard holds up the plants while thorough work is being done underneath. Price, \$5.85.

"PLANET JR." NO. 16

This Single "PLANET JR." NO. II

"PLANET JR." No. 17. Single Wheel-hoe Cultivator and Plow. Tools are a plow of superior design complete with land-side, large, and capable of heavy work; a set of three cultivator teeth of new design and adjustable for pitch; one pair 6-inch hoes. Price, complete, \$5.

"PLANET JR." No. 19. Single Wheel-hoe, Cultivator and Plow. Especially designed for the farmer's garden work, though it offers to every one with field or garden a cheap and effective tool for hand wheel-hoe operations. The wheel is high, the standard is slotted to make regulation of depth easy, and an adjustable malleable piece carries perfectly all the steels that go with the machine. Price, \$3.75.

### SAN JOSE SCALE REMEDIES

Winter spraying highly recommended. If in doubt, spray; take no chances. All of the following preparations have been found effective.

HORICUM (Hammond's). A lime, sulphur and salt mixture entirely free from grit. One gallon makes 25 by adding sufficient water. Full directions on can. Qt. 40 cts., ½gal. 75 cts., gal. \$1.25.

LIME, SULPHUR AND SALT MIXTURE (California Wash). Better than whale-oil soap, kerosene emulsion or crude oil. One gallon makes 25 by simply adding water. Qt. 40 cts., gal. \$1.

SCALECIDE. Petroleum oil that mixes at once with cold water in any proportion, and stays mixed. It is not necessary to use an extra tank or barrel; it can be put right into the spray tank. No hot water should be used. Can be prepared in an instant by simply adding one gallon of Scalecide for every 15 or 20 gallons of water. Qt. 40 cts., gal. \$1, 5 gals. \$3.25.

### COOPER'S TREE SPRAY FLUIDS

The most effective remedies yet discovered for San Jose scale and kindred troubles. No sediment to clog nozzles. Can be mixed instantly with cold water.

VI FLUID. For winter or spring use on dormant trees. Kills San Jose scale, oyster-shell scale, eggs of insects, spores of fungi, mosses and lichens.

V2 FLUID. For summer use when trees are in bud or leaf. Kills codling worms, oyster-shell scale, insect, woolly and all forms of aphis, pear and apple psylla without injury to leaf or blossom. One gallon of either fluid mixed with cold water makes 100 gallons of mixture.

> Price of either fluid, qt. \$1, ½gal. \$1.75, gal. \$3, 5 gals. \$14 For Insecticides other than the above, see page 131



THE THORBURN CENTURY BALL-BEARING LAWN MOWER

### NET PRICES

14-inch										
16-inch	cut								9	50
18-inch	cut								10	50
an inch	cust								~ ~	-

### **Grass Catcher** Boxes

For use with Thorburn Century Ball-bearing Lawn Mower

14-inch.										\$1	60
16-inch.											
18-inch.											
20-inch.										2	15

### New Regal Lawn Mower

14-inch	cut.							٠	٠		٠			•					٠			\$9	5	0
16-inch	cut.																٠	o		٠		10	5	0
18-inch	cut'	٠.																٠				ΙI	5	0
20-inch	cut.																					Т2	5	0

# Coldwell's Lawn Trimmer and Edger

For trimming close to walls or fences

8-inch cut; four blades; revolving cutter, 5 inches in diameter; 8-inch drive wheels; patent adjustable ball bearings. Best tool steel bottom knife. Aluminum and gilt finish. Price, \$5 each, net.



COLDWELL'S LAWN TRIMMER AND EDGER

# Chain, Roller or Golf Mower


This mower is made to meet the demand for a machine that will more perfectly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. Its great advantage is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces the friction to a minimum. The machine with six blades is highly recommended for work on putting greens.

The Best for Putting Greens

CHAIN, ROLLER OR GOLF MOWEL

### NET PRICES

		6 Blades
12-inch cut	 \$12 00	\$13 00
14-inch cut	 13 00	14 00
16-inch cut	 14 00	15 00
re inch out	+6 00	77 00



# Coldwell Improved Horse Lawn Mower

This well-known standard Mower has sidedraft attachment, to enable the horse to walk on the cut grass only, and caster-rollers which will not mark the lawn. Evenness of cut is assured by an adjustment which raises or lowers the two sides at the same time by means of a simple lever movement; the same lever serves the purpose of raising the knives from the ground when driving over gravel walks or roads.

### NET PRICES free on board New York

25-inch cut, no shafts\$38 00 [	35-inch cut, complete\$78 00
30-inch cut, complete 65 00	40-inch cut, complete 95 00

# Utica Lawn Trimmer and Edger

For trimming close to walls, fences, shrubbery and flower-beds. Weighs only 12 lbs., and can be used with one hand. 5-inch cut. Price, \$3.50 each.



### **Cast-Iron Hand Lawn Rollers**

		Diamete	er .	Lengtl	ı-sect	ions	. We	eight		Net p	rice
N	0.	2 15 inch	es22	inches,	in 3	sections.	200	lbs.	 	\$10	00
N	0.	3 20 inch	es16	inches,	in 2	sections.	225	lbs.	 	12	00
N	0.	620 inch	es24	inches,	in 3	sections.	300	lbs.	 	15	00
N	ο.	1124 inch	es24	inches,	in 3	sections.	450	lbs.	 	21	50
N	0.	15 28 inch	es 30	inches.	in 3	sections.	600	lbs.	 	20	00

### CAST-IRON HAND LAWN ROLLERS

### (With Ball-bearings)

	Diameter	Length-sections	Weight	Net price
No. 402	15 inches 2	inches, in 3 sections	200 lbs	\$10 50
No. 407	20 inches 2	4 inches, in 2 sections	300 lbs	15 50
No. 410	24 inches 2	inches, in 2 sections	450 lbs	22 50
No. 411	24 inches 2	4 inches, in 3 sections	450 lbs	22 50
No. 412	24 inches3	o inches, in 3 sections	500 lbs	24 00
No. 415	28 inches 3	inches, in a sections	600 lbs	20 50

### **Horse Boots**

Made of very strong, heavy leather, closely riveted. Price, per set of four, \$9.

### Farmogerm

A preparation of high-bred, nitrogen-gathering bacteria in sealed bottles, ready for use, with water added according to directions. Bottles contain enough Farmogerm to inoculate the seed for one acre. Prepared for the following crops:

Price per acre, \$2. State for what crop Farmogerm is wanted when ordering

White Clover Alsike Clover Canada Field Peas Soy Beans
Red Clover Alfalfa Clover Garden Peas Garden Beans
Crimson Clover Cow Peas Sweet Peas Vetches

Also in garden sizes, enough for 1,000 square feet or a 200-foot row, for Peas, Beans, Sweet Peas and White Clover, at 50 cents per bottle. We secure cultures fresh from the laboratory as required, hence it takes two or three days to fill orders,

PAGE	PAGE
Abies	Beans, Field 56
Abobra	Beech, Water 60 Beet, Foliage 14 Beet, Ornamental 101
Abrus. 99 Abutilon. 99 Acer. 60 Acidanthera 129 Acacia. 99 Acanthus 99	Beet, Foliage 14
Abutilon 99	Beet, Ornamental 101
Acidenthera	Beets, Urnamental
Acacia	Beet, Sugar 14
Acanthus	Beggar Weed 56
Achillea 99	Begonia 9, 101
Achimenes 99 Aconitum 99	rooted Tuberous-
Acarta 99 Acanthus 99 Achillea 99 Achillea 99 Achimenes 99 Aconclinium 99 Acroclinium 99 Adam's Needle 60 Adanophora 99	Bellflower, Chimney, 60
Adam's Needle 60	Belliower, Chinese . 113 Bellis . 105 Benincasa . 101 Berberis . 60 Bessera . 120 Betula . 60 Bidens . 101 Birch . 60 Bird Seeds . 44 Bittersweet, Climbing 60 Bladdernut . 62 Bladdernut, Chinese . 61 Blazing Star, Kansas 110 Bleeding-heart . 130
Adam's Needle         60           Adenophora         99           Adlumia         99           Adonis         99           Agapanthus         100           Agathæa         100           Agerstemma         100           Allanthus         60           Akebia         60           Alder         60           Allspice, Carolina         60           Almond, Bitter         60           Almond, Sweet         60           Alnus         60           Alonsoa         100	Bellis
Adonis	Berheris 60
Agapanthus100	Bessera 120
Agathæa 100	Betula 60
Ageratum 66	Bidens
Ailanthus 60	Bird Seeds
Akebia 60	Bittersweet, Climbing 60
Alder 60	Bladdernut 62
Allspice, Carolina 60	Bladdernut, Chinese. 61
Almond, Sweet 60	Bleeding-heart
Alnus 60	Bocconia 102
Alonsoa 100	Boltonia 102
Alstropmoria	Bleeding-heart 130 Bocconia 102 Boltonia 102 Books, Horticultural 45 Borage 10
Alonsoa 100 Alsine 100 Alsine 100 Alstremeria 100 Althea 78,70 Alyssum 67 Amarantus 100,110 Amaryllis 128 Ambrosia 100 Amethyst 102 Ammobium 100 Amorpha 60 Ampelopsis 60 Amydalus 60 Annydalus 100 Anchusa 100 Anchusa 100 Anchusa 100 Andromeda 60 Andemone 100,129 Angelonia 100 Anomatheca 129 Anthemis 100	Borecole
Alyssum 67	Borecole
Amarantus 100, 110	Box 59
Ambrosia 128	Brachycome 102
Amelanchier 60	Broccoli 15
Amethyst	Broom Corn 56
Ammobium100	Broom, Scotch 56, 61
Amorpha	Broom, Sweet 108
Ampelopsis 60	Broussonetta 00
Anagallis100	Brussels Sprouts 15
Anchusa 100	Bryonopsis102
Andromeda 60	Buckthorn 62
Angelonia 100, 120	Buckwheat 55
Anomatheca	Bulbs and Roots, Mis-
Anomatheca 129 Anthemis 100 Antholyza 129 Antigonon 100 Antirrhinum 91, 92 Aquilegia 67 Arabis 100 Aralia 26, 60 Arborvitæ 66 Arbotutus 66 Arctotis 100	Solution   Solution
Antholyza 129	Buphthalmum 702
Antirrhinum of og	Burnet 10, 50
Aquilegia 67	Buttonball60, 61
Arabis 100	Buxus 59 Cabbage 5, 16, 17 Cabbage, Cow 57 Cacalia 102 Cactus 102 Callalium 102
Arborvitæ 60	Cabbage Cow 57
Arbutus	Cacalia
Arctotis100	Cactus102
Ardisia	
Aristolochia 60 101	Calampelis 102
Arbutus 60 Arctotis 100 Ardisia 100 Argemone 101 Aristolochia 60, 101 Arnebia 101 Arrow-wood 62 Artichoke 101 Artichoke 101	Calceolaria
Arrow-wood 62	Calendula 68
Artichoke	Calla 102,129
(roots)	Callioneie 68
Arum120	Callirhoë102
Asclepias 101	Calycanthus 60
Ash	Camassia
Asparagus 10 101	Campanula 8 60
Asparagus, Orna-	Camphor 60
Artichoke. 10 Artichoke, Jerusalem (roots) 44 Arum 129 Asclepias 101 Ash 61 Asimina 60 Asparagus 10, 101 Asparagus, Ornamental 7 Asparagus (100ts) 10, 44 Asperula 56, 101	Calampelis         102           Calandrinia         102           Calceolaria         102           Calendula         68           Callicarpa         60           Callicarpa         60           Callirhoë         102           Calycanthus         60           Camassia         130           Camellia         60, 102           Campanula         8, 69           Camphor         60           Canary-Bird         Flower           Cannabis         102, 116
Asparagus (roots) 10, 44 Asperula 56, 101 Aster 65, 66 Aster, Cornflower 116 Astragalus 56 Atriplex 56 Aubrietia 101 Auricula 101 Auricula 101 Bachelor's Button 72, 107 Balliurus 61 Balloon Vine 101 Balsam 67, 68 Baptisia 101 Barberry 60	102, 116
Aster	Canna
Aster, Cornflower 116	Candleberry Myrtle. 61
Astragalus 56	Candytuft 70
Atriplex 56	Cantaloup 26, 27
Auricula	Cannabis 102 Canna
Azalea	Cardinal Flower 80
Bachelor's Button 72, 107	Cardiospermum 101
Balloon Vine	Cardoon
Balsam 67 68	Cardoon 17 Carduus 102 Carnation 70 Carpinus 60 Carrot 17, 18 Carva 60
Baptisia	Carpinus 60
Barberry 60	Carrot
Barley 55	Castanea 60
Basket Flower	Castilleia
Basswood 62	Castor-Oil Plant 90
Bartonia 101 Basket Flower 130 Basswood 62 Bean, Butterfly Runner 4, 13, 113 Bean, Lima 4 Beans 4, 11-13	Carya 60 Castanea 60 Castalleia 102 Castor-Oil Plant 90 Catalpa 60 Catananche 102 Catchfly 115 Cauliflower 5 16
ner4, 13, 113	Catchfly
Beans	Cauliflower 5, 16
	, v. ameren er (111111119) iy

INDEX	
PA	GE
Ceanothus. Cedar. Cedronella Cedrus. Celastrus Celesty 18 Celosia 69, 75, Celtis.	60 59
Cedronella	103
Cedrus	59 60
Celery 18	,19
Celosia 69, 75,	103
Centaurea	72
Centauridium	103
Centrantnus	103
Cephalanthus	60
Cerastium	103
Celery	60
Cereals	55
Chamæpeuce	103
Chamæcyparis	59
Cheiranthus	117
Chestnut, Japan	60
Cherry, Indian	62
Cherry, Wild	61
Chicory 21. 23	, 56
Cerasuum Cercis Cercis Cercis Cercis Cercis Cercis Cerads Cercinthe Chamæcyparis Chard, Swiss Cheiranthus Chestnut, Japan Chelone Cherry, Indian Cherry, Indian Cherry, Mild Chervil Chicory Christin as Chicory Christin as Rose 108, Christin as Rose 108, Christin as Rose 108, Christin as Charys athemum 72 75095is 7ar Plant 16 namon Vine 17 neraria 18 inamon Vine 18	60
Chives	44 T20
Choke Cherry	61
Christmes Berry	103
Christmas Rose. 108,	130
Chrysenthemum72	, 73
ar Plant	103
neraria	103
Cinnamon Vine (roots	) 44
Cinnamomum	60
Ciadrastis	60
Clarkia	73
Clematis 60.	103
Cleome	103
Clethra	60
Clintonia	103
Clitoria	103
Clovers	54
Cobæa	103
Cockscomb	75
Coffea	104
Coffee Tree, Ken-	- 104
tucky	61
Collards	21
Collinsia	104
Collomia Columbine	67
Colutea	60
Commelyna	104
Convolvulus	104
Coral Drops Coral Tree	129
Cordyline	104
Coreopsis	68
Corn, Field	55 72
Corn Jerusalam	. 58
Corn Kaffir	58
Corn, Pop	55
Corn, Sweet 5, 19	21
Coffee Tree, Kentucky. Coleus Collards. Collards. Collinsia. Collomia. Columbine. Commelyna. Conellower. Convolvulus. Coral Drops. Coral Drops. Coral Tree. Coreopsis. Corn, Dhoura. Corn, Dhoura. Corn, Eield. Cornflower. Corn, Jerusalem. Corn, Jerusalem. Corn, Pop. Corn, Sweet. Corn, Syect. Corn, Sweet. Corn, Sweet. Corn, Sweet. Cornus. Coronialla. Corylus. Cosmidium. Cosmos. Cosmidium. Cosmos. Sect. Costton. Sect. Costton. Sect. Colling. Costan. Sect. Colling. Costton. Sect. Colling. Costton. Sect. Cotton. Sect. Cotton. Sect. Colling. Sect. Cotton. Sect. Colling. Costton. Sect. Cotton. Sect. Cotton. Sect. Colling. Costton. Sect. Cotton. Sect. Colling. Costton. Sect. Cotton. Sect. Colling. Costton. Sect. Colling. Costton. Sect. Colling. Costton. Sect. Cotton. Sect. Colling. Costton. Sect. Colling. Colling. Costton. Sect. Colling. Costton. Sect. Colling. Costton. Sect. Colling. Costton. Sect. Colling. Costton.	61
Corvlus	61
Cosmidium	104
Cosmidium Cosmos 8 Cotton 56, Cow-peas Cowslip Cratægus Cress	104
	56
Cowslip Cratægus Cress Crinums Crucianella	61
Cress	21
	129

PAGE
Cucumber, Serpent 116 Cucumber Tree 61 Cucumber, Wild 106 Cucumis 104
Cucumber, Wild106
for Flower Seeds. 63, 64 Cup and Saucer 69 Cuphea
Cuphea Tod
Cupressus 50
Currant, Indian 62
Cyclamen 105 Cyclanthera 105
Cynoglossum 117
Cyperus
Cypress, Summer 79
Cypress Vine 79
Dahiia 105, 122
Daisy Blue 100
Dahia
Daisy, Scarlet Trans-
vaal
Daisy, Swan River
Dandelion
Daphne
Danhen       61, 105         Datura       105         Delphinium       75, 76         Desmodium       56         Deutzia       61
Desmodium
Diamond Flower100
Diamond Flower 100 Dianthus 70, 71, 88, 89, 93 Diascia 103 Dicentra 130
Diascia 109
60, 61 Deciduous Tree Seeds 60, 61
60, 61
Dictamnus
Dimorphotheca
Dioscorea
Dockmackie 6:
Dogwood 61
Doronicum 100
Dracæna 100
Dracocephalum 100 Dusty Miller 100 Dutchman's Pipe . 60, 100
Dutchman's Pipe. 60, 10
Eardrop, Ladies' 10' Echeveria 10d Echinacea 10d Echinocystis 10d Echinops 10d Edelweiss 11d Edgeworthia 3: Eggrolant 2
Echinacea
Echinocystis 100
Edelweiss
Eggplant 3
Eggplant
Eugewortinia 3 Eggplant 2 Elæagnus 6 Elder 5 Elder 5 Elder, Box 6 Elder, Box 6 Elm 5 Elsholtzia 10
Elder, Box 6
Elm 6: Elsholtzia
Emmenanthe 100
E manage #1
Epacis
Erica
Erigeron 100
Erica         100           Erigeron         100           Erinus         100           Eryngium         100           Erysimum         100           Erythrina         100
Eryngium 100 Erysimum 100
Erythrina 100 Eschscholtzia 7, 70
Esculent Plants and
Roots 4
Esparto Grass 50 Eternal Flowers 108
Eucalyptus 6:
D 1 '1'
Eucharidium 100
Eucharidium 100 Eucharis 130 Euonymus 6
Eucharidium 100 Eucharis 130 Euonymus 6 Eupatorium 100
Eutoca
Euphorpia

PAGE	PAGE	PAGE
Ceanothus 60	Cucumber Serpent 116	Everlasting Flowers
Codor	Cucumber, Serpent116 Cucumber Tree 61 Cucumber, Wild106	
Cedar 59 Cedronella	Cucumber Tree 01	102. 114
Cedronena	Cucumber, Wild100	Fagus 61
Cedrus 59	Cucumis	Fennel 23
Celastrus 60	Cultural Directions	Fenugreek 57
Celery 18,19	for Flower Seeds. 63, 64	Fenzlia
Celery	Cup and Saucer 69	Ferns 106
Celtis 60	Cuphea 104	Fertilizers 132, 133
Centaurea 72	Cupressus 59	Fetticus 21
Centauridium 103	Currant, Indian 62	Fir
Centranthus103	Cyclamen 105	Flame Flower 87, 88
Centrosema 103	Cyclanthera 105	Flax
Cephalanthus 60	Cynoglossum117	Flav New Zealand 112
Cephalaria 103	Cupowia	Flax, New Zealand 113 Flax Seed 57
Coroctium	Cyperus	Flower Seed Collec-
Cerastium 103	Cypress 59	tions Seed Collec-
Cercis 60	Cypress, Summer 79	tions
Cereals 55	Cypress vine 79	Flower Seeds05-117
Cerinthe 103	Cytisus 61	Flowers suitable for
Chamæpeuce103	Cypress	Bouquets119
Chamæcyparis 59		Forage, Economical and Miscellaneous
Chard, Swiss 38	Daisy, Blue 100 Daisy, Double Orange 106	
Cheiranthus 117	Daisy, Double Orange106	Seeds 56-59
Chestnut, Japan 60	Daisy, Scarlet Trans- vaal	Forget-me-not 7, 76, 77 Fountain Plant100
Chelone	vaal107	Fountain Plant100
Cherry, Indian 62		Four O'clock 106
Cherry, Wild 61	Daisy, Swan River	Foxglove
Cherry, Wild 61 Chervil 20	102, 105	Fragaria 106
Chicory 21, 23, 56	Dandelion 21	Fraxinus 61
Chionanth s 60	Daphne 61, 105	Freesia 106
Chives 44	Datura 105	Fringe Tree 60
Chlidant vis 130	Delphinium 75 76	Fringe Tree 60 Fruit Seeds 62
Choke Cherry 61	Desmodium 76	Fuchsia 107
Chorizen a	Deutzia	Furze57,62
Christm's Berry 103	Desmodium	Gaillardia 77
	Dianthus to at 99 90 00	Galega107
Christmas Rose, 108, 130	Dianthus 70, 71, 88, 89, 93	Gamolepis107
Christmas Rose 108, 130 Chrysenthemum . 72, 73	Diascia 105	Camolepis107
750psis	Dicentra	Gardenia 61
750psis 103 7ar Plant 104 9 neraria 103 103 (innamon Vine 130	Deciduous Shrub Seeds	
neraria103	60, 61	Gaura 107
innamon Vine 130	Deciduous Tree Seeds	Genista 56, 61, 107
Cinnamon Vine (roots) 44	60, 61	Gentiana 107
Cinnamomum 60	Dictamnus105	Gentian, Bottle 107
Citaus	Digitalis	Geranium 107
Cladrastis 60	Dimorphotheca 7	Gerbera 9, 107
Clarkia 73	Dioscorea 44	Gesnera
Clary 103	Diospyros 61	Geum 107
Clary	Dockmackie 62	Gilia107
Cleome 103	Dogwood 61	Gladioli 9, 120, 121
Clethra 60	Dolichos 56, 105	Glaucium 107
Clianthus103	Doronicum 106	Gleditschia 61
Clintonia 103	Dracæna 106	Globe Flower 116
Clitoria 103	Dracocephalum 106	Globularia 107
Clover, Chinese 56	Dusty Miller 103	Gloxinia 107, 130
Clovers 54	Dutchman's Pipe. 60, 101	Glycyrrhiza 57
Cobæa 103	Eardrop, Ladies' 107 Echeveria 106	Godetia 78
Coccinea 103	Echeveria 106	Golden Feather 114
Cockscomb 75	Echinacea 106	Gomphrena107
Coffea 104	Echinocystis106	Gorse 62
Coffee Tree 104	Echinops	Gourds 104, 108
Coffee Tree, Ken-	Edelweiss	Gourd, Snake 116
tucky 61	Edgeworthia 31	Grammanthes108
Coleus 104	Eggplant 23	Grasses, Ornamental
Collards 21	Elæagnus 61	118, 110
Collinsia	Elder 62	Grass Seed 46-53
Collomia 104	Elderberry 62	Grass, Silver China 57
Columbine 67	Elder, Box 61	Grass Seed 46–53 Grass, Silver China 57 Grevillea
Colutea 60	Elm 62	Gumbo 28
Commelyna	Elsholtzia 106	Gum 61
Coneflower	Emmenanthe106	Gum, Sweet 61
Coneflower	Emmer 56	Gunnera 108
Coral Drops 120	Endive 23	Gymnocladus 61
Coral Drops 129 Coral Tree 106	Epacris 106	Gypsophila, 108
Cordyline 104	Eremurus 106	Hæmanthus130
Coreopsis 68	Erica 106	Halepense 58
Corn. Dhoura 58	Erigeron 106	Halesia 61
Corn, Dhoura 58 Corn, Field 55	Erigeron	Haps Tree 61
Cornflower 72	Eryngium 106	Haps Tree 61 Haw, Black 62
Corn, Jerusalem 58	Erysimum106	Hawkweed 108
Corn Kaffir 58	Erythrina106	Hawthorn 61
Corn, Pop 55	Eschscholtzia 7, 76	Hazel, German 61
Corn, Pop 55 Corn Salad 21	Esculent Plants and	Hazel, German 61 Heart's-ease 84-86
Corn, Sweet 5, 19, 20	Roots	Heath 100
Cornus 61	Esparto Grass 56	Hedera 61
Coronilla 61	Eternal Flowers 108	Hedge Plants, Seeds. 62
Corylus 61	Eucalyptus 61	Hedysarum 57, 108
Cosmidium 104	Eucalyptus 61 Eucharidium 106	Hedysarum57, 108 Helenium108
Cosmos 8, 74	Eucharis 130	Helianthus 93
Cotton	Euonymus	Helichrysum 108
Cow-peas 56	Eupatorium	Helipterum108
Cowslip 104	Euphorbia106	Heliopsis 108
Cotton       56, 104         Cow-peas       56         Cowslip       104         Cratægus       61	Eutoca 106	Heliopsis 108 Heliotrope
Cress 21	Eutoca 106 Evergreen Shrub Seeds	Heliotropium 108
Crinums 129	59, 60	Heliotropium 108 Helleborus 108, 130
Crucianella 104	Evergreen Tree Seeds	Hemerocallis130
Cryptomeria 50	59, 60	Hemp 57
Cucumber, ,,5, 22, 23	Exochorda 61	Hemp, Giant102

Herbs, Pot, Sweet and	Lonicera 61	Orobus112	RockCress100	Tagetes 80, 81, 116
Medicinal 43	Lophospermum110	Oxalis	Rod, White 62	Tamarisk 62
Heuchera 108	Lotus 57	Oyster, Vegetable 38	Romneya114	Tamarix 62
Hibiscus 61, 108	Love-in-a-mist110	Palafoxia	Roquette	Tarragon Plants 44
Hickory, Shellbark 60	Love-Lies-Bleeding	Palava112	Rosa 42, 114	Tassel Flower 102
Holly	I Chi	Palm Seeds119	Kose	Tasselwort, Great 102
Hollyhock 78, 79	Luffa, Chinese108 Lupins 57	Pæonia	Rose Campion 100 Rose of Heaven 100	Taxus
Honesty	Lupinus	Pansy 84	Rose of Sharon 61, 108	tain
Hop, Climbing 100	Lychnis	Papaver 80, 00	Rudbeckia114	Tea Tree 62
Hop Seed 57	Machæranthera 111	Papaver	Rutabaga 42	Teasels
Hop Tree 62	Maclura 57, 61 Madeira Vine 130	Parsley 34	Rye 55	Tecoma 116
Horse-radish (roots). 44	Madeira Vine130	Parsnip 34	Sage, Flowering 91	Teosinte 58
Humea 109 Humulus 109	Madia 60	Passion Flower 112	Sainfoin 57	Thea
Hunnemannia109	Magnolia 11ee 65	Passiflora	Saintpaulia	Thistle, Fishbone103
Hyacinth Bean 105	Magnolia	Paw Paw	Salisburia 62	Thistle, Silver106
Hyacinthus 109, 130	Mahonia 61	Pea, Butterfly 103	Salpiglossis114	Thorn
Hypericum109	Maidenhair Tree 62	Pea, Flat 57	Salsify	Thorn, Christ's 61
Iberis 70	Malcolmia	Pearl Bush 61	Salt Bush, Australian . 56	Thuja 60
Ice-plant 23, 109	Malope	Peas, Sugar 33	Salvia 91, 103	Thujopsis 60
Impatiens 67, 68, 109 Implements and Gar-	Malva111	Peas, Canadian Field. 57	Sambucus 62	Thunbergia
den Requisites.134–142	Mandevillea	Peas, Perennial 98	Santolina	Tilia 62
Incarvillea 7, 109, 130	Maple 60	Pelargonium112	Saponaria	Tilia
Indian Shot102	Marigold 80, 81	Penicillaria 57	Sash, Hotbed 3	Tomato 6, 40, 41
Indigofera 57, 61	Marrow, Vegetable 40	Pentlandia 130	Saxifraga115	Torenia
Indigo, False 60, 101	Martynia29,111	Pentstemon 112	Scabiosa115	Torreya 60
Indigo Seed 57	Marvel of Peru 106	Phaseolus 4, 113	Schizanthus115	Touch-me-not109
Indigo Tree	Mathiola92, 93, 111 Matricaria111	Peppers 6, 33, 34 Perilla	Schizopetalon115 Sciadopitys60	Trachelium116 Trachymene116
Inula109	Mats	Persicaria112		Traveler's Joy 60
Ionopsidium109	Maurandya111	Persimmons 61	Scorymus	Tree of Heaven 60
Ipomœa 79	Meconopsis111	Petunia	Scotanthus115	Tree Seeds 59-62
Ipomopsis	Melianthus	Phacelia	Sea Daffodil 130	Trefoil, Bird's-foot 57
Iris109, 126	Melilotus	Phlox 87, 88	Sedum	Trichosanthes116
Itea 61	Melon, Musk 26, 27	Phormium113	Senna, Bladder 60	Trifolium116
Ivy, Boston 60	Melon, Water 27, 28	Phygelius	Senna, Scorpion 61	Tritoma116, 130
Ivy, English 61 Ivy, Kenilworth110	Melothria	Physalis	Sensitive Plant15 Seradella58	Tritonia
Ilex	TOO TIT	Picea 59	Sequoia 60	Tropæolum 82,83,102,116
Tacobæa 100	Mezereon 61	Picotee113	Shad Bush 60	Tsuja
Jacob's Ladder 100	Mezereon 61 Mignonette 8, 81	Pine 59, 60	Shrub Seeds 59-62	Tsuja
Johnson Grass 58	Milkweed, Swampioi	Pinks	Silene	Tunica
Joseph's Coat 100, 109	Milla	Pinus 59, 60	Silk Oak	Tulip Tree 61
Judas Tree 60	Millet55, 57 Millo Maize, Yellow. 58	Pittosporum	Silver Bell 61	Turnip
Juglans         61           Jujube         62	Mimosa 111, 115	Plane 61 Platanus 61	Sinningia 115 Skirret 41	Tydæa
Juniper 59	Mimulus111	Platycodon	Smilax115	Ulmus 62
Juniperus 59	Mina 111	Platystemon113	Smoke Tree 62	Umbrella Pine 60
Jute 57	Molucella 111	Plum, Wild 61	Snails 58	Umbrella Tree 61
Kale24, 57	Momordica111	Podolepis113	Snapdragon 91, 92	Valeriana
Kalmia 61	Montbretias 129	Polyanthus	Snowball 62	Vallota
Kaulfussia109 Kennedya109	Moonflower 79	Polygonum 57	Snowberry 62 Snowdrop Tree 61	Vegetable Plants 44 Vegetable Seeds 10-42
Kochia 79,109	Morning-glory 79, 104 Morning-Glory, Japa-	Poppy	Solanum115	Venidium
Kœlreuteria 61	nese 81	Poppy, Horned 107	Sophora	Venus' Looking-Glass117
Kohlrabi 24	Morus 61	Poppy, Matilija 114	Sorghum 58	Venidium
Kudzu Vine109	Mourning Bride 115	Poppy, Opium 57	Sorrel 38	Verbascum117
Laburnum 61	Mukia	Populus 61	Sour Gum Tree 61	Verbena 8, 94, 110, 117
Lantana 109 Lantern Plant, Chi-	Mulberry 60, 61	Portulaca	Sour-wood 60	Veronica
nese113	Musa	Potatoes, Seed 35, 36 Potentilla	Spergula 58 Sphenogyne	Vetch, Kidney 57
Lapageria 100	Musk Plant	Poterium 56	Spinach28, 38	Vetch, Milk 56
Larch	Mustard 26	Prayer Bean 99	Spindle Tree 61	Viburnum 62
Larix 61	Myosotidium	Primrose, Evening 114	Spiræa62, 130	Vicia 58, 117
Larkspur75,76	Myosotis 7, 76, 77	Primroses 113, 114	Spraguea	Vigna 56
Lasthenia 109	Myrica	Prince's Feather	Spruce 59, 60	Vinca117
Lathyrus57, 96-98 Laurus61	Nægelia	Prince's Feather 100 Privet 60, 61, 62	Spurge, Mountain106 Spurry58	Viola,
Laurus 61 Laurel	Negundo 61	Prunus	Squash39,40	Violet, Usambara 114
Laurustinus 62	Negundo 61 Nemesia 8, 112	Ptelea 62	Stachys 116	Virgin's Bower 60, 103
Lavatera 110	Nemophila112	Pueraria 100, 114	Staphylea 62	Viscaria
Lavender, Sea 116	Nerium	Pumpkin	Star Flower 79	Wallflower
Layia 110 Leek 24	Nerine	Pyrethrum	Statice116 Stenactis116	Walnut 61 Watsonia
Leontopodium110	Nettle Tree 60	Ramie	Stephanophysum 116	Wayfaring Tree 62
Leptosiphon110	New Jersey Tea 60	Rampion	Stevia	Wheat 55
Leptosyne 110	Nicotiana	Rape 57	Stipa 56	Whin 62
Lettuce 5, 25, 26	Nigella 110	Reana 58	Stock	Whitlavia 117
Leucothoë 61	Nierembergia 112	Red-Hot-Poker Plant	Stock, Virginian 117	Wigandia
Liatris	Nolana	Padwood California 60	Stokesia	Annuals for117
Ligustrum 61	Novelties, Flower Seed7-9 Novelties, Vegetable 4-6	Redwood, California. 60 Rehmannia114	Stonecrop	Willow, Virginian 81
Lilac 62	Nycterinia	Reseda 81	Streptocarpus116	Wistaria 62
Lilies 126, 128	Nyssa 61	Rhamnus 62	Styrax 62, 116	Wistaria 62 Witch Hazel 61
Lily, Guernsey130	Oats 55	Rheum114	Sugar-Cane 58	Wolf Berry 62
Lily, Scarborough 130	Obedient Plant113	Rhodanthe 114	Sumach	Woodbine 60
Limnanthes110	Enothera	Rhodochiton114 Rhododendron62, 114	Sunflower 58, 93 Swainsonia 116	Woodruff 58, 117
Linden 62	Oleander	Rhubarb	Swallow-wort101	Xeranthemum117
Linum 110	Oleaster 61	Rhubarb Ornamentalii4	Sweet Bay 61	Yam, Chinese 44
Liquidambar 61	Onobrychis 57	Rhubarb (roots) 44	Sweet Peas	Yellow-wood Tree 60
Liquorice 57	Onion 5, 29, 30	Rhus	Sweet Pepper Bush 60	Yew 60 Youth and Old Age. 94
Liriodendron 61 Loasa	Orach	Rice Seed 58 Ricinus 90	Sweet Sultan 72 Sweet William 93	Vucca 60 117
Loasa	Orange, Osage57, 61	Rivina114	Syringa 63	Yucca
Locust 62	Orchids 112	Robinia 62	Syringa         62           Symphoricarpos         62           Tacsonia         116	Zinnia 8, 94
Locust, Honey 61	Orchids 61 Oreodaphne 61	Rocket	Tacsonia116	Zizyphus 62

# THORBURN'S LIST OF VEGETABLE SEEDS

That May be Sown in Each Month from February to September in the Climate of New York

f all eppers	Finest of all Sweet Peppers	BEST OF ALL	TOMATO	Spinach Squash Herbs	Spinach Early Turnip All Herbs	Radish Spinach Early Turnip	Radish Spinach Early Turnip	Good-sized Ear Small Cob
	1	CHIDECT AND		Radish	Radish	Peas	Peas	1
epper	Salad Pepper	LAR	White Fr. Turnip Ruta-Baga	Potatoes Pumpkin	Peas Potatoes	Parsley Parsnip	Cnion Cnion	Sweet Corn
Sweet	LOWER Upright Sweet	CAULIF	Squash	Early Peas	Parsnip	Onion	Carrot	Perfection
		GILT-EDGE	Radish	Nasturtium	Onion	Kohlrabi	Bean, B. Windsor	Early White
3	Sweet Peas	HUKBUKN	Okra Early Peas	Lettuce	Lettuce	Celery	L'omato	Thorburn's
	Turnip		Nasturtium	Kale	Kohlrabi	Carrot	Radish	
adish	Winter Radish Spinach	Turnip	Kohlrabi Lettuce	Cucumber Endive	Cucumber	Early Cabbage	Parsley	Radish
	Mustard	Spinach	Kale	Cress	Sweet Corn	Beets	Lettuce	Pepper
	Lettuce	Radish	Gherkin	Sweet Corn	Celery	English Beans	Kohlrabi	Parsley
	Cress Siberian Kain	Welsh Onion	Cucumber	Carrot Cauliflower	Carrot Cauliflower	Asparagus	Celery Egg-Plant	Egg-Plant Early Lettuce
4	Corn Salad	Lettuce	Cress	Late Cabbage	Brussels Sprouts	THE OBOTH ORDINA	Cauliflower	Cucumber
nes Chervil	Tuberous Che	Endive	Corn Salad	Brussels Sprouts	Beets	Tomato	Forcing Carrot	Early Celery
er for	Cauliflower for	Corn Salad	Carrot	Beets	Beans, Bush and	Melon	Brussels Sprouts	Early Cabbage
	frames	Tuberous Chervil	Beets	all other sorts	Asparagus	Egg-Plant	Early Beets	Broccoli
or cold-	Cabbage for cold-	Beans, Bush	Beans	Beans, Lima and	Artichoke	Cucumber	Early Beans	Early Beans
ROUND	IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	SOW IN HOTBED	SOW IN HOTBED	SOW IN HOTBED
BER	SEPTEMBER	AUGUST	JULY	JUNE	MAY	APRIL	MARCH	FEBRUARY

# J. M. THORBURN & CO., SEEDSMEN, NEW YORK

